

**Test Report**

Number : TWNC00354068

Date : Mar 19, 2014

Article No : 536 Akwadek™

**Sample Description:**

Five (5) pieces of submitted samples said to be :

Item Name : Cross Mat (2014/01/21)  
Color : Black  
Quantity : 5 Pieces  
Country of Origin : Taiwan  
Date Sample Received : Jan 29, 2014  
Date Test Started : Feb 06, 2014


---

**Test Conducted:**

As requested by the applicant, for details please refer to attached pages.

---

Authorized by:  
On Behalf of Intertek Testing Services  
Taiwan Limited



K. Y. Liang  
Director



**Intertek Testing Services Taiwan Ltd.**

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 11492, Taiwan, R.O.C.

全國公證檢驗股份有限公司

11492 台北市內湖區瑞光路 423 號 8 樓

Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2410

**Test Report**

Test Conducted

Mould Resistance Test

Number : TWNC00354068

Article No : 536 Akwadek™

With Reference To ASTM G21-09

Mould Culture Used : *Aspergillus niger* (ATCC 9642)  
*Penicillium pinophilum* (ATCC 11797)  
*Chaetomium globosum* (ATCC 6205)  
*Gliocladium virens* (ATCC 9645)  
*Aureobasidium pullulans var.melanogenum* (ATCC 15233)

Culture Medium : Nutrient-Salts Agar  
 Incubation Period : 28 Days  
 Incubation Temperature : 28°C  
 Test Specimen : Submitted sample (2 × 2 inch)

Result :

Rating* At The Specific Period Of Incubation (Day)			
<u>7<sup>th</sup></u>	<u>14<sup>th</sup></u>	<u>21<sup>st</sup></u>	<u>28<sup>th</sup></u>
0	0	0	0

Remark : \* = Rating scale ranking from 0 to 4 and each number represents the degree of mould growth observed on the specimen surface.

- 0 - None (no growth on specimen surface.)
- 1 - Traces of growth (less than 10%).
- 2 - Light growth (10%-30%).
- 3 - Medium growth (30%-60%).
- 4 - Heavy growth (60% to complete coverage).

