Suction cup BXF60P Polyurethane 60, G3/8" male with mesh filter

Article number: 0207749



- Special designed friction cup with multi bellows for oily metal sheets. Suitable for application where great level compensation is needed such as de-stacking sheets from magazines (press-line) and picking car body parts from racks.
- Very low vacuum level needed to fully compress the extra-long bellows causes the cup not to push away parts from position.
- The "BXF" design is suitable for flat as well as uneven/curved surfaces.
- Internal friction pattern on the lip can withstand high shear forces, typically 3-5 times more than corresponding conventional suction cups.
- Best choice if > 0.1g/m2 press oil is used on the sheet but also a great choice for dry metal sheets.
- DURAFLEX® is a material that features the elasticity of rubber and wear resistance of polyurethane. The material has a fantastic elastic memory, even after hundreds of thousand cycles.

Technical data

Description	Unit	Value		
Suction cup shape	-	Bellows		
Application	-	Oily sheet metal		
Suction cup design	-	Round		
Characteristics	-	Oily sheet metal		
Material	-	Polyurethane (PU)		
Weight, min.	g	47.3		
Suction cup model	-	BXF		
Volume	cm ³	80		
Height	mm	52.6		
Outer diameter, min.	mm	60		
Outer diameter, actuated	mm	61.7		
Fitting size	-	3/8"		
Fitting option	-	Filter mesh		
Fitting style	-	Male		
Fitting type	-	G-thread		
Material	-	Al		
Suction cup model	-	BXF60P Dry metal sheet		
Movement, vertical max.	mm	31.8		
Curve radius, min.	mm	70		
Suction cup model	-	BXF60P Oily metal sheet		
Movement, vertical max.	mm	31.8		
Curve radius, min.	mm	70		

Performance - Lifting forces

BXF60P Dry metal sheet	Vertical (N)	Parallel (N)			
60 -kPa	88	47			
90 -kPa	122	50			
BXF60P Oily metal sheet					
60 -kPa	82	43			
90 -kPa	115	46			

A AI	_		 •	
			ia	

Name

Colour	Orange
Temperature, min. °C	10
Temperature max. °C	50
Hardness °Shore A	60
Material resistance	
Alcohol	n/a
Concentrated acids	Fair
Ethanol	Fair
Hydrolysis	Fair
Methanol	Poor
Oil	Excellent
Oxidation	Poor
Petrol	Fair
Wear resistance	Excellent
Weather and ozone	Excellent

Polyurethane (PU60)

Values specified in this data sheet are tested at (unless otherwise stated):

- •Room temperature (20°C [68°F] \pm 3°C [5.5°F]).
- •Standard atmosphere (101.3 [29.9 inHg] \pm 1.0 kPa [0.3 inHg]).
- •Relative humidity 20-70%.
- •Compressed air quality, DIN ISO 8573-1 class 4.