Datasheet

Suction cup FCF50P Polyurethane 55/60, G3/8" male, with mesh filter

Article number: 0118985



- Special designed friction cups for oily surfaces, such as sheets in metal forming processes.
- Normal wear on friction cup will not affect the long term shear force performance.
- Best choice if > 0.1g/m2 press oil is used on the sheet.
- Thanks to the strong grip on oily surfaces, the suction cups can withstand high shear forces, typically 2-4 times more than corresponding conventional suction cups.
- The "FCF" design is suitable for slightly domed and flat surfaces, e.g., such as those encountered when handling metal sheets in press lines.
- The suction cups have support cleats that prevent thin objects from being disfigured.
- DURAFLEX® suction cups manufactured in a specially developed material that features the elasticity of rubber and wear resistance of polyurethane. The material does not leave any marks on the objects handled.

lechnical data		
Description	Unit	Value
Suction cup shape	-	Flat Concave
Application	-	Oily sheet metal
Suction cup design	-	Round
Characteristics	-	Oily sheet metal
Material	-	Polyurethane (PU)
Weight, max.	g	28
Weight, min.	g	31
Suction cup model	-	FCF
Volume	cm ³	10
Height	mm	34
Outer diameter, min.	mm	50
Outer diameter, actuated	mm	53.5
Fitting size	-	3/8"
Fitting option	-	Filter mesh
Fitting style	-	Male
Fitting type	-	G-thread
Diameter	mm	50
Height	mm	33.64
Thread	in	G 3/8
Suction cup model	-	FCF50P Dry metal sheet
Movement, vertical max.	mm	4
Curve radius, min.	mm	50
Suction cup model	-	FCF50P Oily steel plate
Movement, vertical max.	mm	4
Curve radius, min.	mm	50


Performance - Lifting forces

FCF50P Dry metal sheet	Vertical (N)	Parallel (N)
60 -kPa	78	77
90 -kPa	106	105
FCF50P Oily steel plate	•	

Technical data

FCF50P Dry metal sheet		Vertical (N)		Parallel (N)
60 -kPa		72		52
90 -kPa		101		70
Material				
Name	Polyurethane (PU55)		Polyurethane (PU60)	
Colour	Orange		Green transparent	
Temperature, min. °C	10		10	
Temperature max. °C	50		50	
Hardness °Shore A 55			60	
Material resistance				
Alcohol	n/a		n/a	
Concentrated acids	Fair		Fair	
Ethanol	Fair		Fair	
Hydrolysis	Fair		Fair	
Methanol	Poor		Poor	
Oil	Excellent		Excellent	
Oxidation	Poor		Poor	
Petrol	Fair		Fair	
Wear resistance	Excellent		Excellent	
Weather and ozone	Excellent		Excellent	

Dimensional drawings



Values specified in this data sheet are tested at (unless otherwise stated):

•Room temperature (20°C [68°F] ± 3°C [5.5°F]).

•Standard atmosphere (101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg]).

•Relative humidity 20-70%.

•Compressed air quality, DIN ISO 8573-1 class 4.