### Datasheet

# Suction cup BFFT50P Polyurethane 60/60/30 G3/8" female with mesh filter, 17 mm thread

Article number: 0209190



- Special designed friction cups for thin (0.6-0.8 mm) oily metal sheets, such as outer body car parts in a press-to press forming process.
- Long lasting material, normal wear on friction cup will not affect the long term grip performance.
- Refined internal friction pattern provides additional grip performance, the suction cups can withstand high shear forces, typically 3-5 times more than corresponding conventional suction cups.
- Best choice if > 0.1g/m2 press oil is used on the sheet but also a great choice for dry metal sheets.
- The "BFFT" design is suitable for thin flat or uneven/curved surfaces and if level compensation is needed, for example in de-stacking applications.
- The flat inner support, made of dual hardness, gives stability and good grip during movement in any orientation.
- DURAFLEX® suction cups manufactured in a specially developed material that features the elasticity of rubber and wear resistance of polyurethane. The material does not leave any marks on the objects handled and has a fantastic elastic memory, even after hundreds of thousands of cycles.

#### **Technical data**

Description	Unit	Value
Suction cup shape	-	Bellows
Application	-	Oily sheet metal
Suction cup design	-	Round
Characteristics	-	Oily sheet metal
Material	-	Polyurethane (PU)
Weight, min.	g	0.1067
Suction cup model	-	BFFT
Volume	cm³	14.8
Height	mm	46.7
Outer diameter, min.	mm	53
Outer diameter, actuated	mm	54.4
Fitting size	-	3/8"
Fitting option	-	Filter mesh
Fitting style	-	Female
Fitting type	-	G-thread
Material	-	Al
Suction cup model	-	BFFT50P Oily metal sheet
Movement, vertical max.	mm	11
Curve radius, min.	mm	85
Suction cup model	-	BFFT50P Dry metal sheet
Movement, vertical max.	mm	11
Curve radius, min.	mm	85


**Performance - Lifting forces** 

BFFT50P Oily metal sheet	Vertical (N)	Parallel (N)
60 -kPa	74	23
90 -kPa	108	33.5
BFFT50P Dry metal sheet		
60 -kPa	98	62
90 -kPa	137	71

#### **Material**

Name	Polyurethane (PU30)	Polyurethane (PU60)	Polyurethane (PU60)			
Colour	Yellow	Green transparent	Orange			
Temperature, min.   °C	10	10	10			
Temperature max.   °C	50	50	50			
Hardness   °Shore A	30	60	60			
Material resistance						
Alcohol	n/a	n/a	n/a			
Concentrated acids	Fair	Fair	Fair			
Ethanol	Fair	Fair	Fair			
Hydrolysis	Fair	Fair	Fair			
Methanol	Poor	Poor	Poor			
Oil	Excellent	Excellent	Excellent			
Oxidation	Poor	Poor	Poor			
Petrol	Fair	Fair	Fair			
Wear resistance	Excellent	Excellent	Excellent			
Weather and ozone	Excellent	Excellent	Excellent			

#### **Dimensional drawings**



## Values specified in this data sheet are tested at (unless otherwise stated):

- •Room temperature (20°C [68°F]  $\pm$  3°C [5.5°F]).
- •Standard atmosphere (101.3 [29.9 inHg]  $\pm$  1.0 kPa [0.3 inHg]).
- •Relative humidity 20-70%.
- •Compressed air quality, DIN ISO 8573-1 class 4.