Datasheet

Suction cup BFFT35P Polyurethane 60/60/30, G1/4" female

Article number: 0210568



- Special designed friction cups for thin (0.6-0.8 mm) oily metal sheets, such as outer body car parts in a press-to press forming process.
- Long lasting material, normal wear on friction cup will not affect the long term grip performance.
- Refined internal friction pattern provides additional grip performance, the suction cups can withstand high shear forces, typically 3-5 times more than corresponding conventional suction cups.
- Best choice if > 0.1g/m2 press oil is used on the sheet but also a great choice for dry metal sheets.
- The "BFFT" design is suitable for thin flat or uneven/curved surfaces and if level compensation is needed, for example in de-stacking applications.
- The flat inner support, made of dual hardness, gives stability and good grip during movement in any orientation.
- DURAFLEX® suction cups manufactured in a specially developed material that features the elasticity of rubber and wear resistance of polyurethane. The material does not leave any marks on the objects handled and has a fantastic elastic memory, even after hundreds of thousands of cycles.

Technical data

Description	Unit	Value
Suction cup shape	-	Bellows
Application	-	Oily sheet metal
Suction cup design	-	Round
Characteristics	-	Oily sheet metal
Material	-	Polyurethane (PU)
Weight, min.	g	21.8
Suction cup model	-	BFFT
Volume	cm³	4.05
Height	mm	28.6
Height 2 (Actuated)	mm	20.7
Outer diameter, min.	mm	35
Outer diameter, actuated	mm	36
Fitting size	-	1/4"
Fitting style	-	Female
Fitting type	-	G-thread
Material	-	Al
Suction cup model	-	BFFT35 Dry metal sheet
Movement, vertical max.	mm	8
Curve radius, min.	mm	15
Suction cup model	-	BFFT35 Oily metal sheet
Movement, vertical max.	mm	8
Curve radius, min.	mm	15


Performance - Lifting forces

BFFT35 Dry metal sheet	Vertical (N)	Parallel (N)				
60 -kPa	42	30				
90 -kPa	58	36				
BFFT35 Oily metal sheet						
60 -kPa	37	16				
90 -kPa	49	23				
	I	I				

Material

Name	Polyurethane (PU30)	Polyurethane (PU60)	Polyurethane (PU60)				
Colour	Yellow	Green transparent	Orange				
Temperature, min. °C	10	10	10				
Temperature max. °C	50	50	50				
Hardness °Shore A	30	60	60				
Material resistance							
Alcohol	n/a	n/a	n/a				
Concentrated acids	Fair	Fair	Fair				
Ethanol	Fair	Fair	Fair				
Hydrolysis	Fair	Fair	Fair				
Methanol	Poor	Poor	Poor				
Oil	Excellent	Excellent	Excellent				
Oxidation	Poor	Poor	Poor				
Petrol	Fair	Fair	Fair				
Wear resistance	Excellent	Excellent	Excellent				
Weather and ozone	Excellent	Excellent	Excellent				

Dimensional drawings



Values specified in this data sheet are tested at (unless otherwise stated):

- •Room temperature (20°C [68°F] \pm 3°C [5.5°F]).
- •Standard atmosphere (101.3 [29.9 inHg] \pm 1.0 kPa [0.3 inHg]).
- •Relative humidity 20-70%.
- •Compressed air quality, DIN ISO 8573-1 class 4.