Datasheet

Suction cup BXF75P Polyurethane 60, G3/8" female with mesh filter

Article number: 0209308



- Special designed friction cup with multi bellows for oily metal sheets. Suitable for application where great level compensation is needed such as de-stacking sheets from magazines (press-line) and picking car body parts from racks.
- Very low vacuum level needed to fully compress the extra-long bellows causes the cup not to push away parts from position.
- The "BXF" design is suitable for flat as well as uneven/curved surfaces.
- Internal friction pattern on the lip can withstand high shear forces, typically 3-5 times more than corresponding conventional suction cups.
- Best choice if > 0.1g/m2 press oil is used on the sheet but also a great choice for dry metal sheets.
- DURAFLEX® is a material that features the elasticity of rubber and wear resistance of polyurethane. The material has a fantastic elastic memory, even after hundreds of thousand cycles.

Unit	Value
-	Bellows
-	Oily sheet metal
-	Round
-	Oily sheet metal
-	Polyurethane (PU)
g	84.3
-	BXF
cm ³	105
mm	79.5
mm	75
mm	77
-	3/8"
-	Filter mesh
-	Female
-	G-thread
-	Al
-	BXF75P Dry metal sheet
mm	43
mm	110
-	BXF75P Oily metal sheet
mm	43
mm	110
	- - - - - - - - - - - - - - - - - - -


Performance - Lifting forces

BXF75P Dry metal sheet	Vertical (N)	Parallel (N)
60 -kPa	115	73
90 -kPa	154	79
BXF75P Oily metal sheet		
60 -kPa	117	71
90 -kPa	153	76

Technical data

Material			
Name	Polyurethane (PU60)		
Colour	Orange		
Temperature, min. °C	10		
Temperature max. °C	50		
Hardness °Shore A	60		
Material resistance			
Alcohol	n/a		
Concentrated acids	Fair		
Ethanol	Fair		
Hydrolysis	Fair		
Methanol	Poor		
Oil	Excellent		
Oxidation	Poor		
Petrol	Fair		
Wear resistance	Excellent		
Weather and ozone	Excellent		

Dimensional drawings



Values specified in this data sheet are tested at (unless otherwise stated):

•Room temperature (20°C [68°F] \pm 3°C [5.5°F]).

•Standard atmosphere (101.3 [29.9 inHg] \pm 1.0 kPa [0.3 inHg]).

•Relative humidity 20-70%.

•Compressed air quality, DIN ISO 8573-1 class 4.