Datasheet

Suction cup BFF60P Polyurethane 55/60, G3/8" male, with mesh filter

Article number: 0118994



- Special designed friction cups for oily surfaces, such as sheets in metal forming processes.
- Normal wear on friction cup will not affect the long term shear force performance.
- Best choice if > 0.1g/m2 press oil is used on the sheet.
- Thanks to the strong grip on oily surfaces, the suction cups can withstand high shear forces, typically 2-4 times more than corresponding conventional suction cups.
- The "BFF" design is suitable for uneven/curved surfaces or if level compensation is needed, for example in de-stacking applications.
- The flat inner support gives stability during movement in any orientation.
- DURAFLEX® suction cups manufactured in a specially developed material that features the elasticity of rubber and wear resistance of polyurethane. The material does not leave any marks on the objects handled.

lechnical data		
Description	Unit	Value
Suction cup shape	-	Bellows
Application	-	Oily sheet metal
Suction cup design	-	Round
Characteristics	-	Oily sheet metal
Material	-	Polyurethane (PU)
Weight, max.	g	29
Weight, min.	g	30
Suction cup model	-	BFF
Volume	cm ³	20
Height	mm	36
Outer diameter, min.	mm	61.3
Fitting size	-	3/8"
Fitting option	-	Filter mesh
Fitting style	-	Male
Fitting type	-	G-thread
Diameter	mm	61.3
Diameter	mm	61.4
Thread	in	G 3/8
Suction cup model	-	BFF60P Dry metal sheet
Movement, vertical max.	mm	10
Curve radius, min.	mm	35
Suction cup model	-	BFF60P Oily steel plate
Movement, vertical max.	mm	10
Curve radius, min.	mm	35


Performance - Lifting forces

BFF60P Dry metal sheet	Vertical (N)	Parallel (N)
60 -kPa	77	90
90 -kPa	112	122
BFF60P Oily steel plate		
60 -kPa	82	76

Technical data

BFF60P Dry metal sheet 90 -kPa		Vertical (N) 106		Parallel (N) 93
Material				
Name	Polyurethane (PU55)		Polyurethan	e (PU60)
Colour	Orange		Green transparent	
Temperature, min. °C	mperature, min. °C 10		10	
Temperature max. °C	50		50	
Hardness °Shore A	55		60	
Material resistance				
Alcohol	n/a		n/a	
Concentrated acids	Fair		Fair	
Ethanol	Fair		Fair	
Hydrolysis	Fair		Fair	
Methanol	Poor		Poor	
Oil	Excellent		Excellent	
Oxidation	Poor		Poor	
Petrol	Fair		Fair	
Wear resistance	Excellent		Excellent	
Weather and ozone	Excellent		Excellent	

Dimensional drawings



Values specified in this data sheet are tested at (unless otherwise stated):

•Room temperature (20°C [68°F] ± 3°C [5.5°F]).

•Standard atmosphere (101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg]).

•Relative humidity 20-70%.

•Compressed air quality, DIN ISO 8573-1 class 4.