

CABRIO™

Wagon

Assembly & Safety Instructions

CABRIO™

Childhood Supply ApS.
Unsgaardsgade 8
5000 Odense C
Denmark
info@childhoodsupply.com



Please Keep this Booklet in a Safe Place for the Life of Your CABRIO™ Stroller.

EN 09.24 Model: CH6960

CE
EN 1888

⚠️ WARNING ⚠️

Important—Keep these instructions for future reference.

- FOLLOW THE MANUFACTURER'S INSTRUCTIONS.
- PUT ON ALL THE BRAKES WHENEVER YOU PARK THE STROLLER.
- DO NOT LEAVE CHILDREN UNATTENDED.
- SECURE THE CHILD IN THE HARNESS AT ALL TIMES.
- DO NOT CARRY EXTRA CHILDREN OR BAGS ON THIS STROLLER.
- ⚠️ MAKE SURE CHILDREN ARE CLEAR OF ANY MOVING PARTS IF YOU ADJUST THE STROLLER, OTHERWISE THEY MAY BE INJURED.
- USE THIS HARNESS AT ALL TIMES.
- USE THIS TETHER STRAP TO STOP THE STROLLER ROLLING AWAY.
- NOT RECOMMENDED FOR A CHILD UNDER 6 MONTHS OLD.
- The vehicle is designed for use on flat or gently sloping surfaces and may be unstable on higher sloping and uneven surfaces; and user should be made aware of the possibility of the vehicle tipping over.
- **There is potential for fingers or parts of the body to be injured when the vehicle is being folded or unfolded, and that due care should be exercised.**

Avoid Serious Injury To Children From Falling Or Sliding Out:

- DO NOT place any child weighing more than 15 kg or taller than 102 cm per seat of this stroller.

Avoid Serious Injury To Children:

- Never leave a harness buckled when not fitted to a child in the stroller because the harness can form loops which may pose a strangulation hazard.
- Use of accessories not approved by the vehicle manufacturer is unsafe.
- The stroller is not be used near an open fire or exposed flame.
- The vehicle is not to be used as an unsupervised sleeping environment.
- DO NOT allow children to sit or stand in storage baskets.
- Use caution when pushing stroller near traffic or in highly congested areas.
- DO NOT use stroller on stairs or escalators with children in it.
- **Avoid Injury From Stroller Tipping Over:**
- DO NOT carry more than six (6) children, or place extra parcels or goods in or on the stroller.
- DO NOT allow children to climb into stroller unassisted, or to play or hang onto stroller.
- DO NOT overload stroller as it can become unstable.
- DO NOT add package carrying accessories or hang items from stroller.
- ALWAYS distribute weight as evenly as possible on each side of the stroller.
- DO NOT place more than 5kg in each storage basket.
- DO NOT place more than 0.5kg in each canopy pocket.

Avoid Loss Of Control Of Stroller:

- Ensure that all the locking devices are engaged before use.
- NEVER leave stroller unattended on a hill or incline even when parking brake is set.
- Use caution when pushing stroller on uneven terrain or hills.
- ALWAYS set parking brake when the stroller is stopped.

Avoid Pinch Injury:

Keep fingers clear of hinged joints when folding and unfolding stroller When making adjustments, always ensure all children's body parts are clear of any moving parts.

See instructions for additional warnings and use information.


Please take the time to make sure that all parts are included.

If you experience any parts that are either missing or broken or for immediate assistance in assembling your stroller. please contact with us.

Contents


Parts Check List.....	3
Assembly.....	4-6
Folding Instructions.....	8
Care Safety and Operation	
Handle Height adjustment.....	5
Seat Assembly\Secure the Harness\Attach & Remove the Harness.....	6
Parking Brake Operation\Removal of stroller pad\To Use The Tether Strap.....	7
Folding and Unfolding Stroller\Folding Strap\Stand Up Function\.....	8
Cleaning.....	8
Securing Children/Replacement Parts List.....	9

Parts Check List

1.Stroller frame - 1 part	
2.Rear axle components - 4 parts	
3.Front wheels - 6 parts	
4.Front supporting tube - 1 part	
5. Bolts, spring washer, nuts and hexagon spanner- 12 parts	
6. Canopy -1part	
7. Seat -2 parts	


Before you Begin

1. Stand with hands on stroller handle tube.
2. Tip stroller away from you while placing toes on rear supporting tube.



Rear Wheel Assembly

1. Insert the wheel axle in the brake assembly.
2. Insert the buckle into the rear wheel housing as per picture 2. Pull the rear wheel axle to make certain that rear wheel assembly is secure.




Front Wheel Assembly

1. Insert the front fork into the front wheel plastic and lock it by screw.
2. Front wheel assembly completed.
3. Pull on assembly to be certain that wheels are securely locked in place.



Assembly of supporting tube

1. Cover the front supporting tube on the front leg tube. Make sure the holes on the front supporting tube match the holes on the front leg tube. Then fix the two bolts with washer and nuts.
2. Assemble finished.



Assembly Canopy

1. Input canopy pole into holders.
2. Repeat step 1 until all 4 canopy poles are inserted in each holders.




Handle Height adjustment

1. Press the inside button at the same time.
2. Release the button when adjusted the comfortbale height.




Seat Assembly (Option)

- 1. Place the seat on one end of the stroller.
- 2. Fix the hooks on one side of seat onto the armrest of stroller. Repeat on the other side.
- 3. Fix the hooks on back of the seat onto the armrest of stroller. Fix the seat on the other side of stroller by the same way.
- 4. Connect the four buckles on the underside of the seat to the corresponding buckles in the well of the wagon as shown in Image 4.




Secure the Harness

- 1. Press the buttons on both sides of the buckle to release and place the child in the seat.
- 2. Adjust the comfortable length of shoulder strap, waist belt and crotch belt, then fasten the buckle to the corresponding position according to pic 1-2.




Attach & Remove the Harness

- 1. Open the Velcro strips on the backside/bottom of the seat to access the belt catches.
- 2. Insert the belt catch perpendicularly through the front fabric and internal plastic board as shown in diagram 2.
- 3. Rotate the belt catch parallel to the backrest and pull the belt to secure in place as shown in diagram 3.




Parking Brake Operation

- 1. Press down with foot on parking brake to lock the rear axle assembly.
- 2. Be certain that wheels are locked.



Removal of stroller pad

- 1. Take off the cushion with baseboard.
- 2. Disengage the press stud on the top of the stroller pad.
- 3. Disengage the clasp under the bottom of the frame.



Folding and Unfolding Stroller

Folding

1. Push rear parking brake down to lock brakes.
2. Take off the canopy and fix it in the storage pocket.
3. Press the red button, see "A" .
4. Pull the handle plastic at the both side, see "B" .

Unfolding

1. Stand with hands on stroller handle tube.
2. Tip stroller away from you while placing toes under rear supporting tube.
3. Lift up handle tube until stroller locks in open position.

Folding Strap

1. Press down handle tube to the lowest position.
2. Fix the folding lock on the both right and left side.



Stand Up Function

1. Hold the braking tube and tip stroller away from you.
2. Lift until the stroller stand up.



Maintenance

Cleaning Seat Pad

1. Wash small areas with mild soap and water.
2. Rinse and wipe or air-dry.

Cleaning Stroller

1. Surface wash stroller frame with mild soap and water.
2. Rinse and wipe or air-dry.

Store the Stroller








1. Should be stored in a cool dry place.
2. Cannot be used near a heat source and cannot be exposed to the sun and rain for a long time.

⚠ WARNING ⚠

Avoid Serious Injury To Children From Falling Or Sliding Out:

- Snugly Adjust Harness To Restrain Each Child.
- NEVER Leave Children Unattended.
- Always Set Parking Brake While Loading And Unloading Children.
- DO NOT Allow Children To Climb On Stroller Or Stand In Seat.

Replacement Parts List

1	FRONT WHEEL ASSEMBLY	1PC		
2	REAR WHEEL ASSEMBLY	1PC		
3	STROLLER PAD	1PC		
4	CANOPY SOFTGOODS	1PC		
5	CANOPY TUBE	1PC		
6	STORAGE POCKET	1SET		
7	BASEBOARD & CUSHION	1PAIR		
8	Seat	1PC		

Two Years Limited Warranty

CABRIO™ warrants this product to be free from defects in material or workmanship for a period of two years from the date of purchase when used by the original owner according to the manufacturer's instructions.

The warranty does not apply to damage caused by product alteration, or customer/ user misuse or abuse of the product.

Your sales receipt is your only record of the date of purchase. Please contact your CABRIO™ supplier if you have any warranty questions or if you need replacement parts.