



045 Slabmat™

Indestructible shock absorbing matting

Ergonomic, Anti-fatigue & Safety Matting - Industrial Specialties

045 Slabmat™

Indestructible rubber mat that absorbs shock of fallen materials and protects floors and equipment. The thick platform can withstand heavy weights while the nonslip textured top surface ensures sure footing and freedom of movement.

- Made of a tough rubber compound that make the mats virtually indestructible
- Loose lay mat with no installation required
- Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals

Recommended use

- Dry Areas
- Areas where heavy industrial equipment is stored. It is also suitable for gyms, weight rooms, skating rinks, golf courses, trailers and stables.
- Heavy duty

Colors:

- Black

Sizes:

- 122cm x 182cm



WEAR RESISTANCE

SLIP RESISTANCE

ANTI-FATIGUE



Ergonomic, Anti-fatigue & Safety Matting - Industrial Specialties

Slabmat™

General

| | |
|-------------------|--|
| Brand | Notrax |
| Category | Industrial Specialties |
| Product Number | 045 |
| Product Family | Industrial & Commercial Matting |
| Product Group | Ergonomic, Anti-fatigue & Safety Matting |
| Product Name | Slabmat™ |
| Recommended use | Areas where heavy industrial equipment is stored. It is also suitable for gyms, weight rooms, skating rinks, golf courses, trailers and stables. |
| Shipping Location | Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands, Chicago, IL 60638, United States |
| Type | Dry Areas - Heavy Duty Industrial |
| Update trigger | 20210310-1301 |
| Usage Intensity | Heavy duty |

Sustainability

| | |
|----------------|---|
| Recycled | True |
| Rohs US | Rohs compliant (Restriction of Hazardous Substances). |
| Sustainability | Recyclable material |
| Warranty | 1 |

Tests

| | |
|----------------------|------------|
| Elongation | 80% |
| Hardness | 64 Shore A |
| Surface Flammability | Pass |
| Tear Strength | 117 lb/in |

Technical Specifications

| | |
|----------------|-------------------------|
| Application | Industrial Environments |
| Edges | No borders |
| Material | Recycled Rubber |
| Material Group | Rubber |
| Process | Compression Moulding |

Slabmat™ Black

| Art. nr. | Dimension (cm) | Weight (kg) | Thickness (mm) |
|------------|----------------|-------------|----------------|
| 045S1246BL | 122cm x 182cm | 35.6 | 12.7 |