

# EN Lithium Battery Safety Cabinets -90 Minutes E Series Extinguish

EN Safety Cabinets for storage of Li-ion batteries - Extinguish Model



### EN Lithium Battery Safety Cabinets - 90 Minutes E Series Extinguish

# EN Safety Cabinets for Flammables - EN Safety Cabinets for Lithium Batteries

The Justrite EN Lithium Battery Extinguishing Safety Cabinet is equipped with the latest safety technology to ensure compliance with norms and full protection to personnel and property against the potential hazards of storing, handling and charging of Lithium-ion batteries.



- Fire tests in compliance with the most stringent international standards, such as EN 14470-1
- Protects in-stored Lithium-ion batteries from overheating due to external fires for a period of at least 90 minutes
- 4 models, in 2 different sizes, equipped with sockets, automatic extinguisher with panel control temperature probe smoke sensor rotating light alarm and fire safety GSM
- Panels with an internal melamine laminate face that are highly resistant to vapors, even strong ones
- On top and bottom of the cabinet are 90-minute certified automatic closing valves (70 °C) for the air inlet and outlet pipes.

 For safe and dedicated storage and charging of lithium LI-ion batteries. Recommended use

#### EN Safety Cabinets for Flammables - EN Safety Cabinets for Lithium Batteries EN Lithium Battery Safety Cabinets - 90 Minutes E Series Extinguish

#### General

Brand	Justrite			
Category	EN Safety Cabinets for Lithium Batteries			
Product Number	226-LTE			
Product Family	Safety & Storage Cabinets			
Product Group	EN Safety Cabinets for Flammables			
Industry	Laboratories			
Industry Segment	Storage			
Product Name	EN Lithium Battery Safety Cabinets - 90 Minutes E Series Extinguish			
Recommended use	For safe and dedicated storage and charging of lithium LI-ion batteries.			
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands, 42025 Cavriago, Reggio nell'Emilia, Italy			
Туре	BATTERY CHARGING & STORAGE			
Update trigger	478071			

#### **Technical Specifications**

Application	Industrial Environments
Door Hinge	Stainless Steel
Material	Carbon Steel S235JR
Material Group	Steel
Voltage Maximum	230V
Voltage Recommended	230V

## Lithium Battery Cabinets - E-series - Blue

Art. nr.	Capacity (L)	Dimension (cm)	Weight (kg)	Number Doors	Total number of sockets
JCBSLE01BU	100	60 x 60 x 207cm	216	1	6
JCBSLE02BU	220	120 x 60 x 207cm	365	2	6
JCBSLE03BU	100	60 x 60 x 207cm	216	1	10
JCBSLE04BU	220	120 x 60 x 207cm	365	2	10

#### Accessories

2903 Shelves for EN Cabinet 226-EN Shelves for EN Cabinet 226-EN 2903 Justrite	226-ROLL SKATES FOR CABINETS MOVEMENT	ACF Activated Carbon Filter for Lithium Battery Cabinets	CSP DUST FILTER (for CFN)
EXF Exhaust Fan for EN Rated Flammable and Lithium Battery Cabinets Exhaust fan with filter holding box for high cabinet with 1 or 2 doors - outlet Ø: 125 mm (filter excluded)	EXFL Exhaust Fan with Filter Box Exhaust fan with filter box - filter included certified from NFX 15-211:2009	FBN Automatic extinguisher kit Automatic extinguisher kit FBN with fire detection system and aerosol	