

742 Table Tac P3™ 3 mm smooth

Smooth surface rubber runner



Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring

742 Table Tac P3™ 3 mm smooth

Durable rubber materials with excellent wear and tear resistance. Used as flooring, shelf liners and in all kinds of industrial applications.

- SBR Rubber
- Smooth surface profile
- Withstands diluted acids and alkalis

Recommended use

- Dry Areas
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
- Medium duty

Colors:

- Black

Sizes:

- 100cm x 10m
- 120cm x 10m
- 100cm x 10m
- 120cm x 10m



Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring

Table Tac P3™ 3 mm smooth

General

Brand	Notrax
Category	Runners & Flooring
Product Number	742
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Table Tac P3™ 3 mm smooth
Recommended use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands, Moselle, MS 39459, United States
Type	Industrial Specialties Grooved and Non-Directional Runners and Flooring
Update trigger	20210310-1301
Usage Intensity	Medium duty

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Recycled	True
Rohs US	Rohs compliant (Restriction of Hazardous Substances).
Sustainability	Recyclable material
Warranty	1

Tests

Fire rating US	Pass
Surface Flammability	Pass

Technical Specifications

Application	Industrial Environments
Edges	No borders
Material	PVC
Material Group	PVC
Process	Calendering
Temperature Range	- 40 ° C up to + 120 ° C

Table Tac P3™ 3 mm smooth Black

Art. nr.	Dimension (cm)	Weight (kg)	Thickness (mm)
742R8066BL	120cm x 10m	54	3
742C0080BL	120cm x linm	5.4	3
742R0333BL	100cm x 10m	45	3
742C0036BL	100cm x linm	4.5	3