



Justrite Safety Group

480 Pebble Trax[®]

Pebble Trax[®] robust anti-fatigue mat



Ergonomic, Anti-fatigue & Safety Matting - Dry Areas Linear Lengths 480 Pebble Trax®

Tough laminated rubber top anti-fatigue mat with pebble grip surface is extremely durable and even withstands welding sparks. RedStop™ slip-resistant backing keeps the mat from shifting.

- Pebble embossed rubber top surface affords sure footing, yet easy to clean
- Resists incidental welding damage from sparks and solders
- Fire classification Dfl-S1 tested according to DIN EN ISO 9239-1

Recommended use


- Dry Areas
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
- Heavy duty

Colors:

- Black

Sizes:

- 60cm x 91cm
- 91cm x 152cm
- 122cm x linm
- 60cm x linm
- 91cm x linm
- 122cm x 22.8m
- 60cm x 22.8m
- 91cm x 22.8m



Ergonomic, Anti-fatigue & Safety Matting - Dry Areas Linear Lengths Pebble Trax®

General

Brand	Notrax
Category	Dry Areas Linear Lengths
Product Number	480
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Pebble Trax®
Recommended use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands, Moselle, MS 39459, United States
Type	Dry Areas - Heavy Duty Industrial
Update trigger	20210310-1301
Usage Intensity	Heavy duty

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Rohs US	Rohs compliant (Restriction of Hazardous Substances).
Warranty	1

Tests

Fire rating US	Pass
----------------	------

Technical Specifications

Application	Industrial Environments
Backing	Microcellular vinyl
Edges	Bevelled edges on all sides
Material	SBR Rubber
Material Group	Rubber
Process	Lamination

Pebble Trax® Black

Art. nr.	Dimension (cm)	Weight (kg)	Thickness (mm)
480S0035BL	91cm x 152cm	6.4	12.7
480R4875BL	122cm x 22.8m	162	12.7
480S0023BL	60cm x 91cm	3.2	12.7
480R3675BL	91cm x 22.8m	96.9	12.7
480R2475BL	60cm x 22.8m	64.98	12.7
480C0036BL	91cm x linm	4.3	12.7
480C0048BL	122cm x linm	5.7	12.7
480C0024BL	60cm x linm	2.9	12.7