

EN Lithium Battery Safety Cabinets - 90 Minutes D Series Detection

EN Lithium Battery Cabinets - Detect & Alert Model



EN Lithium Battery Safety Cabinets - 90 Minutes D Series Detection

EN Safety Cabinets for Flammables - EN Safety Cabinets for Lithium Batteries

The 226-LTD Justrite EN Lithium Battery Cabinet features a fire/smoke alarm, alert system, and automatic extinguisher to offer increased protection for personnel and property against the risks of storing, handling, and charging lithium-ion batteries while ensuring safety and compliance.



- Fire tests in compliance with the most stringent international standards, such as EN 14470-1
- Protects in-stored Lithium-ion batteries from overheating due to external fires for a period of at least 90 minutes
- 4 models, in 2 different sizes, equipped with sockets, automatic extinguisher and fire/smoke alarm with SMS and EMAIL telephone call sending.
- Panels with an internal melamine laminate face that are highly resistant to vapors, even strong ones
- On top and bottom of the cabinet are 90-minute certified automatic closing valves (70 °C) for the air inlet and outlet pipes.

- For safe and dedicated storage and charging of lithium LI-ion batteries.

Recommended use

EN Safety Cabinets for Flammables - EN Safety Cabinets for Lithium Batteries EN Lithium Battery Safety Cabinets - 90 Minutes D Series Detection

General

Brand	Justrite
Category	EN Safety Cabinets for Lithium Batteries
Product Number	226-LTD
Product Family	Safety & Storage Cabinets
Product Group	EN Safety Cabinets for Flammables
Industry	Laboratories, Industrial, Manufacturing
Industry Segment	Storage
Product Name	EN Lithium Battery Safety Cabinets - 90 Minutes D Series Detection
Recommended use	For safe and dedicated storage and charging of lithium LI-ion batteries.
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands, 42025 Cavriago, Reggio nell'Emilia, Italy
Type	BATTERY CHARGING & STORAGE
Update trigger	478070





Technical Specifications

Application	Industrial Environments
Door Hinge	Stainless Steel
Material	Carbon Steel S235JR
Material Group	Steel
Voltage Maximum	230V
Voltage Recommended	230V

Lithium Battery Cabinets - D-series - Blue

Art. nr.	Capacity (L)	Dimension (cm)	Weight (kg)	Number Doors	Total number of sockets
JCBSLD01BU	100	60 x 60 x 207cm	216	1	6
JCBSLD02BU	220	120 x 60 x 207cm	365	2	6
JCBSLD03BU	220	60 x 60 x 207cm	216	1	10
JCBSLD04BU	220	120 x 60 x 207cm	365	2	10

Accessories

 <p>2903 Shelves for EN Cabinet 226-EN Shelves for EN Cabinet 226-EN 2903 Justrite</p>	<p>226-ROLL SKATES FOR CABINETS MOVEMENT</p>	 <p>ACF Activated Carbon Filter for Lithium Battery Cabinets</p>	<p>CSP DUST FILTER (for CFN)</p>
<p>EXF Exhaust Fan for EN Rated Flammable and Lithium Battery Cabinets Exhaust fan with filter holding box for high cabinet with 1 or 2 doors - outlet Ø: 125 mm (filter excluded)</p>	 <p>EXFL Exhaust Fan with Filter Box Exhaust fan with filter box - filter included certified from NFX 15-211:2009</p>	 <p>FBN Automatic extinguisher kit Automatic extinguisher kit FBN with fire detection system and aerosol</p>	