


# 580 Sorb Stance™

Tough anti-fatigue mat with sorbent



# 580 Sorb Stance™

## Ergonomic, Anti-fatigue & Safety Matting - Industrial Specialties

Anti-fatigue matting designed for combined use with a sorbent. Made of a high quality nitrile rubber compound that is resistant to most industrial oils and designed to yield a long service life.



- Ramps on all four sides are raised to form a holder tray around the mat
- Rough “gripper” surface prevents the sorbent from shifting
- Ergonomic benefit derived from 16 mm thick worker platform
- Raised studs on the backside to provide aeration and excellent cushioning comfort

- Wet/Dry and Oily Areas
- For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms
- Heavy duty

Recommended use

WEAR RESISTANCE

SLIP RESISTANCE

ANTI-FATIGUE

GOOD BETTER BEST



# Ergonomic, Anti-fatigue & Safety Matting - Industrial Specialties

## Sorb Stance™

### General

Brand	Notrax
Category	Industrial Specialties
Product Number	580
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Sorb Stance™
Recommended use	For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Type	Wet / Oily Areas - Sorbent Duckboards
Update trigger	20210310-1301
Usage Intensity	Heavy duty

### Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Recycled	True
Sustainability	Recyclable material
Warranty (years)	1

### Tests

Abrasion Resistance 1000	1.4% weight loss
Compression Deflection 1.4	11.9 lb/in <sup>2</sup> (25%)
Compression Deflection 2.8	64.3lb/in <sup>2</sup> (50%)
Elongation	496.7 %
Foam Battery	35.7 lb/in <sup>2</sup>
Hardness	65 Shore A
Coefficient Friction Dry	0.71
Surface Flammability	Pass

### Technical Specifications

Application	Industrial Environments
Breaking Load	117.2 lb
Edges	Orange coloured borders included comply with OSHA Code 1910-144
Material	100% Nitrile rubber
Material Group	Nitrile rubber
Process	Compression Moulding

# Sorb Stance™ Orange/Black

Art. nr.	Dimension (cm)	Weight (kg)	Thickness (mm)
580S0315OB	91cm x 468cm	56.7	21
580S0310OB	91cm x 316cm	37.8	21
580S0000OB	91cm per 30cm	3.4	21
580S0035OB	91cm x 163cm	18.9	21

## Accessories

