



Rigid-Lock QuickBerm® XT

Heavy-duty drive-in long-term spill containment



Rigid-Lock QuickBerm® XT

Flexible Spill Containment - QuickBerms® Flexible Spill Containment Systems

Heavy-duty drive-in long-term spill containment for vehicles, heavy equipment and tankers



- Modified PVC coated fabric is thicker and more robust for frequent vehicle traffic and heavy applications
- Highly chemical resistant and withstands long-term UV exposure – great for outdoor use
- Patented Rigid-Lock stainless-steel wall-support system is 30 cm deep and locks at 90° for secure, leakproof containment
- Quick and easy setup – simply push on locks to lay wall down flat for an unobstructed work space and drive-through capability
- Single-piece construction with reinforced CriticalCorner™ design and radio frequency (RF) welds prevent seam leaks, provide fluid-tight reliability

- Indoor/Outdoor
- For use as secondary containment for outdoor or temporary storage applications of chemicals, transformers, generators, metal/poly tanks, IBCs, oiling/refueling operations thereby safeguarding the environment, preventing costly environmental incidents and regulatory violations, and ensuring safe storage practices.
- Heavy duty

Recommended use

Flexible Spill Containment - QuickBerms® Flexible Spill Containment Systems Rigid-Lock QuickBerm® XT

General

Brand	Justrite
Category	QuickBerms® Flexible Spill Containment Systems
Product Number	2850
Product Family	Spill Control & Environmental
Product Group	Flexible Spill Containment
Industry	Laboratories, Industrial, Jan-San, Food Service, Material Handling, Military, Construction, Utilities, Manufacturing, Aviation, Automotive
Product Name	Rigid-Lock QuickBerm® XT
Recommended use	For use as secondary containment for outdoor or temporary storage applications of chemicals, transformers, generators, metal/poly tanks, IBCs, oiling/refueling operations thereby safeguarding the environment, preventing costly environmental incidents and regulatory violations, and ensuring safe storage practices.
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Update trigger	202402061404
Usage Intensity	Heavy duty

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
-------	---

Technical Specifications

Application	For storage of drums, tanks or leaky equipment.
Drive In	True
Material	Modified PVC coated fabric
Material Group	PVC
Pile Weight (g)	1050

Rigid-Lock QuickBerm® XT - Black

Art. nr.	Dimensions (cm)	Height (cm)	Capacity (L)
JEN28501BL	300x300	30.5	2745
JEN28503BL	300x800	30.5	7320
JEN28505BL	300x1200	30.5	10980
JENC2850BL	100x100	30.5	305
JEN28510BL	447x1727	30.5	22183
JEN28508BL	386x1666	30.5	18321
JEN28506BL	386x1544	30.5	16978
JEN28500BL	244x305	30.5	2252
JEN28504BL	386x874	30.5	9501
JEN28502BL	325x476	30.5	4240

Accessories



2839
Berm Repair Kits
 Modified PVC Coated Fabric Repair Kit Without Heat Gun



28326
Replacement Rigid-Lock® 12" Support Assembly



2833
Track Mats
 Thick durable, the black woven fabric protects the floor and walls from tire abrasion caused by skidding, turning, and braking.




2834
Track Runners
 High visibility, yellow vinyl fabric for inside berms offers moderate protection against abrasion.



2835
Ground Mats
 Create a smooth, uniform deployment area with this heavy-duty woven fabric.


TTEM
EuroMat®
 Medium duty 12 mm solid ground protection mat with handholds made from 100% recycled HDPE.



AM
AlturMat®
 Medium duty mat with diamond cleat tread

Cross Sell Products

TTEM
EuroMat®
 Medium duty 12 mm solid ground protection mat with handholds made from 100% recycled HDPE.



AM
AlturMat®
 Medium duty mat with diamond cleat tread