

759 Rib 'n' Roll P3™ 3mm broad rib

Rubber runner with a broad rib profile



Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring

759 Rib 'n' Roll P3™ 3mm broad rib

Durable rubber materials with excellent wear and tear resistance. Used as flooring, shelf liners and in all kinds of industrial applications.

- SBR Rubber
- Broad rib surface profile
- Withstands diluted acids and alkalis

Recommended use


- Dry Areas
- Rubber and PVC runners can be used as flooring, shelf liners and near machines in all kinds of industrial applications in workshops

Colors:

- Black

Sizes:

- 500mm x 400mm
- 500mm x 500mm
- 1000mm x linm
- 1200mm x linm
- 900mm x linm
- 1000mm x 10000mm
- 1200mm x 10000mm
- 900mm x 10000mm



Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring

Rib 'n' Roll P3™ 3mm broad rib

General

Brand	Notrax
Category	Runners & Flooring
Product Number	759
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Rib 'n' Roll P3™ 3mm broad rib
Recommended use	Rubber and PVC runners can be used as flooring, shelf liners and near machines in all kinds of industrial applications in workshops
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Type	Industrial Specialties Grooved and Non-Directional Runners and Flooring
Update trigger	20210310-1301

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Recycled	True
Sustainability	Recyclable material
Warranty	1

Technical Specifications

Application	Industrial Environments
Edges	No borders
Material	SBR Rubber
Material Group	Rubber
Process	Calendering
Temperature Range	- 40 ° C up to + 120 ° C

Rib 'n' Roll P3™ 3mm broad rib Black

Art. nr.	Dimension (cm)	Thickness (mm)
759S5050BL	500mm x 500mm	3
759S5040BL	500mm x 400mm	3
759R3533BL	900mm x 10000mm	3
759R0433BL	1200mm x 10000mm	3
759R0333BL	1000mm x 10000mm	3
759C0036BL	1000mm x linm	3
759C0035BL	900mm x linm	3
759C0048BL	1200mm x linm	3