


348 Sani-Master[™] Disinfecting foot bath with drying entrance mat



Ergonomic, Anti-fatigue & Safety Matting - Hygiene Matting 348 Sani-Master™

This 19-mm thick extendable mat cleans, sanitizes and dries shoes, recommended at entrances to prevent contamination. As traffic passes, rubber tips bend to immerse soles in disinfectant solution, absorbing mat section cleans and dries shoes to prevent slips.

- Convenient mat size fits most doorways
- Extendable sections for a longer drying zone for wet sanitized shoe soles
- 100% tough natural rubber compound; designed to resist to most chemicals and variations in temperature
- Patented design of integrated disinfection and drying zone

Recommended use

- Indoor/Portico
- At doorways, starter rooms, packaging areas, laboratories, employee locker rooms, break rooms, refuse areas and receiving areas. Any place where spread of contamination needs to be limited.
- Heavy duty

Colors:

- Charcoal/Black
- Logo

Sizes:

- 91.4cm x 105cm
- 91.4cm x 152.5cm
- 91.4cm x 200cm

Accessories:

• 348M Sani-Master™ Extension





Ergonomic, Anti-fatigue & Safety Matting - Hygiene Matting Sani-Master™

General

| Brand | Notrax |
|-------------------|---|
| Category | Hygiene Matting |
| Product Number | 348 |
| Product Family | Industrial & Commercial Matting |
| Product Group | Ergonomic, Anti-fatigue & Safety Matting |
| Product Name | Sani-Master™ |
| Recommended use | At doorways, starter rooms, packaging areas, laboratories, employee locker rooms, break rooms, refuse areas and receiving areas. Any place where spread of contamination needs to be limited. |
| Shipping Location | Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands |
| Sub brand | V-defence |
| Туре | Wet Areas - Hygienic Mats |
| Update trigger | 20210412-0728 |
| Usage Intensity | Heavy duty |

Sustainability

| REACH | Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals). |
|------------------|---|
| Recycled | True |
| Sustainability | Recyclable material |
| Warranty (years) | 1 |

Tests

Surface Flammability

Pass

Technical Specifications

| Absorption Capacity | 4 l/m2 | | |
|---------------------|---|--|--|
| Application | Industrial Environments | | |
| Backing | Natural rubber | | |
| Edges | Bevelled rubber borders on all four sides | | |
| Material | Natural rubber | | |
| Material Group | Natural rubber | | |
| Pile Weight (g) | 1200 | | |
| Process | Compression Moulding | | |

Sani-Master Charcoal



| Art. nr. | Dimension (cm) | Weight (kg) | Thickness (mm) |
|------------|------------------|-------------|----------------|
| 348S0033CH | 91.4cm x 105cm | 11.4 | 19 |
| 348S0035CH | 91.4cm x 152.5cm | 17 | 19 |
| 348S0037CH | 91.4cm x 200cm | 20.35 | 19 |

Sani-Master Logo

| 348S0033WH | 348S0035WH | 348S0037WH | |
|------------|------------------|-------------|----------------|
| Art. nr. | Dimension (cm) | Weight (kg) | Thickness (mm) |
| 348S0033WH | 91.4cm x 105cm | 10.65 | 19 |
| 348S0035WH | 91.4cm x 152.5cm | 15.5 | 19 |
| 348S0037WH | 91.4cm x 200cm | 20.35 | 19 |

Accessories

348M Sani-Master™ Extension