

# 831 Switchboard Matting™ Diamond Class 2

Class 2 insulation matting



# Ergonomic, Anti-fatigue & Safety Matting - Switchboard Matting

## 831 Switchboard Matting™ Diamond Class 2

Insulating matting prevents workers from being “grounded” and provides safety in case of electrical shock. The diamond plate top surface provides increased traction, allows easy twist turns and is easy to sweep clean.

- Each square inch of matting is tested in conformance with ANSI/ASTM D-178 specifications
- Diamond plate pattern provides traction while allowing easy twist turns.
- Recommended maximum usage: 17.000 Volts.
- Must be replaced every 12 months for optimum safety

### Recommended use

- Dry Areas
- Around electric sub-stations, transformers and switches, electrical panels, engine and generator rooms
- Heavy duty

### Colors:

- Black/Yellow

### Sizes:

- 91cm x 1inm
- 91cm x 22.8m





# Ergonomic, Anti-fatigue & Safety Matting - Switchboard Matting

## Switchboard Matting™ Diamond Class 2

### General

Brand	Notrax
Category	Switchboard Matting
Product Number	831
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Switchboard Matting™ Diamond Class 2
Recommended use	Around electric sub-stations, transformers and switches, electrical panels, engine and generator rooms
Shipping Location	Moselle, MS 39459, United States, Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Type	Industrial Specialties - Electrical Protective Matting
Update trigger	20210310-1301
Usage Intensity	Heavy duty

### Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Rohs US	Rohs compliant (Restriction of Hazardous Substances).
Warranty	1

### Tests

Elongation	317
Hardness	91 Shore A
Surface Flammability	Pass
Tear Strength	2505 PI

### Technical Specifications

Application	Industrial Environments
Edges	No borders
Material	PVC
Material Group	PVC
Process	Calendering

# Switchboard Matting - Diamond Black/Yellow

Art. nr.	Dimension (cm)	Weight (kg)	Thickness (mm)
831R0375BY	91cm x 22.8m	174	6.4
831C0036BY	91cm x linm	7.6	6.4