


|                                       |                            |                      |      |
|---------------------------------------|----------------------------|----------------------|------|
| ARTIKELNR./<br>ARTICLE NO.            |                            | EB11230              |      |
| MÄRKSTRÖM/<br>CURRENT RATING          |                            | 125                  | A    |
| MEASURING EQUIPMENT                   |                            |                      |      |
| CURR-<br>TRAFOPLATS                   | ENERGY-<br>METER-<br>SPACE | 1                    | 1    |
| FAST ANSLUTNING/<br>FIXED CONNECTIONS |                            |                      |      |
| <125A                                 | >125A                      | 1                    |      |
| CEE-OUTLETS<br>3-POLE/230V            |                            |                      |      |
| 16A                                   | 32A                        | 63A                  | 125A |
| SCHUKO OUTLETS<br>2-POLE/230V         |                            |                      |      |
| 16A                                   |                            |                      |      |
| 3                                     |                            |                      |      |
| CEE-OUTLETS<br>5-POLE/400V            |                            |                      |      |
| 16A                                   | 32A                        | 63A                  | 125A |
| 1                                     | 1                          | 1                    |      |
| JFB/RCCB                              |                            |                      |      |
| <0,03A                                | >0,3A                      | >0,03A<br>&<br><0,3A | 1    |
| 2                                     |                            |                      |      |
| JFB/RCCB                              |                            |                      |      |
| Variable                              |                            |                      |      |
| VIKT/WEIGHT                           |                            |                      |      |
| 140                                   |                            |                      | kg   |

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

ZFSF 125/1/3111-201 EN



|                   |                |                      |       |
|-------------------|----------------|----------------------|-------|
| RITAD AV/DRAWN BY | DATUM/DATE     | NEXT SHEET           | SHEET |
| CG                | 150310         | 2                    | 1     |
| SIGN              | REVISION/ISSUE | RITNINGS NR./DRAWING |       |
|                   | A*             | EB11230              |       |



|                                       |                            |                      |      |
|---------------------------------------|----------------------------|----------------------|------|
| ARTIKELNR./<br>ARTICLE NO.            |                            | EB11230              |      |
| MÄRKSTRÖM/<br>CURRENT RATING          |                            | 125 A                |      |
| MEASURING<br>EQUIPMENT                |                            |                      |      |
| CURR-<br>TRAFO-<br>SPACE              | ENERGY-<br>METER-<br>SPACE |                      |      |
| 1                                     | 1                          |                      |      |
| FAST ANSLUTNING/<br>FIXED CONNECTIONS |                            |                      |      |
| <125A                                 |                            | >125A                |      |
| 1                                     |                            |                      |      |
| CEE-OUTLETS<br>3-POLE/230V            |                            |                      |      |
| 16A                                   | 32A                        | 63A                  | 125A |
| SCHUKO OUTLETS<br>2-POLE/230V<br>16A  |                            |                      |      |
| 3                                     |                            |                      |      |
| CEE-OUTLETS<br>5-POLE/400V            |                            |                      |      |
| 16A                                   | 32A                        | 63A                  | 125A |
| 1                                     | 1                          | 1                    |      |
| JFB/RCCB                              |                            | >0,03A<br>&<br><0,3A |      |
| <0,03A                                | >0,3A                      |                      |      |
| 2                                     |                            | 1                    |      |
| JFB/RCCB<br>Variable                  |                            |                      |      |
| Vikt/WEIGHT                           |                            |                      |      |
| 140                                   |                            | kg                   |      |

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

ZFSF 125/1/3111-201 EN



|                   |                |                     |       |
|-------------------|----------------|---------------------|-------|
| RITAD AV/DRAWN BY | DATUM/DATE     | NEXT SHEET          | SHEET |
| CG                | 150310         | 3                   | 2     |
| SIGN              | REVISION/ISSUE | RITINGS NR./DRAWING |       |
|                   | A*             | EB11230             |       |

| A   | B          | C                   | D                   | E                  | F                          | G               | H            | J | K                                            |
|-----|------------|---------------------|---------------------|--------------------|----------------------------|-----------------|--------------|---|----------------------------------------------|
| PC. | Position   | Description         | Type                | Manufacturer       | Data                       | Article No.     | E-number(SE) |   | ARTIKELNR./<br>ARTICLE NO.<br><b>EB11230</b> |
| 1   | -          | Skåp                | BCS 900 Kapsling    | El-Björn           | 900 x 1700 x 500           | H50226          |              |   | MÄRKSTRÖM/<br>CURRENT RATING<br><b>125 A</b> |
| 3   | F01-F03    | Dvärgbrytare        | iC60N 1P 6kA        | Schneider Electric | C 16A                      | A9F04116        | 2112043      |   | MEASURING<br>EQUIPMENT                       |
| 1   | F04        | Dvärgbrytare        | iC60N 3P 6kA        | Schneider Electric | C 16A                      | A9F04316        | 2112073      |   | CURR-<br>TRAFIO-<br>SPACE                    |
| 2   | F05, F07   | Dvärgbrytare        | iC60H 3P 10kA       | Schneider Electric | C 32A                      | A9F07332        | 2112259      |   | ENERGY-<br>METER-<br>SPACE                   |
| 1   | F06        | Dvärgbrytare        | iC60H 3P 10kA       | Schneider Electric | C 63A                      | A9F07363        | 2112265      |   | <b>1 1</b>                                   |
| 2   | JF01, JF05 | Jordfelsbrytare     | iID 4P A            | Schneider Electric | 40A, 30mA                  | A9Z21440        | 2164955      |   | FAST ANSLUTNING/<br>FIXED CONNECTIONS        |
| 1   | JF06       | Jordfelsbrytare     | iID 4P A            | Schneider Electric | 63A, 300mA                 | A9Z24463        | 2164974      |   | <125A   >125A<br><b>1</b>                    |
| 2   | Q00, Q08   | Säkringslastbrytare | OS 125GD03P         | ABB                | 125A, 3-P                  | 1SCA115639R1001 |              |   | CEE-OUTLETS<br>3-POLE/230V                   |
| 10  | X00, X08   | Kabelklämma         | Överdel             | Maxeta             | AL/CU 10-95mm <sup>2</sup> | 12401308        |              |   | 16A   32A   63A   125A                       |
| 10  |            | Kabelklämma         | Underdel            | Maxeta             | AL/CU 10-95mm <sup>2</sup> | 12401312        |              |   | SCHUKO OUTLETS<br>2-POLE/230V<br>16A         |
| 3   | X01-X03    | Schukouttag         | 35218, Typ F, Skruv | Mennekes           | 16A, 230V, IP54            | 11020EB         |              |   | <b>3</b>                                     |
| 1   | X04        | Paneluttag          | 416RU6              | ABB                | 16A, 400V, IP44            | 416RU6          | 1961483      |   | CEE-OUTLETS<br>5-POLE/400V                   |
| 1   | X05        | Paneluttag          | 432RU6              | ABB                | 32A, 400V, IP44            | 432RU6          | 1961633      |   | 16A   32A   63A   125A                       |
| 1   | X06        | Paneluttag          | 463RAU6             | ABB                | 63A, 400V, IP44            | 463RAU6         | 1961771      |   | <b>1 1 1</b>                                 |
|     |            |                     |                     |                    |                            |                 |              |   | JFB/RCCB                                     |
|     |            |                     |                     |                    |                            |                 |              |   | <0,03A   >0,3A   >0,03A & <0,3A              |
|     |            |                     |                     |                    |                            |                 |              |   | <b>2 1</b>                                   |
|     |            |                     |                     |                    |                            |                 |              |   | JFB/RCCB<br>Variable                         |
|     |            |                     |                     |                    |                            |                 |              |   | VIKT/WEIGHT<br><b>140 kg</b>                 |

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

ZFSF 125/1/3111-201 EN



|                                |                             |                                        |                   |
|--------------------------------|-----------------------------|----------------------------------------|-------------------|
| RITAD AV/DRAWN BY<br><b>CG</b> | DATUM/DATE<br><b>150310</b> | NEXT SHEET                             | SHEET<br><b>3</b> |
| SIGN                           | REVISION/ISSUE<br><b>A*</b> | RITNINGS NR./DRAWING<br><b>EB11230</b> |                   |