Digging buckets

Bucket 0-33 tonnes



Steelwrists digging bucket is designed to withstand tougher jobs. The bucket is characterized by a progressive radius which allows the cutting edge to penetrate the material without interference from the bottom. The bucket is available with or without teeth. Tooth System CAT.

On the larger buckets (S60 and upwards) oversized pipes are used to increase the stiffness of the buckets, while the sheet metal truss structure used on the smaller buckets to keep the weight down.

Technical specification

Grävskopor	Maskinvikt	Bracket S-type	Width [mm]	Volume [l]	Weight [kg]	Tooth CAT-J	Artikelnummer
DB08	0–2	S30	400	30	30	–	101047
DB1	0–2	S30	400	40	35	–	101048
DB1T	0–2	S30	400	40	45	J200 x3	101049
DB2	1–3	S30	450	70	45	–	101050
DB2T	2–4	S30	450	70	55	J200 x3	101051
DB2	2–4	S40	300	40	45	–	101052
DB2T	2–4	S40	300	40	50	J200 x3	101053
DB2	2–4	S40	450	70	50	–	101054
DB2T	2–4	S40	450	70	60	J200 x3	101055
DB2	2–4	S40	600	100	65	–	101056
DB2T	2–4	S40	600	100	75	J200 x4	101057
DB3	2–4	S40	500	100	75	–	101058
DB3T	2–4	S40	500	100	85	J200 x4	101059
DB4	3–5	S40	600	140	100	–	101061
DB4T	3–5	S40	305	70	75	J200 x3	101062
DB4T	3–5	S40	457	100	90	J200 x4	101063
DB4T	3–5	S40	600	140	110	J200 x4	101064
DB5	4–6	S40	700	190	125	–	101066
DB5	4–6	S40	750	210	135	–	101067
DB5	4–6	S40	900	260	155	–	101068
DB5T	4–6	S40	700	190	135	J200 x4	101069
DB5T	4–6	S40	750	210	145	J200 x4	101303
DB5T	4–6	S40	900	260	160	J200 x4	101302
DB6	5–8	S45	600	170	135	–	101071
DB6T	6–8	S45	600	170	145	J200 x4	101072
DB6	5–8	S45	700	210	145	–	101073
DB6T	5–8	S45	700	210	155	J200 x4	101074

Gräv-skopor	Maskin-vikt	Bracket S-type	Width [mm]	Volume [l]	Weight [kg]	Tooth CAT-J	Artikel-nummer
DB6	5–8	S45	900	280	180	–	101075
DB6T	5–8	S45	900	280	190	J200 x4	101076
DB6	5–8	S50	600	170	135	–	101077
DB6T	5–8	S50	600	170	145	J200 x4	101078
DB6	5–8	S50	700	210	150	–	101079
DB6T	5–8	S50	700	210	160	J200 x4	101080
DB6	5–8	S50	900	280	180	–	101081
DB6T	5–8	S50	900	280	190	J200 x4	101082
DB9	8–12	S45	900	280	180	–	101083
DB9T	8–12	S45	450	160	185	J200 x3	101084
DB9	8–12	S45	600	210	200	–	101085
DB9T	8–12	S45	600	210	210	J200 x4	101086
DB9	8–12	S45	700	260	225	–	101087
DB9T	8–12	S45	700	260	235	J200 x4	101088
DB9	8–12	S45	900	350	275	–	101089
DB9T	8–12	S45	900	350	285	J200 x4	101090
DB9T	8–12	S50	457	140	175	J200 x4	101091
DB9	8–12	S50	600	210	205	–	101092
DB9T	8–12	S50	600	210	215	J200 x4	101093
DB9	8–12	S50	700	260	225	–	101094
DB9T	8–12	S50	914	360	280	J200 x4	101097
DB9	8–12	S50	900	350	275	–	101096
DB12	11–13	S45	600	250	240	–	101100
DB12T	11–13	S45	600	250	265	J250 x4	101101
DB12	11–13	S45	800	370	310	–	101102
DB12T	11–13	S45	800	370	340	J250 x4	101103
DB12	11–13	S45	900	430	335	–	101104
DB12T	11–13	S45	900	430	365	J250 x4	101105

Gräv-skopor	Maskin-vikt	Bracket S-type	Width [mm]	Volume [l]	Weight [kg]	Tooth CAT-J	Artikel-nummer
DB12	11–13	S50	600	250	240	–	101106
DB12T	11–13	S50	600	250	270	J250 x4	101107
DB12	11–13	S60	800	370	340	–	101108
DB12T	11–13	S50	800	370	340	J250 x4	101109
DB12	11–13	S50	900	430	335	–	101110
DB12T	11–13	S50	900	460	440	J250 x4	101111
DB12	11–13	S60	800	370	325	–	101300
DB12T	11–13	S60	800	370	355	J250 x4	101301
DB13	13–14	S60	900	460	395	–	101112
DB13T	13–14	S60	900	460	440	J300 x4	101113
DB14	14–15	S60	450	220	315	–	101115
DB14T	14–15	S60	900	460	440	J300 x4	101116
DB14	14–15	S60	600	270	330	–	101117
DB14T	14–15	S60	600	270	365	J300 x4	101118
DB14	14–15	S60	950	510	465	–	101119
DB14T	14–15	S60	950	513	515	J300 x4	101120
DB14	14–15	S60	1200	690	630	J300 x5	101123
DB15	15–16	S60	1000	590	505	–	101125
DB15T	15–16	S60	914	520	520	J300 x4	101114
DB15T	15–16	S60	610	300	3855	J300 x3	101329
DB15T	15–16	S60	1000	590	550	J300 x4	101126
DB15T	15–16	S60	1400	890	760	J300 x4	101124
DB15T	15–16	S65	1000	590	560	J300 x4	101128
DB17	15–16	S65	1000	590	515	–	101127
DB17	16–18	S60	600	330	410	–	101129
DB17T	16–18	S60	600	330	445	J300 x3	101130
DB17T	16–18	S60	900	570	590	J300 x4	101132
DB17	16–18	S60	1000	660	590	–	101133

Gräv-skopor	Maskin-vikt	Bracket S-type	Width [mm]	Volume [l]	Weight [kg]	Tooth CAT-J	Artikel-nummer
DB17T	16–18	S60	1000	660	640	J300 x4	101134
DB17T	16–18	S60	1200	820	720	J300 x5	101135
DB17	16–18	S65	1000	660	600	–	101138
DB17T	16–18	S65	1000	660	650	J300 x4	1011369
DB20T	18–22	S70	914	600	840	J400 x4	101140
DB20T	18–22	S70	1050	720	930	J400 x4	101141
DB20	18–22	S70	1050	720	810	–	101142
DB20T	18–22	S70/55	1050	720	950	J400 x4	101143
DB20T	18–22	S70	1200	880	1050	J400 x5	101144
DB20T	18–22	S70	1397	1080	1170	J400 x5	101145
DB25T	22–26	S70	1250	1100	1170	J460 x4	101146
DB25	22–26	S70	1250	1100	1050	–	101147
DB25T	22–26	S70/55	1250	1100	1180	J460 x4	101148
DB30T	25–33	S70	1300	1250	1510	J350 x5	101149
DB30T	25–33	S70/55	1300	1250	1550	J460 x4	101151
DB30	25–33	S80	1300	1250	1460	–	101152
DB30T	25–33	S80	1300	1250	1580	J460 x4	101153