



Product Family
Miller ME86 Manyard Shock-Absorbing Lanyards (EUR)

Shock absorbing Lanyard - complete with 1 screwgate karabiner (ML00) & Automatic Snap hook.

Miller Logo

Product Numbers & Ordering Information

	Product Numbers	Details
	1005324	Stretchable Shock-Absorbing Webbing Complete 1,5m with 1 galvanised connector and 1 snap hook 63mm
	1005325	Stretchable Shock-Absorbing Webbing Complete 2m with 1 galvanised connector and 1 snap hook 63mm

Overview

Key Features

Features :

- A unique stretchable design.
- A safety clip that straps on to the harness to hold the Manyard when not in use.
- Special woven shock-absorbing inner core. Heavy tubular outer jacket.
- Unique warning flag which provides visual proof that a lanyard has been involved in a fall and should be removed from service.
- Reliable visual inspection: the integral red core becomes visible if the outer jacket is damaged or worn.
- The hi-tech protective finish on the outer tubular jacket prolongs the service life of the Manyard.

Benefits:

Lightweight and easy to use, the elasticated manyard is ideal for maintenance on cranes or granties. When contracted the elasticated shock-absorbing lanyard reduces the risk of tripping or snagging. The unique woven shock-absorbing material reduces fall arrest forces.

Recommended Industries/Use

- Construction

Hazards

- Fall from height

Regulations

- EN 355 - Shock absorbers

Warranty Information

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

Literature & Documents

90004208 lanyard EN 354, 355 (EUR)

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/41642/1033.aspx

Instruction manual

Training & Proper Use

Training is an essential part of any safety program. The employer is responsible for ensuring that any person working at height is fully informed regarding the correct use of PPE and systems.

More information about the training...

Technical Support

Miller Techniserv

Northern and Central Europe


Phone: +49 (0) 9281/8302-205

Email: techniservnorth.hsp@honeywell.com

Southern Europe, UK, Ireland

Phone: +33 (0)2 48 52 40 42

Email: techniserv.hsp@honeywell.com



Miller ME86 Manyard Shock-Absorbing Lanyards (EUR)



© Honeywell International Inc.