



Paslode[®]
Impulse[®]

IM90Ci - IM100Ci






Paslode
Impulse



= 1250
(-5°C)



Paslode
Impulse



IM90Ci
Ø 2.5 ▶ 3.1 mm
L = 50 ▶ 90 mm (Smooth & Ring)
RoundDrive®
34°

IM100Ci
Ø 2.8 ▶ 3.4 mm
L = 63 mm Ring ▶ 98 mm Uniloc
▶ 100 mm Smooth
RoundDrive®
34°



Paslode
Impulse




= 13000 max



OFF



ON



15 mn = 2500 max
60 mn = 10000 max
90 mn = 13000 max
2 mn = 200



○ ○ ○ ● 100%
○ ○ ● 75%
○ ● ● 50%
● ● ● 25%



● 0→300








BANG!
















- 15 °C ➔ + 49 °C












IM90Ci/IM100Ci : 1000/hour
IM90Ci : 4000/day
IM100Ci : 3000/day















15




115251

16




17




401482


18



19




20




21



22




OK



NO



23



24



RESET



Notes



Notes





Paslode
Impulse®

Route de Lyon - BP 104
F-26501 Bourg-lès-Valence
Cedex - FRANCE

Réalisation Made in France - Photos non contractuelles

018339-2
09/15