

## Floor gully, Purus S-serie Brage and Oden

### Holder/Issued to

### Purus AB

Södra Dragongatan 15, 271 39 Ystad, Sweden.

Organisation number: 559007-0032.

Tel: 010-41 44 900, fax: 010-41 44 996.

E-mail: [info@purus.se](mailto:info@purus.se) internet: [www.purus.se](http://www.purus.se)

### Product description

Floor gully S-serie Brage has vertical outlet DN 75 and S-serie Oden has side outlet DN 75. Body and water trap are made of plastic (PP). The gullies are delivered with Purus stainless steel clamping ring with screws. Gullies are intended for grating in stainless steel or plastic with diameter 179 mm, loading strength class K3.

The following flows are measured according to standard SS-EN 1253-1.

Flow through the grating:

GRATING \ GULLY	Oden RSK: 7110405 [l/s]	Brage RSK: 7103439 [l/s]
Grating, stainless steel RSK: 7129507	1,55	1,01
Grating, white plastic RSK: 7129671	1,08	-

### Intended use

Floor gullies intended for waste water and for installation in concrete or timber floor constructions with surface of ceramic tiles or vinyl sheet flooring.

### Trade name

Purus S-serie Brage, RSK no. 7103439.

Purus S-serie Oden, RSK no. 7110405.


### Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Waste water installations\*  
Design

6:641, 1:st and last sentence in 2:nd paragraph  
6:644, 1:st sentence and 2:nd paragraph

\* Wastewater installations must be designed so that they can continuously divert at least 150% of the standard flows of the served tapping points.



## Associated documents

Installation instruction floor gullies 22733, dated 2021-01-04.

## Control

The factory production control (FPC) is monitored by an independent inspection body.  
Control plan: Ref no. 351 dated 2015-12-07. Inspection body: DTI, Danish Technological Institute.

## Control continue

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

## Manufacturing place

Production control includes the following place:  
BLS Industries AB, Södra Dragongatan 15, 271 39 Ystad, Sweden.

## Marking

The products are to be marked at the factory. The marking consists of a text on every product and packing supplied and includes:

### On product and packing:

Distributor	PURUS
Product type designation	S-serie Brage/Oden
Product code/RSK-no.	<i>number</i>
Boverket's registered trademark	†
Certification body	RISE
RISE accreditation number	1002
Inspection body	DTI

### Product is also marked with:

Consecutive manufacture year/month of production	<i>year/month</i>
Approval number	SC0386-16

## Basis for approval

Report 641671, 732649-1 and 869826-1 from DTI.

## Comments

Floor gullies are approved according to standard SS-EN1253-1.

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2016-06-17, valid through 2021-06-16.

## Validity

Valid through 2027-01-20.

Validity of this type approval can be verified on our website.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Stefan Coric

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence*