

Purus Basin trap

Holder/Issued to

Purus AB

Södra Dragongatan 15, SE-271 39 Ystad, Sweden

Product description

Purus basin trap made of plastic (polypropen, PP) with upper inlet dimension DN 32. Side outlet has nut and cone intended for pipe with DN 32 or DN 40. Basin trap with side outlet DN 40 is available with Purus pipe fitting system. Purus basin traps are included in several complete assembly kits adapted for different installation options.

Intended use

Basin trap intended for connection to wash basins or to bidets, to prevent odor from sewerage. Maximum waste water flow is 0.6 l/s.

Trade name

Purus basin trap Pipe fitting, RSK number (product code) 807 53 99
Purus basin trap 40 white, RSK number 807 54 00
Purus basin trap 40 chrome, RSK number 807 51 11
Purus basin trap 32 white, RSK number 807 61 43

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Wastewater installations	6:641, First and last sentence in 2nd paragraph
Design	6:644, First sentence and 2nd paragraph

Associated documents

Purus AB Installations instruction: Basin trap (Kommodvattenlös), 20064, dated 2021-02-02
Purus AB Maintenance of indoor waste systems, dated 2022-10-05

Control

The factory production control (FPC) is monitored by an independent inspection body.
Control plan: Ref no. 351 dated 2020-07-03, Inspection body: DTI

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing place

Production control includes the following place:
Purus AB, Södra Dragongatan 15, SE-271 39 Ystad, Sweden

Marking

The products are to be marked at the factory. The marking consists of a text on every product and on packing supplied and includes:

Product label on product is marked with:

Holder	Purus
Product type designation	Purus basin trap
Product code (RSK number)	<i>according to trade name</i>
Type approval number	3372/88
Boverket's registered trade mark	
RISE Accreditation number	1002
Certification body	RISE
Inspection body	DTI

Product is marked with:

Holder	Purus
Consecutive manufacture date of production	<i>mm/yy</i>
RSK number; Purus pipe fitting Ø 40 mm, white	807 53 99
RSK number; Ø 40 mm white	807 54 00
RSK number; Ø 40 mm chrome	807 51 11
RSK number; Ø 32 mm white	807 61 43

Basis for approval

Report 6675-51368-9, 819721, 108559 and 138555 from DTI.
Drawing 8075400_måttskiss and 8075399_måttskiss.

Comments

Purus basin trap is approved according to standard SS-EN 274-1:2002.
The removable bottom part needs to be cleaned regularly.

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2018-02-21, valid through 2023-02-20.

Validity

Valid through 2028-03-25.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.



Martin Tillander

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.

Type Approval 3372/88 | 2023-03-26

RISE Research Institutes of Sweden AB | Certification