

Floor gully, Purus Saga

Holder/Issued to

Purus AB

Södra Dragongatan 15, 271 39 Ystad, Sweden.

Organisation number: 559007-0032.

Tel: 010-41 44 900, fax: 010-41 44 996.

E-mail: info@purus.se internet: www.purus.se

Product description

Floor gully Purus Saga is made of PP. Saga is available with side outlet or vertical outlet with dimension 75 mm and vertical outlet with dimension 110 mm.

All gullies are delivered with Purus TYR water trap, Purus 150 automatic clamping ring and grating (Ø150 mm). Gullies fulfill requirement for loading strength class K3.

Purus Saga has a flow capacity of 1,2 l/s together with grating in drip pattern, RSK 7138446.

Intended use

Floor gully intended for wastewater and for installation in concrete floor constructions with surface of ceramic tiles or vinyl sheet flooring.

Trade name

Purus Saga.

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Wastewater installations*
Design

6:641, 1:st paragraph and last sentence in 2:nd paragraph
6:644, 1:st sentence and 2:nd paragraph

* Wastewater installations must be designed so that they can continuously divert at least 150% of the standard flows of the served tapping points.

Associated documents

Installation instruction floor gullies 22733, dated 2020-06-11.

Control

The factory production control (FPC) is monitored by an independent inspection body.
Control agreement: 351. Inspection body: DTI Danish Technological Institute.

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this approval is based.

Type approval SC0266-10 | 2021-01-22

RISE Research Institutes of Sweden AB | Certification
Box 857, SE-501 15 Borås, Sweden
Phone: +46 10-516 50 00
certifiering@ri.se | www.ri.se

2019-06-10



18685

(5P08707)



Manufacturing place

Production control includes the following place:
BLS Industries AB, Södra Dragongatan 15, 271 39 Ystad, Sweden.

Marking

The products are to be marked at the factory. The marking consists of a text on every product and packing supplied and includes:

On product and packing:

Distributor	PURUS
Product name	Saga
Product code/RSK-no.	number
Boverket's registered trademark	+
Certification body	RISE
RISE accreditation number	1002
Inspection body	DTI

Product is also marked with:

Consecutive manufacture year/month of production	year/month
Approval number	SC0266-10

Basis for approval

Report ETK P908196-A and ETK P603538 from SP Technical Research Institute of Sweden.
Report 732649-1 from DTI Danish Technological Institute.

Comments

Installation instructions shall be delivered in each package.

Those floor gullies are approved according to standard SS-EN1253-1 with the exception for maximum flow for Purus Saga with vertical outlet with dimension 110 mm.

The removable water trap needs to be cleaned regularly.

This approval supersedes the previous approval with the same number dated 2015-12-10.

Validity

Valid through 2026-01-21.

The validity of this approval expires when the characteristics included in this approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Ronald Green

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence.