

Material Safety Data Sheet



Completed 08-05-2025
Revision: (date) -
SDS version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: Oil Pastel
Product- no.: 426200-426204

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Visual arts and hobby.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:

www.cchobby.com	www.cchobby.com
Rasmus Færchs Vej 23	2 Pine Court, Kembrey Park Swindon
7500 Holstebro	Wiltshire, SN2 8AD
Denmark	UK
Tlf.: +45 96 13 30 10	+44 (0)793 616 068

Contact person and E-mail:

compliance@cchobby.dk

The Safety data sheet is completed and validated by:

Mediator ApS, Centervej 2, DK-6000 Kolding. Consultant: TSN

1.4. Emergency telephone number

NHS (National Health Service): 111

Use your national or local emergency number - See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not subject to labelling under The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019.

2.2. Label elements

-

Signal word:

-

2.3. Other hazards

-

Additional labelling:

-

Additional warnings

-

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Calcium carbonate	- / 01-2119486795-18-xxxx	471-34-1	207-439-9	-	40 - 50	1
Mineral oil	- / -	8012-95-1	232-384-2	Asp. Tox. 1;H304	10 - 20	2
Iron oxide	- / -	1309-37-1	215-168-2	-	5 - 10	1, 5
Carbon Black	- / 01-2119384822-32-xxxx	1333-86-4	215-609-9	-	0,1 - 6	1, 3
Pigment Violet 1	- / -	1326-03-0	215-413-3	Aquatic Acute 1;H400 M=1, Aquatic Chronic 3;H412	2 - 6	4
Paraffin wax	- / -	8002-74-2	232-315-6	-	1 - 5	1

- 1) The substance has a national exposure limit.
- 2) Asp. Tox. 1;H304 is not applicable due to the high viscosity of the product.
- 3) Only present in 11 Yellow Brown Light, 21 Grey, 22 Black, 24 Brown Deep, 25 Brown Light, 47 Yellow Center, 48 Light Gray.
- 4) Only present in 12 Rose Light, 13 Rose, 39 Magenta.
- 5) Only present in 23 Burnt Sienna, 24 Brown Deep, 25 Brown Light, 47 Yellow Center.

See full text of H-phrases in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Not relevant.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.
Seek medical advice in case of persistent discomfort.

Skin contact:

Wash skin with soap and water.
Seek medical advice in case of persistent discomfort.

Eye contact:

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

No irritation anticipated when used normally.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Surrounding fire:
Extinguish with powder, foam, carbon dioxide or water mist.
Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air.
Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

Fire fighters should wear appropriate protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No special requirements.

6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

6.3. Methods and material for containment and cleaning up

Pick up mechanically.

6.4. Reference to other sections

See section 8 for type of protective equipment.

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special requirements.

7.2. Conditions for safe storage, including any incompatibilities

There are no special requirements for storage. However, it should be stored safe and out of the reach of children.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits according to EH40/2005 Workplace exposure limits (Fourth Edition 2020):

Substance	Long-term exposure limit ppm / mg/m ³	Short-term exposure limit ppm / mg/m ³	Note
Calcium carbonate			-
- inhalable dust	- / 10	- / -	
- respirable	- / 4	- / -	
Iron oxide, fume (as Fe)	- / 5	- / 10	-
Carbon black	- / 3,5	- / 7	-
Paraffin wax, fume	- / 2	- / 6	-

DNEL/PNEC-values:

DNEL Calcium carbonate

	Workers	Consumers
Inhalation - Chronic Local	6,36 mg/m ³	1,06 mg/m ³
Oral - Chronic Systemic	-	6,1 mg/kg bw/day
Oral - Acute Systemic	-	6,1 mg/kg bw/day

DNEL Mineral oil

	Workers	Consumers
Inhalation - Chronic Systemic	5 mg/m ³	-
Inhalation - Acute Systemic	5 mg/m ³	-
Inhalation - Chronic Local	5 mg/m ³	-
Inhalation - Acute Local	5 mg/m ³	-

8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls:

Wash hands after use.

Personal protective equipment:

Respiratory protection:

Not required.

Hand protection:

Not required.

Eye/face protection:

Not required.

Skin protection:

Not required.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Solid substance
Colour:	Different
Odour:	-
Melting point/ Freezing Point (°C):	-
Boiling point or initial boiling point and boiling range (°C):	-
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	-
Kinematic viscosity (mm ² /s):	> 20,5
Solubility:	-
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	-
Density and/or relative density:	-
Relative vapour density:	-
Particle characteristics:	-

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating.

10.5. Incompatible materials

Avoid contact with strong oxidising agents.

Avoid contact with strong acids.

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity:**

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
Calcium carbonate	Oral	Rat	LD50	> 2000 mg/kg bw
Calcium carbonate	Inhalation	Rat	LC50/ 4 Hours	> 3 mg/L air (analytical)
Calcium carbonate	Dermal	Rat	LD50	> 2000 mg/kg bw
Iron oxide	Oral	Rat	LD50	> 5000 mg/kg bw
Carbon Black	Oral	Rat	LD50	> 8000 mg/kg bw

Skin corrosion/irritation:

Based on the existing data, the classification is not met.

Serious eye damage/irritation:

Based on the existing data, the classification is not met.

Respiratory or skin sensitisation:

Based on the existing data, the classification is not met.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Material Safety Data Sheet

**Carcinogenicity:**

Based on the existing data, the classification is not met.

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

Based on the existing data, the classification is not met.

STOT-repeated exposure:

Based on the existing data, the classification is not met.

Aspiration hazard:

Based on the existing data, the classification is not met.

11.2. Information on other hazards

Test data are not available.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Test duration	Species	Test	Result
Calcium carbonate	72 Hours	Algae	EC50	> 14 mg/L
Iron oxide	48 Hours	Daphnia	EC50	> 100 mg/L
Iron oxide	72 Hours	Algae	EC50	> 20 mg/L
Carbon Black	96 Hours	Fish	LC50	> 1000 mg/L
Carbon Black	24 Hours	Daphnia	EC50	> 5600 mg/L
Carbon Black	72 Hours	Algae	EC50	> 10000 mg/L

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
Calcium carbonate	Yes	OECD Guideline 301 B	28 Days 90%

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
No data.	-	-

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

EWC-Code	Description
20 01 28	Paint, inks, adhesives and resins other than those mentioned in 20 01 27

Specific labelling:

-

Contaminated packaging:

Uncleansed packaging is to be disposed of via the local waste-removal scheme.

SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 -14.4.

ADR

-

IMDG/IATA

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Sources:

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

Additional labelling:

-

Restrictions for application:

-

Demands for specific education:

-

15.2. Chemical safety assessment

None.

SECTION 16: Other information

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

Other information:

Sources:

The REACH Enforcement Regulations 2008, and The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019.

The Waste (Miscellaneous Amendments) (EU Exit) (No. 2) Regulations 2019

The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019.

Full text of H-phrases as mentioned in section 2+3:

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Classification according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 and GB mandatory classification and labelling list:

-

Material Safety Data Sheet



Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals.

CLP: Classification Labelling Packaging Regulation.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

Minor changes have been made in following sections:

-

This material safety data sheet replaces version:

-