



According to EU regulation 1907/2006 (REACH)

## Material Safety Data Sheet

SDS date: 18-12-2020

SDS version: 1.2

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

---

#### 1.1. Product Identifier

Trade Name: Eulenspiegel Water-based Face Paint

Product- no.: -

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Make-Up colors for hobby use.

#### 1.3. Details of the supplier of the safety data sheet

##### Company and address

Creotime.com

Rasmus Færchs Vej 23

7500 Holstebro

Tel.: +45 96 13 30 10

##### Contact person and E-mail:

info@creotime.com

##### The Safety data sheet is completed and validated by:

mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: LMJ

#### 1.4. Emergency telephone number

Use your national or local emergency number - See section 4 "First aid measures".

---

### SECTION 2: Hazards identification

---

#### 2.1. Classification of the substance or mixture

The product is a cosmetic product covered by Regulation (EC) No 1223/2009 of the European Parliament and of the Council on cosmetic products and therefore not covered by CLP.

#### 2.2. Label elements

-

##### Signal word:

-

#### 2.3. Other hazards

The product contains Titanium dioxide which is only regarded as carcinogenic in powdered products. Do not use product on eczema skin, rash or dry and chapped skin. Use moisturising creme under make-up. Remove make-up colours thoroughly when the game is over. Remove product with cleansing creme, skin tonic and finally with water.



According to EU regulation 1907/2006 (REACH)

**Additional labelling:**

Ingredients: Calcium Carbonate, Glycerin, Dextrin, Talc, Aqua, Glyceryl Stearate Citrate, Stearyl Alcohol, Sodium Polynaphthalenesulfonate, Phenoxyethanol, Sodium Benzoate, Ethylhexylglycerin, Sodium Laureth Sulfate, Benzoic Acid, Caprylic Acid [± CI 12490, CI 15985, CI 19140, CI 28440, CI 42051, CI 47005, CI 74160, CI 77007, CI 77268:1, CI 77288, CI 77491, CI 77492, CI 77499, CI 77742, CI 77891]

**Additional warnings:**

This product complies with the requirements of the standard set out by The Danish Joint Council of Creative & Hobby Materials (Fællesrådet for Formnings- og Hobbymaterialer), version 11 of 1 november 2018, on creative and occupational materials.

---

**SECTION 3: Composition/information on ingredients**

---

**3.1./3.2. Substances/Mixtures**

Substance	EU-Index no.	Cas / EINECS no.	CLP-classification	w/w%	Note
Talc	-	14807-96-6/ 238-877-9	-	1-50	1
Titanium dioxide (CI 77891)	-	13463-67-7/ 236-675-5	Carc. 2;H351(i)	1-50	1
Iron Oxide (CI 77491)	-	1309-37-1/ 215-168-2	-	1-50	1

1 = The substance has a national exposure limit.

For the wording of the listed risk phrases refer to section 16.

---

**SECTION 4: First aid measures**

---

**4.1. Description of first aid measures**

Inhalation: Not relevant.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of discomfort.

Skin contact: Wash skin with soap and water. Seek medical advice in case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Remove contact lenses. Seek medical advice if symptoms persist.

**4.2. Most important symptoms and effects, both acute and delayed**

May cause slight irritation to the skin and eyes.

**4.3. Indication of any immediate medical attention and special treatment needed**

When obtaining medical advice, show the safety data sheet or label.



According to EU regulation 1907/2006 (REACH)

---

## SECTION 5: Firefighting measures

---

### 5.1. Extinguishing media

Surrounding fire: Extinguish with powder, foam or carbon dioxide. Do not use water stream, as it may spread the fire.

### 5.2. Special hazards arising from the substance or mixture

The product is not directly flammable.

### 5.3. Advice for firefighters

Avoid inhalation of vapour and fumes – seek fresh air.

---

## SECTION 6: Accidental release measures

---

### 6.1. Personal precautions, protective equipment and emergency procedures

None.

### 6.2. Environmental precautions

Avoid unnecessary release to the environment. Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.

### 6.3. Methods and material for containment and cleaning up

Rinse with water. Wipe up minor spills with a cloth. See section 13 for instructions on disposal.

### 6.4. Reference to other sections

See above.

---

## SECTION 7: Handling and storage

---

### 7.1. Precautions for safe handling

Do not use product on eczema skin, rash or dry and chapped skin. Use moisturising creme under make-up. Remove make-up colours thoroughly when the game is over. Remove product with cleansing creme, skin tonic and finally with water.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in tightly closed original packaging.

### 7.3. Specific end use(s)

See section 1.

---

## SECTION 8: Exposure controls/personal protection

---

### 8.1. Control parameters

Occupational exposure limits according to EH40/2005 Workplace exposure limits (Fourth Edition, 2020):

Substance	Long-term exposure limit	Short-term exposure limit	Note
Talc, respirable dust	1 mg/m <sup>3</sup>	-	-
Titanium dioxide			
Total inhalable	10 mg/m <sup>3</sup>	-	-
Respirable	4 mg/m <sup>3</sup>	-	-
Iron oxide, fume (as Fe)	5 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	-



According to EU regulation 1907/2006 (REACH)

#### DNEL and PNEC values:

DNEL- Talc:

##### Workers

Inhalation - Chronic Systemic	2.16 mg/m <sup>3</sup>
Inhalation - Acute Systemic	2.16 mg/m <sup>3</sup>
Inhalation - Chronic Local	3.6 mg/m <sup>3</sup>
Inhalation - Acute Local	3.6 mg/m <sup>3</sup>
Dermal - Chronic Systemic	43.2 mg/kg bw/day
Dermal - Acute Systemic	-
Dermal - Chronic Local	4.54 mg/cm <sup>2</sup>

##### Consumers

Inhalation - Chronic Systemic	1.08 mg/m <sup>3</sup>
Inhalation - Acute Systemic	1.08 mg/m <sup>3</sup>
Inhalation - Chronic Local	1.8 mg/m <sup>3</sup>
Inhalation - Acute Local	1.8 mg/m <sup>3</sup>
Dermal - Chronic Systemic	21.6 mg/kg bw/day
Dermal - Acute Systemic	2.27 mg/cm <sup>2</sup>
Dermal - Acute Local	2.27 mg/cm <sup>2</sup>
Oral - Chronic Systemic	160 mg/kg bw/day
Oral - Acute Systemic	160 mg/kg bw/day

DNEL- Iron Oxide:

##### Workers

Inhalation - Chronic Local	10 mg/m <sup>3</sup>
----------------------------	----------------------

PNEC – Talc:

Fresh water	597,97 mg/L
Intermittent releases (Fresh water)	597,97 mg/L
Marine water	141,26 mg/L
Intermittent releases (Marine water)	141,26 mg/L

#### 8.2. Exposure controls

There are no exposure scenarios for this product.

##### Appropriate engineering controls:

-

##### Personal protective equipment:

Respiratory protection:	Not required.
Hand protection:	Not required.
Eye/face protection:	Not required.
Skin protection:	Not required.

##### Environmental exposure controls:

Make sure that when using the product damming material is available in immediate vicinity.



According to EU regulation 1907/2006 (REACH)

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance:	Solid substance, Paste. Multiple colours
Odour:	Odourless
Odour threshold:	-
pH:	5-9
Melting point/ Freezing Point (°C):	~100
Initial boiling point and boiling range (°C):	-
Flash point (°C):	-
Evaporation rate:	-
Flammability (solid, gas)	-
Upper / lower flammability or explosion limits (vol-%):	-
Vapour pressure (mbar, 25 °C):	-
Vapour density (air=1)	-
Relative density (g/ml):	1,2-1,5
Solubility(ies):	-
Partition coefficient: n-octanol/water:	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
Viscosity (mPas, 25 °C):	-
Explosive properties:	-
Oxidising properties:	-

### 9.2. Other information

Content of solids (%):	-
Surface tension (mN/m, 25 °C):	-

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Non-reactive.

### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Avoid heating.

### 10.5. Incompatible materials

Avoid contact with strong oxidising agents.

### 10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.



According to EU regulation 1907/2006 (REACH)

---

## SECTION 11: Toxicological information

---

### 11.1. Information on toxicological effects

**Acute toxicity:** Based on the existing data, the classification is not met.

Substance	Route of exposure	Species	Test	Result
Talc	Oral	Rat	LD50	> 5 000 mg/kg bw
Talc	Inhalation	Rat	LC50 / 15 min	> 2.1 mg/L
Talc	Dermal	Rabbit	LD50	> 2000 mg/kg bw
Titanium dioxide	Inhalation	Rat	LC50 / 4 Hours	> 6,82 mg/L
Iron oxide	Oral	Rat	LD50	> 5000 mg/kg bw

**Skin corrosion/irritation:** May cause slight irritation.

**Serious eye damage/irritation:** May cause eye irritation.

**Respiratory or skin sensitisation:** Based on the existing data, the classification is not met.

**Germ cell mutagenicity:** Based on the existing data, the classification is not met.

**Carcinogenicity:** Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

**Reproductive toxicity:** Based on the existing data, the classification is not met.

**STOT-single exposure:** Based on the existing data, the classification is not met.

**STOT-repeated exposure:** Based on the existing data, the classification is not met.

**Aspiration hazard:** Based on the existing data, the classification is not met.

---

## SECTION 12: Ecological information

---

### 12.1. Toxicity

Substance	Test duration	Species	Test	Result
Titanium dioxide	24 Hours	Daphnia	EC50	> 5600 mg/L
Iron oxide	48 Hours	Daphnia	EC50	> 100 mg/L

### 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data	-	-	-

### 12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow	BCF
Talc	-	-9,40	-



According to EU regulation 1907/2006 (REACH)

#### **12.4. Mobility in soil**

Test data are not available.

#### **12.5. Results of PBT and vPvB assessment**

The mixture does not meet the criteria for PBT or vPvB.

#### **12.6. Other adverse effects**

None.

---

### **SECTION 13: Disposal considerations**

---

#### **13.1. Waste treatment methods**

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

##### **EWC Code**

07 06 99

##### **Specific labelling**

-

##### **Contaminated packaging:**

Uncleansed packaging is to be disposed of via the local waste-removal scheme.

---

### **SECTION 14: Transport information**

---

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR and IMDG.

#### **14.1 -14.4.**

-

#### **14.5. Environmental hazards**

-

#### **14.6. Special precautions for user**

-

#### **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not relevant.

---

### **SECTION 15: Regulatory information**

---

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **Sources:**

The product is a cosmetic product covered by Regulation (EC) No 1223/2009 of the European Parliament and of the Council on cosmetic products and therefore not covered by CLP.

##### **Restrictions for application:**

-

##### **Demands for specific education:**

-

##### **Additional labelling:**

-

#### **15.2. Chemical safety assessment**

Chemical safety assessment has not been performed.



According to EU regulation 1907/2006 (REACH)

---

## SECTION 16: Other information

---

### Other information:

This product complies with the requirements of the standard set out by The Danish Joint Council of Creative & Hobby Materials (Fællesrådet for Formnings- og Hobbymaterialer), version 11 of 1 november 2018, on creative and occupational materials.

### Sources:

EC regulation 1907/2006 (REACH).

EC Regulation 1272/2008 (CLP).

EU regulation no. 276/2010

Directive 2000/532/EC

### Full text of H-phrases as mentioned in section 2+3:

H351(i) - Suspected of causing cancer by inhalation.

### Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

### Other

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

### Minor changes have been made in following sections:

1-16 – Update.

### This material safety data sheet replaces version:

1.1 (17-05-2017).

---