# Allround Medium Lacquer Glue

T: +44 (0)793 616 068

## Safety data sheet according to (EC) No. 1907/2006 (and 2020/878)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1. Product identifier:

Allround Medium Lacquer Glue UFI: Not relevant 1.2. Relevant identified uses of the substance or mixture and uses advised against: Paint. 1.3. Details of the supplier of the safety data sheet: **UK Supplier** T: +45 96 13 30 10 Creotime.com Creotime.com Rasmus Faerchs Vej 23 2 Pine Court, Kembrey Park Swindon DK-7500 Holstebro Wiltshire, SN2 8AD Denmark UK Responsible person for the safety data sheet (e-mail): info@creotime.com **1.4. Emergency telephone number:** NHS (England or Wales): Dial 111 or 0845 4647 NHS 24 (Scotland): Dial 111 National Poisons Information Centre (Ireland): +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture:

Altox has concluded that the mixture is not to be classified according to CLP (1272/2008).

#### 2.2. Label elements:

EUH208: Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1) and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

#### 2.3. Other hazards: None known.

PBT/vPvB: The ingredients are not considered PBT/vPvB according to criteria in Annex XIII.

Endocrine disrupting properties: The substances are not identified as having endocrine disrupting properties in accordance with the criteria set out in Regulation 2023/707.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures:

% w/w 0.00015- <0.0015	<b>Substance</b> CMIT/MIT*	<b>CAS-no.</b> 26172-55-4 2682-20-4 55965-84-9	<b>EC-no.</b> 247-500-7 220-239-6 mixture	Index-no. - - 613-167-00-5	REACH reg.no. - - -	Classification Acute Tox. 2;H310+H330 Acute Tox. 3;H301 Skin Sens. 1A;H317 Skin Corr. 1;H314 Eye Dam. 1;H318 Aquatic Acute 1:H400 (M=100) Aquatic Chronic 1;H410 (M=100) EUH071
>0,005- <0.05	BIT**	2634-33-5	220-120-9	613-088-00-6	-	Acute Tox. 4;H302 Acute Tox. 2;H330 Skin Irrit. 2;H315 Eye Dam. 1;H318 Skin Sens. 1A;H317 Aquatic Acute 1;H400 (M=1) Aquatic Chronic 2;H411

\* CMIT/MIT = Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1) SCL (Specific Concentration Limits, CMIT/MIT) for classification: Skin Sens. 1A;H317:  $C \ge 0.0015\%$ ; Skin Corr. 1C;H314:  $C \ge 0.6$ ; Eye Dam. 1;H318:  $C \ge 0.6$ ; Eye Irrit. 2;H319: 0.06% < C < 0.6%; Skin Irrit. 2;H315: 0.06% < C < 0.6%. ATE (Inhalation, vapour) = 0.5 mg/l/4H; ATE (Dermal) = 50 mg/kg; ATE (Oral) = 53 mg/kg.

\*\* BIT= 1,2-benzisothiazol-3(2H)-one SCL: Skin Sens. 1;H317: C ≥ 0,05 %; ATE (Oral) = 454 mg/kg; ATE (Inhalation) = 0,25 mg/l

Wording of hazard statements - see section 16.

# **Allround Medium Lacquer Glue**

# **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures:

Inhalation: Remove to fresh air. Keep at rest. In case of discomfort: Seek medical advice.

Skin contact: Remove contaminated clothing and wash with soap and water. If irritation persists: Seek medical advice.

Eye contact: Flush with water or physiological salt water, holding eye lids open, remember to remove contact lenses, if any. If irritation persists: Seek medical advice.

Ingestion: Rinse mouth and drink plenty of water. Keep at rest. In case of discomfort: Seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed:

Prolonged skin contact may cause sensitization.

4.3. Indication of any immediate medical attention and special treatment needed:

Show this safety data sheet to a physician or emergency ward.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media:

Not flammable.

5.2. Special hazards arising from the substance or mixture:

Not relevant (the product is not combustible).

5.3. Advice for firefighters:

When extinguishing surrounding fires use breathing apparatus with an independent source of air.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures:

Use gloves of rubber when spill is wiped up - see section 8. Ventilate area of spill.

#### 6.2. Environmental precautions:

Do not empty into drains – see section 12. Inform appropriate authorities in accordance with local regulations.

## 6.3. Methods and material for containment and cleaning up:

Wipe up spillage by using absorbent material and place in a suitable container. Flush area of spill with plenty of water.

Wash with a hard surface cleaner. Further handling of spillage - see section 13.

## 6.4. Reference to other sections:

See above.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling:

Avoid contact with skin, eyes or clothing. Wash with water and soap after work.

## 7.2. Conditions for safe storage, including any incompatibilities:

Store in a well-closed original container, dry and in a well-ventilated room. Keep non-freezing.

7.3. Specific end use(s):

See section 1.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters:

Occupational exposure limits, UK (EH40/ed.2020): None. DNEL/PNEC : No CSR.

## 8.2. Exposure controls:

Appropriate engineering controls: None particular.

Personal protective equipment:

Respiratory protection: In case of working in not adequate ventilated areas, use an approved mask (EN149) with particle filter: P2. The filter has a limited lifetime and must be changed. Read the instruction.

Skin protection:By prolonged contact: Wear protective gloves of e.g. nitrile (>0,3 mm) (EN374). There are no available<br/>data for breakthrough time, therefore it is recommended to change the glove if spilled on.

Eye protection: Use safety goggles (EN166) when there is risk of eye contact.

Environmental exposure controls: None particular.

## 9.1. Information on basic physical and chemical properties:

Physical state:	Liquid
Colour:	Various colours
Odour:	Mild odour
Melting point/freezing point (°C):	~ 0
Boiling point or initial boiling point and boiling range (°C):	~ 100
Flammability (solid, gas):	Not relevant
Lower and upper explosion limit (vol-%):	Not determined
Flash point (°C):	> 100
Auto-ignition temperature (°C):	Not relevant
Decomposition temperature (°C):	Not determined
pH:	6 – 9
Kinematic viscosity:	Not determined
Solubility:	Soluble in water
Partition coefficient n-octanol/water (log value):	Not determined
Vapour pressure:	Not determined
Density and/or relative density (g/cm <sup>3</sup> ):	Not determined
Relative vapour density:	Not determined
Particle characteristics:	Not determined
9.2. Other information:	
None relevant.	

# **SECTION 10: Stability and reactivity**

10.1. Reactivity:
No available data.
10.2. Chemical stability:
Stable under normal conditions (see section 7).
10.3. Possibility of hazardous reactions:
None known.
10.4. Conditions to avoid:
Avoid excessive heating and freezing.
10.5. Incompatible materials:
Strong oxidizing materials.
10.6. Hazardous decomposition products:
None known.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Hazard class	Data	Sased on available data, the classification effectia are in	Test
Aspiration hazard:		Based on available data, the classification criteria are no	ot met
STOT-repeated exposure:	B	Based on available data, the classification criteria are no	ot met.
STOT-single exposure:	В	Based on available data, the classification criteria are no	ot met.
Reproductive toxicity:	В	Based on available data, the classification criteria are no	ot met.
Carcinogenicity:		Based on available data, the classification criteria are no	
Germ cell mutagenicity:		Based on available data, the classification criteria are no	
1 2		Based on available data, the classification criteria are no	
Serious eye damage/irrita		Based on available data, the classification criteria are no	
Skin corrosion/irritation:	В	Based on available data, the classification criteria are no	ot met.
Acute toxicity:		Based on available data, the classification criteria are no	
		······································	

Hazard class	Data	Test	Data source
Acute toxicity:			
Inhalation	$LC_{50}$ (rat) = 0.25 mg/l/4h (BIT)	OECD 403	IUCLID
	$LC_{50}$ (rat) > 0.5 mg/l/4h (CMIT/MIT)	No information	EC Biocide
Dermal	$LD_{50} (rat) > 2000 mg/kg (BIT)$	OECD 402	IUCLID
	$LD_{50}$ (rabbit) = 50 mg/kg (CMIT/MIT)	OECD 402	RAC
Oral	$LD_{50}$ (rat) = 454 mg/kg (BIT)	OECD 401	ECHA
	$LD_{50}$ (rat) = 53 mg/kg (CMIT/MIT)	No information	EC Biocide
Corrosion/irritation:	Skin irritant, rabbit (BIT)	Draize	IUCLID
	Eye damage, rabbit (BIT)	OECD 405	IUCLID
	Skin corrosive, rabbit (CMIT/MIT)	OECD 404	EC Biocide
Sensitization:	Skin sensitization, guinea pig (BIT)	OECD 406	IUCLID
	Skin sensitization, guinea pig (CMIT/MIT)	Buehler	EC Biocide
CMR:	No available or applicable data.	-	-

# Allround Medium Lacquer Glue SECTION 11: Toxicological information (continued)

Information on likely routes of exposure: Inhalation, skin and ingestion.

Symptoms:Inhalation:Sprayed liquid may cause irritation of the gastrointestinal tract.

Skin: May cause irritation by prolonged contact with skin.

Eyes: May cause irritation with redness.

Ingestion: May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.

Chronic effects: Prolonged skin contact may cause dermatitis.

11.2. Information on other hazards:

None known.

1) 1 Torioiter

# SECTION 12: Ecological information

Aquatic	Data	Test (Media)	Reference
Fish	$LC_{50}$ (Oncorhynchus mykiss, 96h) = 0.8 mg/l (BIT)	No info. (FW)	IUCLID
	NOEC (Oncorhynchus mykiss, $30d$ ) = 0.21 mg/l (BIT)	OECD 215 (FW)	Supplier
	$LC_{50}$ (Salmo gairdneri, 96 h.) = 0.19 mg/l (CMIT/MIT)	No info.	EC Biocide
Crustacean	$EC_{50}$ (Daphnia magna, 48h) = 1.5 mg/l (BIT)	No info. (FW)	IUCLID
	NOEC (Daphnia magna, 21d) = 1.21 mg/l (BIT)	No info. (FW)	IUCLID
	$EC_{50}$ (Crassostrea virginica, 48 h.) = 0.028 mg/l (CMIT/MIT)	No info.	EC Biocide
Algae	$EC_{50}$ (P. subcapitata, 72h) = 0.11 mg/l (BIT)	OECD 201 (FW)	Supplier
	$EC_{50}$ (Selenastrum capricornutum, 72 h.) = 0.018 mg/l (CMIT/MIT)	No info.	EC Biocide

#### **12.2 Persistence and degradability:**

BIT degrades 80% in 21 d and is therefore rapidly degradable (OECD 303A).

CMIT/MIT is not rapidly degradable.

#### 12.3 Bioaccumulative potential:

BIT:  $Log K_{ow} = 0.7 \& BCF = 6.62$  (OECD 305) (no significant bioaccumulation).

CMIT/MIT: Log  $K_{ow} > 5$  (calculated) – high bioaccumulation potential.

#### 12.4 Mobility in soil:

BIT:  $K_{oc} < 50$  (high mobility in soil is expected).

CMIT/MIT:  $K_{oc} < 50$  (OECD 121) (high mobility in soil is expected).

#### 12.5 Results of PBT and vPvB assessment:

No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

#### 12.6. Endocrine disrupting properties:

None known. 12.7. Other adverse effects:

None known.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods:

The mixture is to be considered as non-hazardous waste. Disposal should be according to local, state or national legislation. Dispose of through authority facilities or pass to chemical disposal company.

EWC-Code: 20 01 28 (mixture itself) and 15 02 03 (Paper towel, inert material etc. contaminated with the mixture)

# **SECTION 14: Transport information**

Not dangerous goods (ADR/RID/IMDG/IATA).

14.1. UN number or ID number: None.

14.2. UN proper shipping name: None.

14.3. Transport hazard class(es): None.

14.4. Packing group: None.

14.5. Environmental hazards: No.

14.6. Special precautions for user: None.

14.7. Maritime transport in bulk according to IMO instruments: Not relevant.

# **SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:** None.

**15.2.** Chemical safety assessment: No CSR.

#### Hazard statements mentioned in section 2 and 3:

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H310: Fatal in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H330: Fatal if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

EUH071: Corrosive to the respiratory tract.

#### **Abbreviations:**

CMR = Carcinogenicity, mutagenicity and reproductive toxicity.

CSR = Chemical Safety Report

DNEL = Derived No-Effect Level

 $EC_{50} = Effect Concentration 50 \%$ 

EC Biocide = Dossier on biocidal active substances

FW = Fresh Water

 $LC_{50}$  = Lethal Concentration 50 %

 $LD_{50} = Lethal Dose 50 \%$ 

PBT = Persistent, Bioaccumulative, Toxic

PNEC = Predicted No-Effect Concentration

vPvB = very Persistent, very Bioaccumulative

#### Literature:

EPA Ecotox = The US Environmental Protection Agency's database on ecotoxicological effects for chemicals.

IUCLID = International Uniform Chemical Information Database.

RTECS = Register of Toxic Effects of Chemical Substances.

ECHA = REACH registration dossier (ECHA homepage, www.echa.eu)

#### **Training advice:**

No special training is required. However, the user should be well instructed in the execution of his/her task, be familiar with this Safety Data Sheet and have normal training in the use of personal protective equipment.

Changes since the previous edition:

Not relevant - first edition

Prepared by: Altox a/s - Tonsbakken 16-18 - DK-2740 Skovlunde - Phone +45 - 38 34 77 98 / PW - Quality control: PH