According to EC-Regulation 2015/830



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Wood Glue D2 Indoor 490 Product no.

REACH registration number

Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Wood glue.

Uses advised against

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

Dana Lim A/S Københavnsvej 220 4600 Køge Danmark

Contact person

Product Safety Department

E-mail

info@danalim.dk

SDS date

2020-02-04 **SDS Version**

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

2.2. Label elements

Hazard pictogram(s) Not applicable Signal word

Hazard statement(s)

Not applicable **Precautionary statements**

General	-
Prevention	-
Response	-
Storage	-
Disposal	-

Identity of the substances primarily responsible for the major health hazards



Active substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 12 ppm

Additional labelling

Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. (EUH208). Safety data sheet available on request. (EUH210) Unique formula identifier (UFI)

2.3. Other hazards Not applicable Additional warnings

Not applicable VOC (volatile organic compound) Not applicable

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	1,2-benzisothiazol-3(2H)-one CAS-no: 2634-33-5 EC-no: 220-120-9 Index-no: 613-088-00-6 <0.05% Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2 H302, H315, H317, H318, H400, H411 (M-acute = 1)
NAME:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)
IDENTIFICATION NOS .:	CAS-no: 55965-84-9 Index-no: 613-167-00-5
CONTENT:	<0.0015%
CLP CLASSIFICATION:	Acute Tox. 3, Acute Tox. 2, Skin Corr. 1C, Skin Sens. 1A, Eye Dam. 1, Acute Tox. 2, Aquatic Acute 1, Aquatic Chronic 1
	H301, H310, H314, H317, H318, H330, H400, H410 (M-acute = 100) (M-chronic = 100)

(*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

 $\begin{array}{l} \mbox{ATEmix(inhale, vapour) > 20} \\ \mbox{ATEmix(inhale, dust/mist) > 5} \\ \mbox{ATEmix(dermal) > 2000} \\ \mbox{ATEmix(oral) > 2000} \\ \mbox{N chronic (CAT 4) Sum = Sum(Ci/(M(chronic)i*25)*0.1*10^CAT4) = 0,00003808 - 0,00005712} \\ \mbox{N acute (CAT 1) Sum = Sum(Ci/(M(acute)i*25) = 0,0132 - 0,0198} \end{array}$

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service: Dial 0344 892 0111 (24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Bring the person into fresh air and stay with him/her.

Skin contact

Wash contaminated skin with water.

Eye contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.



Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Under normal circumstances no known risks. This product contains substances that may trigger an allergic reaction to predisposed persons.

Symptoms may include reddening of the skin and rash, which typically occur after 12-72 hours.

4.3. Indication of any immediate medical attention and special treatment needed

Nothing special

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Sulphur oxides. Carbon oxides. Some metal oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.

6.2. Environmental precautions

No specific requirements.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container.

Storage temperature

Frost free

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

vinyl acetate Long-term exposure limit (8-hour TWA reference period): 5 ppm | 17.6 mg/m³ Short-term exposure limit (15-minute reference period): 10 ppm | 35,2 mg/m³ DNEL / PNEC



No data available

8.2. Exposure controls

Compliance with the accepted occupational exposure limits values should be controlled on a regular basis. **General recommendations**

Smoking, eating and drinking are not allowed in the work premises

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of an exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Not applicable

Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements.

Skin protection

No specific requirements.

Hand protection

No specific requirements.

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	White
Odour	Mild
Odour threshold (ppm)	No data available.
pH	No data available.
Viscosity (40°C)	12500-15500 mPa.s
Density (g/cm ³)	1,1
Phase changes	,
Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.
Data on fire and explosion hazards	
Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.
Explosion limits (% v/v)	No data available.
Explosive properties	No data available.
Solubility	
Solubility in water	Soluble
n-octanol/water coefficient	No data available.
9.2. Other information	
Solubility in fat (g/L)	No data available.



SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

- The product is stable under the conditions, noted in the section "Handling and storage".
- 10.3. Possibility of hazardous reactions Nothing special

10.4. Conditions to avoid

Nothing special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data available.

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

No data available. Respiratory or skin sensitisation

Data on substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test: OECD Guideline 406

Organism: Guinea pig

Result: SensitisingUnder normal circumstances no known risks. This product contains substances that may trigger an allergic reaction to predisposed persons.

Germ cell mutagenicity

No data available.

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard No data available.

Long term effects

Nothing special

SECTION 12: Ecological information

12.1. Toxicity Substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Species: Algae Test: EC50 Duration: 72 h Result: 0,027 mg/l 12.2. Persistence and degradability Substance **Biodegradability** Test Result Reaction mass of: 5-chloro-2-m... Yes **Closed Bottle Test** >60% 12.3. Bioaccumulative potential **Substance** Potential bioaccumulation LogPow BCF

Wood Glue D2 Indoor 490

3,6

Reaction mass of: 5-chloro-2-m... No

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

No data available

12.6. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Waste EWC code

04 08 10

Specific labelling

Not applicable

Contaminated packing

No specific requirements.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group Notes Tunnel restriction code IMDG UN-no. Proper Shipping Name Class PG* EmS MP** Hazardous constituent IATA/ICAO UN-no. Proper Shipping Name Class Class Proper Shipping Name Class	14.1. UN number	-
class(es) 14.4. Packing group Notes Tunnel restriction code IMDG UN-no. Proper Shipping Name Class PG* EmS MP** Hazardous constituent IATA/ICAO UN-no. Proper Shipping Name -	14.2. UN proper shipping name	-
Notes - Tunnel restriction code - IMDG - UN-no. - Proper Shipping Name - Class - PG* - EmS - MP** - Hazardous constituent - IATA/ICAO - UN-no. - Proper Shipping Name -		-
Tunnel restriction code - IMDG - UN-no. - Proper Shipping Name - Class - PG* - EmS - MP** - Hazardous constituent - IATA/ICAO - UN-no. - Proper Shipping Name -	14.4. Packing group	-
IMDG UN-no Proper Shipping Name - Class - PG* - EmS - MP** - Hazardous constituent - IATA/ICAO UN-no Proper Shipping Name -	Notes	-
UN-no Proper Shipping Name - Class - PG* - EmS - MP** - Hazardous constituent - IATA/ICAO UN-no Proper Shipping Name -	Tunnel restriction code	-
Proper Shipping Name - Class - PG* - EmS - MP** - Hazardous constituent - IATA/ICAO UN-no Proper Shipping Name -	IMDG	
Class - PG* - EmS - MP** - Hazardous constituent - IATA/ICAO UN-no Proper Shipping Name -	UN-no.	-
PG* - EmS - MP** - Hazardous constituent - IATA/ICAO UN-no Proper Shipping Name -	Proper Shipping Name	-
EmS - MP** - Hazardous constituent - IATA/ICAO UN-no Proper Shipping Name -	Class	-
MP** - Hazardous constituent - IATA/ICAO UN-no Proper Shipping Name -	PG*	-
Hazardous constituent - IATA/ICAO UN-no Proper Shipping Name -	EmS	-
IATA/ICAO UN-no Proper Shipping Name -	MP**	-
UN-no. Proper Shipping Name	Hazardous constituent	-
Proper Shipping Name	IATA/ICAO	
	UN-no.	-
Class -	Proper Shipping Name	-
	Class	-
PG* -	PG*	-

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available

(*) Packing group (**) Marine pollutant

Wood Glue D2 Indoor 490



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Demands for specific education

Additional information

Not applicable Authorization number:

Seveso

Biocidal reg. no.

Not applicable

Sources

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

Regulation (EC) 1907/2006 (REACH). 15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

Additional label elements

Not applicable

Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

Robert Pedersen Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)



ALPHAOMEGA. Licens nr.:3815228566, Dana Lim A/S, 7.0.0.0 www.chymeia.com