

# Material Safety Data Sheet



Completed 04-04-2024  
Revision: (date) -  
SDS version 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product Identifier

Trade Name: Plus Color Craft Paint / Plus Color Marker  
Product- no.: -

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Recommended uses:

Visual arts and hobby.

#### Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

### 1.3. Details of the supplier of the safety data sheet

#### Company and address:

Creotime.com  
Rasmus Færchs Vej 23  
7500 Holstebro  
Denmark  
Tlf.: +45 96 13 30 10  
Creotime.com  
2 Pine Court, Kembrey Park Swindon  
Wiltshire, SN2 8AD  
UK  
+44 (0)793 616 068

#### Contact person and E-mail:

info@creotime.com

#### The Safety data sheet is completed and validated by:

Mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: RC

### 1.4. Emergency telephone number

NHS: 111

Use your national or local emergency number - See section 4 "First aid measures".

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The product is not subject to labelling under CLP Regulation No. 1272/2008.

### 2.2. Label elements

-

#### Signal word:

-

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. (EUH 211)

### 2.3. Other hazards

The product contains titanium dioxide which is only regarded as carcinogenic in powdered products.

#### Additional labelling:

-

#### Additional warnings

This product complies with the requirements of the standard set out by The Danish Joint Council of Creative & Hobby Materials (Fællesrådet for Formnings- og Hobbymaterialer), version 12 of 1 August 2021, on creative and occupational materials.

## SECTION 3: Composition/information on ingredients

### 3.1./3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Titanium dioxide	022-006-00-2 / -	13463-67-7	236-675-5	Carc. 2;H351 (inhalation)	15 - 25	1
Carbon black	- / -	1333-86-4	215-609-9	-	0 - 10	1, 2

1) The substance has a national exposure limit.

2) The substance is only present in the dark colours.

See full text of H-phrases in section 16.

# Material Safety Data Sheet



---

## SECTION 4: First aid measures

---

### 4.1. Description of first aid measures

#### **Inhalation:**

In case of discomfort: Seek fresh air.  
Seek medical advice in case of persistent discomfort.

#### **Ingestion:**

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.  
Seek medical advice in case of discomfort.

#### **Skin contact:**

Remove contaminated clothing.  
Wash skin with soap and water.  
Seek medical advice in case of persistent discomfort.

#### **Eye contact:**

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

#### **Additional information:**

When obtaining medical advice, show the safety data sheet or label.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

---

## SECTION 5: Firefighting measures

---

### 5.1. Extinguishing media

Extinguish with powder, foam, carbon dioxide or water mist.  
Do not use water stream, as it may spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Avoid inhalation of vapour and fumes – seek fresh air.  
Can generate harmful flue gases containing carbon monoxide in the event of fire.  
Exposure to decomposition products may cause a health hazard.

### 5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

---

## SECTION 6: Accidental release measures

---

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing and contact with skin and eyes.

### 6.2. Environmental precautions

Avoid unnecessary release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers.  
Wipe up minor spills with a cloth.

### 6.4. Reference to other sections

See section 13 for instructions on disposal.

---

## SECTION 7: Handling and storage

---

### 7.1. Precautions for safe handling

No special requirements.

### 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.  
Keep in tightly closed original packaging.

### 7.3. Specific end use(s)

See application section 1.

# Material Safety Data Sheet



## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure limits according to EH40/2005 Workplace exposure limits (Fourth Edition 2020):

Substance	Long-term exposure limit ppm / mg/m <sup>3</sup>	Short-term exposure limit ppm / mg/m <sup>3</sup>	Note
Titanium dioxide, total inhalable	- / 10	- / -	-
Titanium dioxide, respirable	- / 4	- / -	-
Carbon black	- / 3.5	- / 7	-

### DNEL/PNEC-values:

#### DNEL Titanium dioxide

	Workers	Consumers
Inhalation - Chronic Local	1,25 mg/m <sup>3</sup>	210 µg/m <sup>3</sup>

### 8.2. Exposure controls

There are no exposure scenarios for this product.

#### Appropriate engineering controls:

Wash hands after use.

#### Personal protective equipment:

##### Respiratory protection:

Not required.

##### Hand protection:

Generally not required.

##### Eye/face protection:

Not required.

##### Skin protection:

Not required.

#### Environmental exposure controls:

Ensure compliance with local regulations for emissions.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid / marker
Colour:	Multiple colours
Odour:	-
Melting point/ Freezing Point (°C):	-
Boiling point or initial boiling point and boiling range (°C):	-
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	-
Kinematic viscosity (mm <sup>2</sup> /s):	-
Solubility:	-
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	-
Density and/or relative density:	-
Relative vapour density:	-
Particle characteristics:	-

### 9.2. Other information

None.

# Material Safety Data Sheet



## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data.

### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity:

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
Titanium dioxide	Inhalation	Rat	LC50/ 4 Hours	3,43 mg/L air
Carbon black	Oral	Rat	LD50	> 8000 mg/kg bw

#### Skin corrosion/irritation:

May cause slight irritation.

#### Serious eye damage/irritation:

May cause eye irritation.

#### Respiratory or skin sensitisation:

Based on the existing data, the classification is not met.

#### Germ cell mutagenicity:

Based on the existing data, the classification is not met.

#### Carcinogenicity:

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### Reproductive toxicity:

Based on the existing data, the classification is not met.

#### STOT-single exposure:

Based on the existing data, the classification is not met.

#### STOT-repeated exposure:

Based on the existing data, the classification is not met.

#### Aspiration hazard:

Based on the existing data, the classification is not met.

### 11.2. Information on other hazards

Test data are not available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance	Test duration	Species	Test	Result
Carbon black	96 Hours	Fish	LC50	> 1000 mg/L
Carbon black	24 Hours	Daphnia	EC50	> 5600 mg/L
Carbon black	72 Hours	Algae	EC50	> 10000 mg/L

# Material Safety Data Sheet



## 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data.	-	-	-

## 12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
No data.	-	-

## 12.4. Mobility in soil

Test data are not available.

## 12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

## 12.6. Endocrine disrupting properties

Test data are not available.

## 12.7. Other adverse effects

None.

---

## SECTION 13: Disposal considerations

---

### 13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

EWC-Code	Description
08 01 12	Waste paint and varnish other than those mentioned in 08 01 11

#### *Specific labelling:*

-

#### *Contaminated packaging:*

(Rinseable) Empty, cleansed packaging should be disposed of for recycling.

---

## SECTION 14: Transport information

---

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

### 14.1 -14.4.

ADR

-

IMDG/IATA

-

### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

-

### 14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

---

## SECTION 15: Regulatory information

---

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### *Sources:*

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### *Additional labelling:*

-

#### *Restrictions for application:*

-

# Material Safety Data Sheet



## **Demands for specific education:**

-

## **15.2. Chemical safety assessment**

None.

---

## **SECTION 16: Other information**

---

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

### **Other information:**

#### **Sources:**

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

#### **Full text of H-phrases as mentioned in section 2+3:**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer through inhalation.
H412	Harmful to aquatic life with long lasting effects.
EUH 211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### **Classification according to Regulation (EC) Nr. 1272/2008:**

-

#### **Abbreviations and acronyms used in the safety data sheet:**

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

#### **Other:**

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

#### **Minor changes have been made in following sections:**

-

#### **This material safety data sheet replaces version:**

-