Pigment Modelling Paste, fine, coarse SAFETY DATA SHEET

Safety data sheet according to (EC) No. 1907/2006 (and 2020/878)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier:

Pigment Modelling Paste, fine, coarse UFI: Not relevant 1.2. Relevant identified uses of the substance or mixture and uses advised against: Paint. 1.3. Details of the supplier of the safety data sheet: **UK Supplier** T: +45 96 13 30 10 T: +44 (0)793 616 068 Creotime.com Creotime.com Rasmus Faerchs Vej 23 2 Pine Court, Kembrey Park Swindon DK-7500 Holstebro Wiltshire, SN2 8AD Denmark UK Responsible person for the safety data sheet (e-mail): info@creotime.com **1.4. Emergency telephone number:** NHS (England or Wales): Dial 111 or 0845 4647 NHS 24 (Scotland): Dial 111 National Poisons Information Centre (Ireland): +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

Altox has concluded that the mixture is not to be classified according to CLP (1272/2008).

2.2. Label elements:

EUH208: Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1) and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

2.3. Other hazards: None known.

PBT/vPvB: The ingredients are not considered PBT/vPvB according to criteria in Annex XIII.

Endocrine disrupting properties: The substances are not identified as having endocrine disrupting properties in accordance with the criteria set out in Regulation 2023/707.

SECTION 3: Composition/information on ingredients

3.2. Mixtures:

% w/w 0.00015- <0.0015	Substance CMIT/MIT*	CAS-no. 26172-55-4 2682-20-4 55965-84-9	EC-no. 247-500-7 220-239-6 mixture	Index-no. - - 613-167-00-5	REACH reg.no. - - -	Classification Acute Tox. 2;H310+H330 Acute Tox. 3;H301 Skin Sens. 1A;H317 Skin Corr. 1;H314 Eye Dam. 1;H318 Aquatic Acute 1:H400 (M=100) Aquatic Chronic 1;H410 (M=100) EUH071
>0,005- <0.05	BIT**	2634-33-5	220-120-9	613-088-00-6	-	Acute Tox. 4;H302 Acute Tox. 2;H330 Skin Irrit. 2;H315 Eye Dam. 1;H318 Skin Sens. 1A;H317 Aquatic Acute 1;H400 (M=1) Aquatic Chronic 2;H411

* CMIT/MIT = Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1) SCL (Specific Concentration Limits, CMIT/MIT) for classification: Skin Sens. 1A;H317: $C \ge 0.0015\%$; Skin Corr. 1C;H314: $C \ge 0.6$; Eye Dam. 1;H318: $C \ge 0.6$; Eye Irrit. 2;H319: 0.06% < C < 0.6%; Skin Irrit. 2;H315: 0.06% < C < 0.6%. ATE (Inhalation, vapour) = 0.5 mg/l/4H; ATE (Dermal) = 50 mg/kg; ATE (Oral) = 53 mg/kg.

** BIT= 1,2-benzisothiazol-3(2H)-one SCL: Skin Sens. 1;H317: C ≥ 0,05 %; ATE (Oral) = 454 mg/kg; ATE (Inhalation) = 0,25 mg/l

Wording of hazard statements - see section 16.

Pigment Modelling Paste, fine, coarse SECTION 4: First-aid measures

4.1. Description of first aid measures:

Inhalation: Remove to fresh air. Keep at rest. In case of discomfort: Seek medical advice.

Skin contact: Remove contaminated clothing and wash with soap and water. If irritation persists: Seek medical advice.

Eye contact: Flush with water or physiological salt water, holding eye lids open, remember to remove contact lenses, if any. If irritation persists: Seek medical advice.

Ingestion: Rinse mouth and drink plenty of water. Keep at rest. In case of discomfort: Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed:

Prolonged skin contact may cause sensitization.

4.3. Indication of any immediate medical attention and special treatment needed:

Show this safety data sheet to a physician or emergency ward.

SECTION 5: Firefighting measures

5.1. Extinguishing media:

Not flammable.

5.2. Special hazards arising from the substance or mixture:

Not relevant (the product is not combustible).

5.3. Advice for firefighters:

When extinguishing surrounding fires use breathing apparatus with an independent source of air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

Use gloves of rubber when spill is wiped up - see section 8. Ventilate area of spill.

6.2. Environmental precautions:

Do not empty into drains – see section 12. Inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up:

Wipe up spillage by using absorbent material and place in a suitable container. Flush area of spill with plenty of water.

Wash with a hard surface cleaner. Further handling of spillage - see section 13.

6.4. Reference to other sections:

See above.

SECTION 7: Handling and storage

7.1. Precautions for safe handling:

Avoid contact with skin, eyes or clothing. Wash with water and soap after work.

7.2. Conditions for safe storage, including any incompatibilities:

Store in a well-closed original container, dry and in a well-ventilated room. Keep non-freezing.

7.3. Specific end use(s):

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters:

Occupational exposure limits, UK (EH40/ed.2020): None. DNEL/PNEC : No CSR.

8.2. Exposure controls:

Appropriate engineering controls: None particular.

Personal protective equipment:

Respiratory protection: In case of working in not adequate ventilated areas, use an approved mask (EN149) with particle filter: P2. The filter has a limited lifetime and must be changed. Read the instruction.

Skin protection:By prolonged contact: Wear protective gloves of e.g. nitrile (>0,3 mm) (EN374). There are no available
data for breakthrough time, therefore it is recommended to change the glove if spilled on.

Eye protection: Use safety goggles (EN166) when there is risk of eye contact.

Environmental exposure controls: None particular.

Physical state:	Liquid
Colour:	Various colours
Odour:	Mild odour
Melting point/freezing point (°C):	~ 0
Boiling point or initial boiling point and boiling range (°C):	~ 100
Flammability (solid, gas):	Not relevant
Lower and upper explosion limit (vol-%):	Not determined
Flash point (°C):	> 100
Auto-ignition temperature (°C):	Not relevant
Decomposition temperature (°C):	Not determined
pH:	6-9
Kinematic viscosity:	Not determined
Solubility:	Soluble in water
Partition coefficient n-octanol/water (log value):	Not determined
Vapour pressure:	Not determined
Density and/or relative density (g/cm ³):	Not determined
Relative vapour density:	Not determined
Particle characteristics:	Not determined
9.2. Other information:	
None relevant.	

SECTION 10: Stability and reactivity

10.1. Reactivity:
No available data.
10.2. Chemical stability:
Stable under normal conditions (see section 7).
10.3. Possibility of hazardous reactions:
None known.
10.4. Conditions to avoid:
Avoid excessive heating and freezing.
10.5. Incompatible materials:
Strong oxidizing materials.
10.6. Hazardous decomposition products:
None known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

TITT INTO MALION ON MA	Lui u vi			
Acute toxicity:		Based on available data, the classification criteria are n	ot met.	
Skin corrosion/irritation:		Based on available data, the classification criteria are n	ot met.	
Serious eye damage/irrita	ation:	Based on available data, the classification criteria are n	ot met.	
Respiratory or skin sensit	tization	Based on available data, the classification criteria are n	ot met.	
Germ cell mutagenicity:		Based on available data, the classification criteria are n	ot met.	
Carcinogenicity:		Based on available data, the classification criteria are n	ot met.	
Reproductive toxicity:		Based on available data, the classification criteria are n	ot met.	
STOT-single exposure:		Based on available data, the classification criteria are not met.		
STOT-repeated exposure:		Based on available data, the classification criteria are not met.		
Aspiration hazard:		Based on available data, the classification criteria are n	ot met.	
Hazard class	Data		Test	
A outo toxioity:				

Hazard class	Data	Test	Data source
Acute toxicity:			
Inhalation	LC_{50} (rat) = 0.25 mg/l/4h (BIT)	OECD 403	IUCLID
	LC_{50} (rat) > 0.5 mg/l/4h (CMIT/MIT)	No information	EC Biocide
Dermal	$LD_{50} (rat) > 2000 mg/kg (BIT)$	OECD 402	IUCLID
	LD_{50} (rabbit) = 50 mg/kg (CMIT/MIT)	OECD 402	RAC
Oral	LD_{50} (rat) = 454 mg/kg (BIT)	OECD 401	ECHA
	LD_{50} (rat) = 53 mg/kg (CMIT/MIT)	No information	EC Biocide
Corrosion/irritation:	Skin irritant, rabbit (BIT)	Draize	IUCLID
	Eye damage, rabbit (BIT)	OECD 405	IUCLID
	Skin corrosive, rabbit (CMIT/MIT)	OECD 404	EC Biocide
Sensitization:	Skin sensitization, guinea pig (BIT)	OECD 406	IUCLID
	Skin sensitization, guinea pig (CMIT/MIT)	Buehler	EC Biocide
CMR:	No available or applicable data.	-	-

Pigment Modelling Paste, fine, coarse SECTION 11: Toxicological information (continued)

Information on likely routes of exposure: Inhalation, skin and ingestion.

- Symptoms:Inhalation:Sprayed liquid may cause irritation of the gastrointestinal tract.Skin:May cause irritation by prolonged contact with skin.
- Skin: May cause initiation by prolonged contact with
- Eyes: May cause irritation with redness.
- Ingestion: May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.
- Chronic effects: Prolonged skin contact may cause dermatitis.

11.2. Information on other hazards:

None known.

10 1 T.

SECTION 12: Ecological information

12.1 loxicity:					
Aquatic	Data	Test (Media)	Reference		
Fish	LC_{50} (Oncorhynchus mykiss, 96h) = 0.8 mg/l (BIT)	No info. (FW)	IUCLID		
	NOEC (Oncorhynchus mykiss, $30d$) = 0.21 mg/l (BIT)	OECD 215 (FW)	Supplier		
	LC_{50} (Salmo gairdneri, 96 h.) = 0.19 mg/l (CMIT/MIT)	No info.	EC Biocide		
Crustacean	EC_{50} (Daphnia magna, 48h) = 1.5 mg/l (BIT)	No info. (FW)	IUCLID		
	NOEC (Daphnia magna, 21d) = 1.21 mg/l (BIT)	No info. (FW)	IUCLID		
	EC_{50} (Crassostrea virginica, 48 h.) = 0.028 mg/l (CMIT/MIT)	No info.	EC Biocide		
Algae	EC_{50} (P. subcapitata, 72h) = 0.11 mg/l (BIT)	OECD 201 (FW)	Supplier		
	EC_{50} (Selenastrum capricornutum, 72 h.) = 0.018 mg/l (CMIT/MIT)	No info.	EC Biocide		

12.2 Persistence and degradability:

BIT degrades 80% in 21 d and is therefore rapidly degradable (OECD 303A).

CMIT/MIT is not rapidly degradable.

12.3 Bioaccumulative potential:

BIT: Log $K_{ow} = 0.7$ & BCF = 6.62 (OECD 305) (no significant bioaccumulation).

CMIT/MIT: Log $K_{ow} > 5$ (calculated) – high bioaccumulation potential.

12.4 Mobility in soil:

BIT: $K_{oc} < 50$ (high mobility in soil is expected).

CMIT/MIT: $K_{oc} < 50$ (OECD 121) (high mobility in soil is expected).

12.5 Results of PBT and vPvB assessment:

No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

12.6. Endocrine disrupting properties:

None known.

12.7. Other adverse effects:

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods:

The mixture is to be considered as non-hazardous waste. Disposal should be according to local, state or national legislation. Dispose of through authority facilities or pass to chemical disposal company.

EWC-Code: 20 01 28 (mixture itself) and 15 02 03 (Paper towel, inert material etc. contaminated with the mixture)

SECTION 14: Transport information

Not dangerous goods (ADR/RID/IMDG/IATA).

14.1. UN number or ID number: None.

14.2. UN proper shipping name: None.

14.3. Transport hazard class(es): None.

14.4. Packing group: None.

14.5. Environmental hazards: No.

14.6. Special precautions for user: None.

14.7. Maritime transport in bulk according to IMO instruments: Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture: None.

15.2. Chemical safety assessment: No CSR.

Hazard statements mentioned in section 2 and 3:

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H310: Fatal in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H330: Fatal if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

EUH071: Corrosive to the respiratory tract.

Abbreviations:

CMR = Carcinogenicity, mutagenicity and reproductive toxicity.

CSR = Chemical Safety Report

DNEL = Derived No-Effect Level

 $EC_{50} = Effect Concentration 50 \%$

EC Biocide = Dossier on biocidal active substances

FW = Fresh Water

 LC_{50} = Lethal Concentration 50 %

 $LD_{50} = Lethal Dose 50 \%$

PBT = Persistent, Bioaccumulative, Toxic

PNEC = Predicted No-Effect Concentration

vPvB = very Persistent, very Bioaccumulative

Literature:

EPA Ecotox = The US Environmental Protection Agency's database on ecotoxicological effects for chemicals.

IUCLID = International Uniform Chemical Information Database.

RTECS = Register of Toxic Effects of Chemical Substances.

ECHA = REACH registration dossier (ECHA homepage, www.echa.eu)

Training advice:

No special training is required. However, the user should be well instructed in the execution of his/her task, be familiar with this Safety Data Sheet and have normal training in the use of personal protective equipment.

Changes since the previous edition:

Not relevant - first edition

Prepared by: Altox a/s - Tonsbakken 16-18 - DK-2740 Skovlunde - Phone +45 - 38 34 77 98 / PW - Quality control: PH