

Completed 27-06-2013 Revision: (date) 13-07-2022 SDS version 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier Trade Name: Product- no.:

Mosaic Tile Grout

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Visual arts and hobby. Acrylfiller

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address: Creotime.com Rasmus Færchs Vej 23 7500 Holstebro Denmark

Creotime.com 2 Pine Court, Kembrey Park Swindon Wiltshire, SN2 8AD UK +44 (0)793 616 068

Contact person and E-mail:

info@creotime.com

Tlf.: +45 96 13 30 10

The Safety data sheet is completed and validated by: Mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: DH

1.4. Emergency telephone number

NHS: 111 Use your national or local emergency number - See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not subject to labelling under CLP Regulation No. 1272/2008.

2.2. Label elements

Signal word:

Signal word.

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. (EUH 208) Safety data sheet available on request. (EUH 210)

2.3. Other hazards

Additional labelling:

Additional warnings

This product complex with the requirements of the standard set out by The Danish Joint Council of Creative & Hobby Materials (Fællesrådet for Formnings- og Hobbymaterialer), version 12 of 1th of August 2021, on creative and occupational materials.



SECTION 3: Composition/information on ingredients

3.1./3.2. Substances/Mixtures

| Substance | EU-Index no. / REACH-Reg. no. | CAS-no. | EINECS-no. | CLP-classification | Wt/Wt % | Note |
|---|---|-----------|---|---|------------------|------|
| Carbon black | - / - | 1333-86-4 | 215-609-9 | - | 1 - 5 | 1 |
| Bronopol | 603-085-00-8 / - | 52-51-7 | 200-143-0 | | 0.01 - 0.05 | - |
| 1,2-benzisothiazol- 3(2H)-one | 613-088-00-6 / - | 2634-33-5 | 220-120-9 | Acute Tox. 4;H302, Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318, Aquatic Acute 1;H400 - M=1 | 0.005 - <0.05 | 2 |
| Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol- 3-one (3:1) | f 5- 613-167-00-5 / - 55965-84-9 - Acute Tox. 3;H301, Acute Tox. 2H- and 2- 1;H314, Sk 1;H317 Eye Dam. 1;H318, Aqu | | H330, Skin Corr. 1C;H314, Skin Sens. 1;H317 Eye Dam. 1;H318, Aquatic Acute 1;H400 - M=100, Aquatic Chronic 1;H410 | 0.00015 - <0.0015 | 2 | |

1) The substance has a national exposure limit.

2) Specific concentration limits.

See full text of H-phrases in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Not relevant.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort.

Skin contact:

Do not pull bonded skin apart directly. Soak the skin in warm, soapy water and gently peel apart with the aid of a blunt edge, e.g. a teaspoon handle. Seek medical advice if symptoms persist.

Eye contact:

Do not attempt to open eyelids forcibly. Cover with cotton wool soaked in lukewarm water. Seek medical advice.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required.

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Surrounding fire: Extinguish with powder, foam, carbon dioxide or water mist. Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air. Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

Fire fighters should wear appropriate protective equipment.



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No special requirements.

6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

6.3. Methods and material for containment and cleaning up

Wipe up minor spills with a cloth. Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special requirements.

7.2. Conditions for safe storage, including any incompatibilities

There are no special requirements for storage. However, it should be stored safe and out of the reach of children. Keep in tightly closed original packaging.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Marine water Soil

Occupational exposure limits according to EH40/2005 Workplace exposure limits (Fourth Edition 2020):

| Substance | Long-term exposure limit ppm / mg/m ³ | Short-term exposure limit ppm / mg/m ³ | Note |
|--|--|---|-----------------------|
| Carbon black | - / 3,5 | -/7 | - |
| DNEL/PNEC-values: DNEL Carbon Black | | | |
| | Workers | | Consumers |
| Inhalation - Chronic Systemic | 1 mg/m³ | | 0.06 mg/m³ |
| DNEL Bronopol | Manlan. | | 0 |
| | Workers | | Consumers |
| Inhalation - Chronic Systemic | 3.5 mg/m ³ | | 0.6 mg/m ³ |
| Inhalation - Acute Systemic | 10.5 mg/m ³ | | 1.8 mg/m ³ |
| Inhalation - Chronic Local | 2.5 mg/m ³ | | 0.6 mg/m ³ |
| Inhalation - Acute Local | 2.5 mg/m ³ | | 0.6 mg/m ³ |
| Dermal - Chronic Systemic | 2 mg/kg bw/day | | 0.7 mg/kg bw/day |
| Dermal - Acute Systemic | 6 mg/kg bw/day | | 2.1 mg/kg bw/day |
| Dermal - Chronic Local | 8 µg/cm² | | 4 µg/cm² |
| Dermal - Acute Local | 8 µg/cm² | | 4 µg/cm² |
| Oral - Chronic Systemic | - | | 0.18 mg/kg bw/day |
| Oral - Acute Systemic | - | | 0.18 mg/kg bw/day |
| DNEL 1,2-benzisothiazol-3(2H)-one | | | |
| | Workers | | Consumers |
| Inhalation - Chronic Systemic | 6.81 mg/m³ | | 1.2 mg/m³ |
| Dermal - Chronic Systemic | 0.966 mg/kg bw/day | 1 | 0.345 mg/kg bw/day |
| PNEC Carbon Black | | | |
| Fresh water | 50 mg/L | | |
| PNEC Bronopol | | | |
| Fresh water | 0.01 mg/L | | |
| Intermittent releases (Fresh water) | 0.003 mg/L | | |

0.001 mg/L

0.5 mg/kg soil dw



PNEC 1,2-benzisothiazol-3(2H)-one

| Fresh water | 4.03 µg/L |
|--------------------------------------|-----------------|
| Intermittent releases (Fresh water) | 1.1 µg/L |
| Marine water | 0.403 µg/L |
| Intermittent releases (Marine water) | 110 ng/L |
| Soil | 3 mg/kg soil dw |

8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls: No special requirements.

Wash hands after use.

Respiratory protection: Not required.

Hand protection: Generally not required.

Eye/face protection: Not required.

Skin protection: Not required.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties | |
|--|------------------|
| Physical state: | Paste |
| Colour: | White |
| Odour: | - |
| Melting point/ Freezing Point (°C): | - |
| Boiling point or initial boiling point and boiling range (°C): | - |
| Flammability: | - |
| Lower and upper explosion limit (vol-%): | - |
| Flash point (°C): | - |
| Auto-ignition temperature (°C): | - |
| Decomposition temperature (°C): | - |
| pH: | 9 |
| Kinematic viscosity (mm2/s): | - |
| Solubility: | Soluble in water |
| Partition coefficient n-octanol/water (log value) | - |
| Vapour pressure: | - |
| Density and/or relative density: | 1,6 |
| Relative vapour density: | - |
| Particle characteristics: | - |
| 9.2. Other information | |

None.

SECTION 10: Stability and reactivity

10.1. Reactivity No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions None known.

10.4. Conditions to avoid None known.

10.5. Incompatible materials

Avoid contact with strong oxidising agents.



10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acute toxicity: Based on the existing | g data, the classifi | cation is not met. | | |
|--|----------------------|--------------------|---------------|-------------------|
| Substance | exposure | Species | Test | Result |
| Carbon black | Oral | Rat | LD50 | > 8000 mg/kg bw |
| Bronopol | Inhalation | Rat | LC50/ 4 Hours | >= 0,588 mg/L air |
| 1,2-benzisothiazol- 3(2H)-one | Oral | Rat | LD50 | 490 mg/kg bw |
| 1,2-benzisothiazol- 3(2H)-one | Dermal | Rabbit | LD50 | > 2000 mg/kg bw |

Skin corrosion/irritation:

May cause slight irritation.

Serious eye damage/irritation:

May cause mechanical irritation.

Respiratory or skin sensitisation:

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Carcinogenicity:

Based on the existing data, the classification is not met.

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

Based on the existing data, the classification is not met.

STOT-repeated exposure:

Based on the existing data, the classification is not met.

Aspiration hazard:

Based on the existing data, the classification is not met.

11.2. Information on other hazards

Test data are not available.

SECTION 12: Ecological information

| 12.1. Toxicity Substance Carbon black Carbon black Carbon black Bronopol | Test duration 96 Hours 24 Hours 72 Hours 96 Hours | Species Fish Daphnia Algae Fish | Test LC50 EC50 EC50 LC50 | Result > 1000 mg/L > 5600 mg/L > 10000 mg/L 35,7 mg/L |
|---|--|--|---|--|
| Bronopol Bronopol 1,2-benzisothiazol- 3(2H)-one | 48 Hours 72 Hours 96 Hours | Daphnia Algae Fish | EC50 EC50 LC50 | 1,4 mg/L 0,25 mg/L 2,18 mg/L |
| 1,2-benzisothiazol- 3(2H)-one 1,2-benzisothiazol- 3(2H)-one | 48 Hours 72 Hours | Daphnia Algae | EC50 EC50 | 2,9 mg/L 110 µg/L |

Result

28 Days 70-80% 4 Days 62%



12.2. Persistence and degradability Substance Biodegradability

| Substance | Biodegradability | Test |
|--|------------------|--|
| Bronopol 1,2-benzisothiazol- 3(2H)-one | Yes Yes | OECD Guideline 301 B OECD Guideline 301 C |

12.3. Bioaccumulative potential

| Substance | Potential | LogPow | |
|---------------------|-----------------|--------|--|
| | bioaccumulation | | |
| Bronopol | No | 0,22 | |
| 1,2-benzisothiazol- | No | 0.7 | |
| 3(2H)-one | | | |

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

| EWC-Code | Description |
|----------|---|
| 08 04 10 | Waste adhesives and sealants other than those mentioned in 08 04 09 |

Specific labelling:

Contaminated packaging:

Empty packaging and residues can be disposed with household waste.

SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 -14.4. ADR

-

IMDG/IATA

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments Not relevant.



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Sources: EH40/2005 Workplace exposure limits (Fourth Edition 2020).

Additional labelling:

Restrictions for application:

Demands for specific education:

15.2. Chemical safety assessment None.

SECTION 16: Other information

According to EU regulation 1907/2006 (REACH)

Other information:

Sources:

EC regulation 1907/2006 (REACH), with amendments. EC Regulation 1272/2008 (CLP), with amendments. EU regulation no. 276/2010 Directive 2000/532/EC ECHA - The European Chemicals Agency

Full text of H-phrases as mentioned in section 2+3:

| Fundext of H-phrases as mendoned in section 2+5: | | | | |
|--|---|--|--|--|
| H301 | Toxic if swallowed. | | | |
| H302 | Harmful if swallowed. | | | |
| H310 + H330 | Fatal in contact with skin or if inhaled. | | | |
| H312 | Harmful in contact with skin. | | | |
| H314 | Causes severe skin burns and eye damage. | | | |
| H315 | Causes skin irritation. | | | |
| H317 | May cause an allergic skin reaction. | | | |
| H318 | Causes serious eye damage. | | | |
| H335 | May cause respiratory irritation. | | | |
| H400 | Very toxic to aquatic life. | | | |
| H410 | Very toxic to aquatic life with long lasting effects. | | | |
| EUH 208 | Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- | | | |
| | 3-one (3:1). May produce an allergic reaction. | | | |
| EUH 210 | Safety data sheet available on request. | | | |
| | | | | |

Classification according to Regulation (EC) Nr. 1272/2008:

Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.



Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

Minor changes have been made in following sections: General update.

This material safety data sheet replaces version: 1.2