Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: MONTANA GOLD Goldchrome
- · Article number: 298738, 511387, 285943
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC9a Coatings and paints, thinners, paint removers
- · Process category

PROC7 Industrial spraying

PROC11 Non industrial spraying

- · Application of the substance / the mixture Lacquer
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MONTANA CANS

Häusserstr. 36

D-69115 Heidelberg

Tel. +49-6221-36333-30

Fax +49-6221-36333-33

info@montana-cans.de

www.montana-cans.com

- · Further information obtainable from: Department Product Safety
- · 1.4 Emergency telephone number:

Tel.:+49 6266-75-310

Fax +49 6266-75-362

(Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

(Contd. of page 1)

STOT SE 3

H335

May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms









GHS02

02 GHS07

CHCU

508 GHS

- · Signal word Danger
- · Hazard-determining components of labelling:

xylene

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- *P211* Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- *P280* Wear protective gloves / eye protection.
- P284 In case of inadequate ventilation wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P312 Call a POISON CENTER/doctor if you feel unwell.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

*P501* Dispose of contents / container in accordance with regional regulations.

· Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

|                            | xylene   | 25-<50 |
|----------------------------|--|--------|
| Index number: 601-022-00-9 | <b>◈</b> Flam. Liq. 3, H226                                  |        |
| Reg.nr.: 01-2119488216-32  | <b>STOT RE 2, H373; Asp. Tox. 1, H304</b>                    |        |
| ū                          | Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; |        |
|                            | Eye Irrit. 2, H319; STOT SE 3, H335                          |        |
| CAS: 74-98-6               | propane  | 20-<25 |
| EINECS: 200-827-9          | ♠ Flam. Gas 1A, H220   |        |
| Index number: 601-003-00-5 |  |        |
| Reg.nr.: 01-2119486944-21  | •  |        |

GB

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

|  |   | (Contd. of page 2 |
|--|---|-------------------|
| CAS: 106-97-8<br>EINECS: 203-448-7<br>Index number: 601-004-00-0<br>Reg.nr.: 01-2119474691-32  | butane Flam. Gas 1A, H220 Press. Gas (Comp.), H280                                  | 12.5-<20%         |
| CAS: 67-64-1<br>EINECS: 200-662-2<br>Index number: 606-001-00-8<br>Reg.nr.: 01-2119471330-49   | acetone  Flam. Liq. 2, H225  Eye Irrit. 2, H319; STOT SE 3, H336                    | 12.5-<20%         |
| CAS: 75-28-5<br>EINECS: 200-857-2<br>Index number: 601-004-00-0<br>Reg.nr.: 01-2119485395-27   | isobutane  Flam. Gas 1A, H220 Press. Gas (Comp.), H280                              | 5-<10%            |
| CAS: 7440-50-8<br>EINECS: 231-159-6<br>Reg.nr.: 01-2119480154-42                               | copper Acute Tox. 3, H301 Aquatic Acute 1, H400; Aquatic Chronic 1, H410            | 2.5-<5%           |
| CAS: 7440-66-6<br>EINECS: 231-175-3<br>Index number: 030-001-01-9<br>Reg.nr.: 01-2119467174-37 | zinc powder -zinc dust (stabilized)  Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | <1%               |

#### · Additional information:

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1A 1272/2008 EU), so the classification as carcinogen need not to apply.

xylene: Contains ethylbenzene CAS 100-41-4

For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

(Contd. on page 4)

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

(Contd. of page 3)

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

Long-term value: 0.2\* 1\*\* mg/m³ \*fume \*\*dusts and mists (as Cu)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

| Ingre | Ingredients with limit values that require monitoring at the workplace:  |  |
|-------|--|--|
| xylen | e  |  |
| WEL   | Short-term value: 441 mg/m³, 100 ppm<br>Long-term value: 220 mg/m³, 50 ppm<br>Sk; BMGV   |  |
| 106-9 | 77-8 butane  |  |
| WEL   | Short-term value: $1810 \text{ mg/m}^3$ , $750 \text{ ppm}$<br>Long-term value: $1450 \text{ mg/m}^3$ , $600 \text{ ppm}$<br>Carc (if more than $0.1\%$ of buta- $1.3$ -diene) |  |
| 67-64 | 1-1 acetone  |  |
| WEL   | Short-term value: $3620 \text{ mg/m}^3$ , $1500 \text{ ppm}$<br>Long-term value: $1210 \text{ mg/m}^3$ , $500 \text{ ppm}$   |  |
| 7440- |  |  |

(Contd. on page 5)

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

(Contd. of page 4)

#### · Ingredients with biological limit values:

#### xylene

BMGV 650 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: methyl hippuric acid

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Avoid contact with the eyes.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3

· Protection of hands:



Protective gloves

#### · Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to:

Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min

Xylene: 42 min

Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42-480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in particular cases.

· Eye protection:



Tightly sealed goggles

#### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol

(Contd. on page 6)

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

|   | (Contd. of page                            |
|---|--|
| Colour:                                 | Gold coloured                              |
| Odour:                                  | Characteristic                             |
| Odour threshold:                        | Not determined.                            |
| pH-value:                               | Not determined.                            |
| Change in condition                     |  |
| Melting point/freezing point:           | Undetermined.                              |
| Initial boiling point and boiling range | : Not applicable, as aerosol.              |
| Flash point:                            | Not applicable, as aerosol.                |
| Flammability (solid, gas):              | Not applicable.                            |
| Ignition temperature:                   | 365 °C (689 °F)                            |
| Decomposition temperature:              | Not determined.                            |
| Explosive properties:                   | Not determined.                            |
| Explosion limits:                       |  |
| Lower:                                  | 1 Vol %                                    |
| Upper:                                  | 13 Vol %                                   |
| Vapour pressure at 20 °C (68 °F):       | 8300 hPa (6225.5 mm Hg)                    |
| Density at 20 °C (68 °F):               | 0.8 g/cm³ (6.7 lbs/gal)                    |
| Relative density                        | Not determined.                            |
| Vapour density                          | Not determined.                            |
| Evaporation rate                        | Not applicable.                            |
| Solubility in / Miscibility with        |  |
| water:                                  | Not miscible or difficult to mix.          |
| Partition coefficient: n-octanol/water: | Not determined.                            |
| Viscosity:                              |  |
| Dynamic:                                | Not determined.                            |
| Kinematic:                              | Not determined.                            |
| Solvent content:                        |  |
| Organic solvents:                       | 80.8 %                                     |
| VOC (EC)                                |  |
|   | 585.0 g/l                                  |
| · VOC-EU%                               | 75.00 %                                    |
| Solids content:                         | 19.2 %                                     |
| 9.2 Other information                   | No further relevant information available. |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

|            |              | (Contd. of page              |
|------------|--------------|------------------------------|
| LD/LC50 1  | values relev | ant for classification:      |
| xylene     |              |                              |
| Oral       | LD50         | 3523 mg/kg (rat)             |
| Dermal     | LD50         | 2000 mg/kg (rabbit)          |
| Inhalative | LC50/4 h     | 29000 mg/m3 (rat)            |
| 67-64-1 ac | etone        |                              |
| Oral       | LD50         | 5800 mg/kg (rat)             |
| Dermal     | LD50         | >15800 mg/kg (rabbit)        |
| Inhalative | LC50/4h      | 76 mg/l (rat)                |
| 7440-50-8  | copper       |                              |
| Oral       | LD50         | 250 mg/kg (rat)              |
| Dermal     | LD50         | >2000 mg/kg (rat)            |
| Inhalative | LC50/4 h     | 5.11 mg/m3 (rat)             |
| 7440-66-6  | zinc powde   | r -zinc dust (stabilized)    |
| Oral       | LD50         | >2000 mg/kg (rat) (OECD 401) |
| Inhalative | LC50/4 h     | >5410 mg/m3 (rat) (OECD 403) |
| D          | ·, , cc      | •                            |

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

· STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

· 12.1 Toxicity

| · Aquatic toxi | · Aquatic toxicity:                 |  |  |
|----------------|-------------------------------------|--|--|
| xylene         |                                     |  |  |
| EC50 / 48 h    | 7.4 mg/l (daphnia magna)            |  |  |
| LC50 / 96 h    | 13.5 mg/l (fish)                    |  |  |
| 67-64-1 acet   | 67-64-1 acetone                     |  |  |
| LC50/96h       | 8300 mg/l (fish)                    |  |  |
| EC50/96h       | 7200 mg/l (algae)                   |  |  |
| LC50 / 48 h    | 8450 mg/l (crustacean (water flea)) |  |  |

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish

(Contd. on page 8)

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| · European waste catalogue |   |  |
|----------------------------|---|--|
| 08 01 11*                  | waste paint and varnish containing organic solvents or other hazardous substances |  |
| 15 01 04                   | metallic packaging  |  |
| 15 01 10*                  | packaging containing residues of or contaminated by hazardous substances          |  |

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

| CHOMICA   | T 1 4 71               | <b>4</b>       | C         |
|---|------------------------|----------------|-----------|
| $\sim$ | $I$ $I$ $\Delta$ • $I$ | ransport in    | tormation |
|   | LT. $L$                | I WILSPOIL III | Ullimiton |

| · 14.1 UN-Number<br>· ADR, IMDG, IATA                       | UN1950  |
|---|---|
| · 14.2 UN proper shipping name<br>· ADR<br>· IMDG<br>· IATA | 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS<br>AEROSOLS<br>AEROSOLS, flammable |

- · 14.3 Transport hazard class(es)
- $\cdot ADR$



· Class
 · Label
 2 5F Gases.
 2.1

· IMDG, IATA



· Class 2.1

(Contd. on page 9)

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

|   | (Contd. of pag  |
|---|---|
| Label   | 2.1   |
| 14.4 Packing group<br>ADR, IMDG, IATA   | not regulated   |
| 14.5 Environmental hazards: Marine pollutant: Special marking (ADR):  | Yes<br>Symbol (fish and tree)   |
| · 14.6 Special precautions for user<br>· Hazard identification number (Kemler code):<br>· EMS Number:<br>· Stowage Code<br>· Segregation Code | Warning: Gases.  F-D,S-U  SW1 Protected from sources of heat.  SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.  SG69 For AEROSOLS with a maximum capacity of 1 litre Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.  For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code   | o <b>f</b><br>Not applicable.   |
| Transport/Additional information:   |   |
| ADR Limited quantities (LQ) Excepted quantities (EQ)  | 1L<br>Code: E0<br>Not permitted as Excepted Quantity  |
| Transport category<br>Tunnel restriction code   | 2<br>D  |
| · IMDG<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ)   | 1L<br>Code: E0<br>Not permitted as Excepted Quantity  |
| UN ''Model Regulation'':  | UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY<br>HAZARDOUS   |

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 10)

Printing date 20.04.2020 Version number 1 Revision: 11.12.2019

Trade name: MONTANA GOLD Goldchrome

(Contd. of page 9)

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 4: Acute toxicity - dermal - Category 4
Skin Irrit 2: Skin corresion/irritation - Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* \* Data compared to the previous version altered.

GB