

# Material Safety Data Sheet



Completed 09-10-2024  
Revision: (date) 19-12-2024  
SDS version 1.1

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

---

### 1.1. Product Identifier

Trade Name: Speckled Cafe Glaze  
Product- no.: -

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Recommended uses:**

Visual arts and hobby.

#### **Uses advised against:**

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

### 1.3. Details of the supplier of the safety data sheet

#### **Company and address:**

www.cchobby.com	www.cchobby.com
Rasmus Færchs Vej 23	2 Pine Court, Kembrey Park Swindon
7500 Holstebro	Wiltshire, SN2 8AD
Denmark	UK
Tlf.: +45 96 13 30 10	+44 (0)793 616 068

#### **Contact person and E-mail:**

compliance@cchobby.dk

#### **The Safety data sheet is completed and validated by:**

Mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: RC

### 1.4. Emergency telephone number

NHS (National Health Service): 111

Use your national or local emergency number - See section 4 "First aid measures".

---

## SECTION 2: Hazards identification

---

### 2.1. Classification of the substance or mixture

The product is not subject to labelling under The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019.

### 2.2. Label elements

-

#### **Signal word:**

-

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. (EUH 208)

Safety data sheet available on request. (EUH 210)

### 2.3. Other hazards

#### **Additional labelling:**

-

#### **Additional warnings**

-

# Material Safety Data Sheet



## SECTION 3: Composition/information on ingredients

### 3.1/3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Zirconium silicate	- / -	10101-52-7	233-252-7	-	< 10	1
Kaolin	- / -	1332-58-7	310-194-1	-	4 - 5	1
Quartz	- / -	14808-60-7	238-878-4	-	1 - 3	1, 2
Potash Feldspar	- / -	68476-25-5	270-666-7	Eye Irrit. 2;H319, STOT SE 3;H335	1 - 3	3
Cobalt aluminate blue spinel	- / -	1345-16-0	310-193-6	-	0.1 - 1.5	1, 4
Calcium carbonate	- / -	471-34-1	207-439-9	-	0,1 - 2	1, 5
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	613-167-00-5 / -	55965-84-9	611-341-5	Acute Tox. 3;H301, Acute Tox. 2;H310, Skin Corr. 1C;H314, Skin Sens. 1A;H317, Eye Dam. 1;H318, Acute Tox. 2;H330, Aquatic Acute 1;H400 - M=100, Aquatic Chronic 1;H410 - M=100, EUH 071  Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 %	0,0014	-

- 1) The substance has a national exposure limit.
  - 2) Present in the colours Snow White, Tusk Tusk, Pinky, Flower Power, Blue by You, Rusty Nails, Tutto Nero.
  - 3) Present in the colours Tusk Tusk, Pinky, Flower Power, Rusty Nails.
  - 4) Present in the colours Blue by You, Rusty Nails.
  - 5) Present in the colours Tusk Tusk, Pinky, Flower Power, Figaro, Rusty Nails, Tutto Nero.
- See full text of H-phrases in section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

In case of discomfort: Seek fresh air.  
Seek medical advice in case of persistent discomfort.

#### Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.  
Seek medical advice in case of discomfort.

#### Skin contact:

Remove contaminated clothing.  
Wash the skin thoroughly with water and continue washing for a long time.  
Seek medical advice in case of discomfort.

#### Eye contact:

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

#### Additional information:

When obtaining medical advice, show the safety data sheet or label.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Extinguish with powder, foam, carbon dioxide or water mist.  
Do not use water stream, as it may spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Avoid inhalation of vapour and fumes – seek fresh air.  
Hazardous fumes are formed in fire conditions.  
Exposure to decomposition products may cause a health hazard.

# Material Safety Data Sheet



## 5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.  
Avoid breathing and contact with skin and eyes.

### 6.2. Environmental precautions

Avoid unnecessary release to the environment.

### 6.3. Methods and material for containment and cleaning up

Wipe up spills with a cloth.

### 6.4. Reference to other sections

See section 8 for type of protective equipment.  
See section 13 for instructions on disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.  
Use the product under well-ventilated conditions.

Smoking, eating and drinking in the work room is not permitted nor is storage of tobacco, food and drinks permitted. Personal protective equipment must not be worn during meal breaks. Running water and eye wash facilities must be easily accessible. Wash hands before breaks, after visits to the toilet and at the end of work.

### 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.  
Keep in tightly closed original packaging.  
Store in a dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

See application section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure limits according to EH40/2005 Workplace exposure limits (Fourth Edition 2020):

Substance	Long-term exposure limit ppm / mg/m <sup>3</sup>	Short-term exposure limit ppm / mg/m <sup>3</sup>	Note
Zirconium compounds	- / 5	- / 10	-
Kaolin, respirable dust	- / 2	- / -	-
Quartz, inhalable dust	- / 6	- / -	-
Quartz, respirable dust	- / 2.4	- / -	Carc (where generated as a result of a work process)
Cobalt compounds	- / 0.1	- / -	Sen
Calcium carbonate, inhalable dust	- / 10	- / -	-
Calcium carbonate, respirable	- / 4	- / -	-

Carc = Capable of causing cancer and/or heritable genetic damage.

Sen = Capable of causing occupational asthma.

### DNEL/PNEC-values:

#### DNEL Cobalt aluminate blue spinel

	Workers	Consumers
Oral - Chronic Systemic	-	0.03 mg/kg bw/day

#### DNEL Calcium carbonate

	Workers	Consumers
Inhalation - Chronic Local	6,36 mg/m <sup>3</sup>	1,06 mg/m <sup>3</sup>
Oral - Chronic Systemic	-	6,1 mg/kg bw/day
Oral - Acute Systemic	-	6,1 mg/kg bw/day

# Material Safety Data Sheet



## PNEC Cobalt aluminate blue spinel

Fresh water	0.62 µg/L
Marine water	2.36 µg/L
Soil	10.9 mg/kg soil dw

### 8.2. Exposure controls

There are no exposure scenarios for this product.

#### **Appropriate engineering controls:**

Wear the personal protective equipment specified below.  
Wash hands after use.

#### **Personal protective equipment:**

##### **Respiratory protection:**

Recommended:

In case of insufficient ventilation, wear respiratory protective equipment with P2 filter.

Respiratory protective equipment shall comply with one of the following standards: EN 136/140/145.

##### **Hand protection:**

Recommended:

Wear protective gloves made of nitrile rubber (> 0.11 mm). Protective gloves conforming to EN 374.  
Penetration time: > 480 min.

##### **Eye/face protection:**

Wear safety goggles if there is a risk of eye splash.  
Eye protection conforming to EN 166.

##### **Skin protection:**

Recommended:

Wear suitable protective clothing.

##### **Environmental exposure controls:**

Ensure compliance with local regulations for emissions.

---

## SECTION 9: Physical and chemical properties

---

### 9.1. Information on basic physical and chemical properties

Physical state:	Viscous
Colour:	Different
Odour:	Weak
Melting point/ Freezing Point (°C):	> 400
Boiling point or initial boiling point and boiling range (°C):	-
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	7,0 - 8,5
Kinematic viscosity (mm <sup>2</sup> /s):	-
Solubility:	Not soluble in water
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	-
Density and/or relative density:	-
Relative vapour density:	-
Particle characteristics:	-

### 9.2. Other information

VOC (Volatile organic compounds):	7 - 14 %
-----------------------------------	----------

---

## SECTION 10: Stability and reactivity

---

### 10.1. Reactivity

No data.

### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

None known.

# Material Safety Data Sheet



## 10.4. Conditions to avoid

None known.

## 10.5. Incompatible materials

Avoid contact with strong oxidising agents.

Avoid contact with strong acids.

## 10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity:

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
Cobalt aluminate blue spinel	Oral	Rat	LD50	> 10000 mg/kg bw
Cobalt aluminate blue spinel	Inhalation	Rat	LC50/ 4 Hours	> 5.06 mg/L air (analytical)
Calcium carbonate	Oral	Rat	LD50	> 2000 mg/kg bw
Calcium carbonate	Inhalation	Rat	LC50/ 4 Hours	> 3 mg/L air (analytical)
Calcium carbonate	Dermal	Rat	LD50	> 2000 mg/kg bw

#### Skin corrosion/irritation:

May irritate the skin – may cause reddening.

#### Serious eye damage/irritation:

May cause eye irritation.

#### Respiratory or skin sensitisation:

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

#### Germ cell mutagenicity:

Based on the existing data, the classification is not met.

#### Carcinogenicity:

Based on the existing data, the classification is not met.

#### Reproductive toxicity:

Based on the existing data, the classification is not met.

#### STOT-single exposure:

Based on the existing data, the classification is not met.

#### STOT-repeated exposure:

Based on the existing data, the classification is not met.

#### Aspiration hazard:

Based on the existing data, the classification is not met.

### 11.2. Information on other hazards

Test data are not available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance	Test duration	Species	Test	Result
Calcium carbonate	72 Hours	Algae	EC50	> 14 mg/L

### 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
Calcium carbonate	Yes	OECD Guideline 301 B	28 Days 90%

### 12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
No data.	-	-

# Material Safety Data Sheet



## 12.4. Mobility in soil

Test data are not available.

## 12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

## 12.6. Endocrine disrupting properties

Test data are not available.

## 12.7. Other adverse effects

None.

---

## SECTION 13: Disposal considerations

---

### 13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

EWC-Code	Description
08 02 99	Wastes not otherwise specified

#### **Specific labelling:**

-

#### **Contaminated packaging:**

Uncleansed packaging is to be disposed of via the local waste-removal scheme.

---

## SECTION 14: Transport information

---

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

### 14.1 -14.4.

ADR

-

IMDG/IATA

-

### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

-

### 14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

---

## SECTION 15: Regulatory information

---

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Sources:**

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### **Additional labelling:**

-

#### **Restrictions for application:**

Special care should be applied for pregnant and lactating women.

#### **Demands for specific education:**

-

### 15.2. Chemical safety assessment

None.

## SECTION 16: Other information

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

### Other information:

#### Sources:

The REACH Enforcement Regulations 2008, and The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019  
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019.  
The Waste (Miscellaneous Amendments) (EU Exit) (No. 2) Regulations 2019  
The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019.

#### Full text of H-phrases as mentioned in section 2+3:

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH 071	Corrosive to the respiratory tract.
EUH 208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH 210	Safety data sheet available on request.

**Classification according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 and GB mandatory classification and labelling list:**

-

#### Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals.  
CLP: Classification Labelling Packaging Regulation.  
CAS-Number.: Chemical Abstracts Service number.  
EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).  
DNEL: Derived No Effect Level.  
PNEC(s): Predicted No Effect Concentration(s).  
STOT: Specific Target Organ Toxicity.  
LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).  
LC50: Lethal Concentration to 50 % of a test population.  
EC50: The effective concentration of substance that causes 50% of the maximum response.  
PBT: Persistent, Bioaccumulative and Toxic.  
vPvB: Very Persistent and Very Bioaccumulative.  
NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.  
NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

#### Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

#### Minor changes have been made in following sections:

New supplier information.

#### This material safety data sheet replaces version:

1.0