

**Safety Data Sheet**  
acc. to OSHA HCS


Printing date 03/31/2017

Reviewed on 03/31/2017

**1 Identification of the Substance/Mixture and of the Company/Undertaking**

- **Product identifier**
- **Trade name:** Non-OEM Compatible Replacement Toner Cartridge for: CF412A (YELLOW)
- **Article number:** 002-01-SF412A
- **Application of the substance / the mixture** Printing inks
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Static Control Components Inc.  
P.O. Box 152  
Sanford, North Carolina, 27331  
info@scc-inc.com
- **Information department:** Product Safety Department
- **Emergency telephone number:**  
During Normal Operating Hours: 919-774-3808  
Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

**2 Hazards Identification**

- **Classification of the substance or mixture**  
Combustible Dust May form combustible dust concentrations in air.
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** Void
- **Signal word** Warning
- **Hazard statements**  
May form combustible dust concentrations in air.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**  
 Health = 1  
Fire = 1  
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**  

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/Information on Ingredients**

- **Chemical characterization:** Mixtures
- **Description:** Resin mixture

(Contd. on page 2)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2017

Reviewed on 03/31/2017

**Trade name: Non-OEM Compatible Replacement Toner Cartridge for: CF412A (YELLOW)**

(Contd. of page 1)

<b>· Dangerous components:</b>		
8002-74-2	Paraffin waxes and Hydrocarbon waxes	2.5-10%
<b>· Non-hazardous components</b>		
25085-34-1	Polymer	50-100%
6358-31-2	Yellow Pigment	2.5-10%
7631-86-9	silicon dioxide, chemically prepared	2.5-10%

### 4 First Aid Measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** No Information Available
- **Special hazards arising from the substance or mixture**  
Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2017

Reviewed on 03/31/2017

**Trade name: Non-OEM Compatible Replacement Toner Cartridge for: CF412A (YELLOW)**

See Section 13 for disposal information.

(Contd. of page 2)

### 7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
  - No special measures required.
  - Store in cool, dry place in tightly closed receptacles.
  - Keep away from heat and direct sunlight.
  - No special precautions are necessary if used correctly.
  - Use only in well ventilated areas.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
  - Store in a cool location.
  - Store only in the original receptacle.
- **Information about storage in one common storage facility:**
  - Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:**
  - Store in cool, dry conditions in well sealed receptacles.
  - Protect from heat and direct sunlight.
  - Protect from humidity and water.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**8002-74-2 Paraffin waxes and Hydrocarbon waxes**

REL Long-term value: 2 mg/m<sup>3</sup>

TLV Long-term value: 2 mg/m<sup>3</sup>

· **Additional Occupational Exposure Limit Values for possible hazards during processing:**

USA OSHA (TWA/PEL): 15 mg/m<sup>3</sup> (Total Dust), 5 mg/m<sup>3</sup> (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m<sup>3</sup> (Inhalable Particulate), 3 mg/m<sup>3</sup> (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m<sup>3</sup>, ACGIH (TWA/TLV): 10 mg/m<sup>3</sup>

TRGS 900 (Luftgrenzwert): 10 mg/m<sup>3</sup> (Einatembare partikel)), 3 mg/m<sup>3</sup> (Alveolengängige fraktion)

UK WEL: 10 mg/m<sup>3</sup> (Respirable Dust) 5 mg/m<sup>3</sup> (Inhalible Dust)

· **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2017

Reviewed on 03/31/2017

**Trade name: Non-OEM Compatible Replacement Toner Cartridge for: CF412A (YELLOW)**

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Wash hands before breaks and at the end of work.  
Do not inhale dust / smoke / mist.
- **Protection of hands:**  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

### 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Powder
Color:	Yellow
- **Odor:** Odorless
- **Odor threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not determined.
- **Ignition temperature:** > 300 °C (> 572 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard in its original state.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapor pressure:** Not applicable.
- **Density:** SG: 1.3-1.8
- **Relative density** Not determined.
- **Vapor density** Not applicable.
- **Evaporation rate** Not applicable.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2017

Reviewed on 03/31/2017

**Trade name: Non-OEM Compatible Replacement Toner Cartridge for: CF412A (YELLOW)**

(Contd. of page 4)

· <b>Solubility in / Miscibility with Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>VOC content:</b>	0.0 g/l / 0.00 lb/gl
· <b>Solids content:</b>	100.0 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity** Non reactive.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- **on the eye:** No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- **Sensitization:** No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- **Other information (about experimental toxicology):**  
Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7631-86-9 | silicon dioxide, chemically prepared

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 6)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2017

Reviewed on 03/31/2017

**Trade name: Non-OEM Compatible Replacement Toner Cartridge for: CF412A (YELLOW)**

(Contd. of page 5)

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 1 (Self-assessment): slightly hazardous for water  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport Information

<ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> </ul>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
<ul style="list-style-type: none"> <li>· <b>DOT, ADR, ADN, IMDG, IATA</b></li> </ul>	Void
<ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> </ul>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA
<ul style="list-style-type: none"> <li>· <b>DOT, ADR, ADN, IMDG, IATA</b></li> </ul>	Void
<ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> </ul>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
<ul style="list-style-type: none"> <li>· <b>DOT, ADR, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul>	Void
<ul style="list-style-type: none"> <li>· <b>Packing group</b></li> </ul>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
<ul style="list-style-type: none"> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	Void

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2017

Reviewed on 03/31/2017

**Trade name: Non-OEM Compatible Replacement Toner Cartridge for: CF412A (YELLOW)**

(Contd. of page 6)

- |  |                 |
|--|-----------------|
| <b>· Environmental hazards:</b>  | Not applicable. |
| <b>· Special precautions for user</b>  | Not applicable. |
| <b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| <b>· UN "Model Regulation":</b>  | Void            |

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** Void

- **Signal word** Warning

- **Hazard statements**

May form combustible dust concentrations in air.

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/31/2017

Reviewed on 03/31/2017

**Trade name: Non-OEM Compatible Replacement Toner Cartridge for: CF412A (YELLOW)**· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. of page 7)

**16 Other Information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 03/31/2017 / -· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

· **\* Data compared to the previous version altered.**

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.

US