

Page 1/7

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2017

Revision: 19.06.2017

## SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

- · 1.1 Product identifier
- · Trade name: Non-OEM Replacement Ink Cartridge for HP® 902XL Magenta
- · Article number: RIC902XL-M
- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC18 Ink and toners
- Process category PROC2 Use in closed, continuous process with occasional controlled exposure
- Environmental release category ERC7 Industrial use of substances in closed systems
- Article category AC13 Plastic articles
- Application of the substance / the mixture Printing inks
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Static Control Components (Europe) Ltd. Unit 30, Worton Drive Reading Berkshire RG2 0TG United Kingdom info@scceurope.co.uk

· Further information obtainable from: Product safety department

· 1.4 Emergency telephone number: During normal opening times (08:00-17:00): +44 (0) 118-923-8800

### **SECTION 2: Hazards Identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) NO. 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 None required
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/Information on Ingredients

· **Description:** Printing ink

<ul> <li>Dangerous components:</li> </ul>			
CAS: 111-46-6	2,2'-oxybisethanol	(1) Acute Tox. 4, H302	10-25%
EINECS: 203-872-2	-	•	
Index number: 603-140-00-6			
CAS: 56-81-5	glycerol	substance with a Community workplace exposure limit	2.5-10%
EINECS: 200-289-5			
(Contd. on page			d. on page 2)



Page 2/7

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2017

Revision: 19.06.2017

(Contd. of page 1)

Trade name: Non-OEM Replacement Ink Cartridge for HP® 902XL Magenta

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First Aid Measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting Measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

# **SECTION 6: Accidental Release Measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

· 6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# **SECTION 7: Handling and Storage**

### $\cdot$ 7.1 Precautions for safe handling

No special measures required.

Store in cool, dry place in tightly closed receptacles.

(Contd. on page 3)



Page 3/7

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2017

Revision: 19.06.2017

#### Trade name: Non-OEM Replacement Ink Cartridge for HP® 902XL Magenta

(Contd. of page 2)

Keep away from heat and direct sunlight.

No special precautions are necessary if used correctly.

Use only in well ventilated areas.

· Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Store in a cool location. Store only in the original receptacle.
- Information about storage in one common storage facility:
- Do not store together with oxidising and acidic materials as well as heavy-metal compounds.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
   Protect from heat and direct sunlight.
   Protect from humidity and water.
- $\cdot$  7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure Controls/Personal Protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 111-46-6 2,2'-oxybisethanol

WEL Long-term value: 101 mg/m<sup>3</sup>, 23 ppm

56-81-5 glycerol

WEL Long-term value: 10 mg/m<sup>3</sup>

• Additional Occupational Exposure Limit Values for possible hazards during processing: USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

- UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust)
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- $\cdot$  General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- Do not inhale dust / smoke / mist.

### · Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)



## Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 19.06.2017

Revision: 19.06.2017

(Contd. of page 3)

#### Trade name: Non-OEM Replacement Ink Cartridge for HP® 902XL Magenta

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies

from manufacturer to manufacturer. · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

SECTION 9: Physical and C	hemical Properties	
• 9.1 Information on basic physical a • General Information	Ind chemical properties	
· Appearance: Form: Colour:	Liquid Red	
· Odour: · Odour threshold:	Characteristic Not determined.	
· pH-value:	Not determined.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.	
· Flash point:	No data available.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	225 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard in its original state.	
• Explosion limits: Lower: Upper:	0.7 Vol % 22.0 Vol %	
· Vapour pressure:	Not determined.	
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
	(Contd. on page 5)	

Page 4/7



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 19.06.2017

Revision: 19.06.2017

Trade name: Non-OEM Replacement Ink Cartridge for HP® 902XL Magenta

(Contd. of page 4)

 Solvent content: Organic solvents: VOC (EC)
 9.2 Other information

25.0 % 20.00 % No further relevant information available.

## **SECTION 10: Stability and Reactivity**

· 10.1 Reactivity Non reactive.

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  10.4 Conditions to avoid No further relevant information available.
- $\cdot$  10.5 Incompatible materials: No further relevant information available.
- $\cdot$  10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological Information**

- · 11.1 Information on toxicological effects
- $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

111-46-6 2,2'-oxybisethanol

Oral LD50 12565 mg/kg (rat)

Dermal LD50 11890 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- $\cdot$  **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot$  STOT-repeated exposure Based on available data, the classification criteria are not met.
- $\cdot$  Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological Information**

- · 12.1 Toxicity
- $\cdot$  Aquatic toxicity: No further relevant information available.
- $\cdot$  12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- $\cdot$  12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)



Page 6/7

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2017

Revision: 19.06.2017

#### Trade name: Non-OEM Replacement Ink Cartridge for HP® 902XL Magenta

(Contd. of page 5)

- $\cdot$  Additional ecological information:
- $\cdot$  General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- $\cdot$  12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal Considerations**

- $\cdot$  13.1 Waste treatment methods
- $\cdot$  **Recommendation** Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- $\cdot$  **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport Information		
· 14.1 UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.	
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA	
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.	
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.	
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II of Marpol		
and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

(Contd. on page 7)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2017

Revision: 19.06.2017

Trade name: Non-OEM Replacement Ink Cartridge for HP® 902XL Magenta

(Contd. of page 6)

## **SECTION 15: Regulatory Information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other Information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H302 Harmful if swallowed.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

\* Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.

Page 7/7