

Page 1/9

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/14/2018

Reviewed on 10/11/2017

1 Identification of the Substance/Mixture and of the Company/Undertaking

- · Product identifier
- Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015
- · Article number: 002-06-SB6015P7
- · Application of the substance / the mixture Printing inks
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152 Sanford, North Carolina, 27331 info@scc-inc.com
- · Information department: Product Safety Department
- · Emergency telephone number:

During Normal Operating Hours: 919-774-3808

Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazards Identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · GHS label elements
- None required

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms None required
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Classification system:
- · NFPA ratings (scale 0 4)



Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 11 Fire = 1 FIRE **REACTIVITY** Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)



Page 2/9

Safety Data Sheet acc. to OSHA HCS

Printing date 06/14/2018

Reviewed on 10/11/2017

Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015

(Contd. of page 1)

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

• **Description:** Resin mixture

| · Dangerous | components: |
|-------------|-------------|
|-------------|-------------|

| 0 | components. | |
|----------------------------|--------------------------|-----------|
| 13463-67-7 | titanium dioxide (bound) | ≤2.5% |
| · Non-hazardous components | | |
| | Polyester Resin | >50-≤100% |
| 1317-61-9 | triiron tetraoxide | >2.5-≤10% |
| | Wax | >2.5-≤10% |
| | Silica | >2.5-≤10% |

4 First Aid Measures

- \cdot Description of first aid measures
- \cdot General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental Release Measures

- \cdot Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- \cdot Environmental precautions: No special measures required.
- \cdot Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

US



Printing date 06/14/2018

Reviewed on 10/11/2017

Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015

| | | (Contd. of page 2) |
|---------------|---|-------------------------|
| · Reference t | o other sections | (|
| See Section | 7 for information on safe handling. | |
| See Section | 8 for information on personal protection equipment. | |
| | 13 for disposal information. | |
| · Protective | Action Criteria for Chemicals | |
| · PAC-1: | | |
| 1317-61-9 | triiron tetraoxide | 21 mg/m ³ |
| 13463-67-7 | titanium dioxide (bound) | 30 mg/m ³ |
| · PAC-2: | | |
| 1317-61-9 | triiron tetraoxide | 230 mg/m ³ |
| 13463-67-7 | titanium dioxide (bound) | 330 mg/m ³ |
| · PAC-3: | | |
| 1317-61-9 | triiron tetraoxide | 1,400 mg/m ³ |
| 13463-67-7 | titanium dioxide (bound) | 2,000 mg/m ³ |

7 Handling and Storage

· Handling:

- \cdot Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.
- Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Store in cool, dry conditions in well sealed receptacies.
- Protect from heat and direct sunlight.
- Protect from humidity and water.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



a

Printing date 06/14/2018

Reviewed on 10/11/2017

Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015

| ~ | (Contd. of page 3) |
|---|---|
| Control parameters | nomine menitoring of the menhaloge |
| 13463-67-7 titanium dioxide (bound | require monitoring at the workplace: |
| PEL Long-term value: 15* mg/m ³ | <u> </u> |
| *total dust | |
| REL See Pocket Guide App. A | |
| TLV Long-term value: 10 mg/m ³ | |
| | Limit Values for possible hazards during processing: (Total Dust), 5 mg/m3 (Respirable Fraction) |
| ACGIH (TWA/TLV): 10 mg/m3 (Inh | alable Particulate), 3 mg/m3 (Respirable Particulate) |
| Amorphous Silica: USA OSHA (TW | A/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3 |
| TRGS 900 (Luftgrenzwert): 10 mg/m2 | 3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion) |
| UK WEL: 10 mg/m3 (Respirable Dus • Additional information: The lists that | t) 5 mg/m3 (Inhalible Dust) at were valid during the creation were used as basis. |
| Material of gloves The selection of the suitable gloves d from manufacturer to manufacturer. Penetration time of glove material | end of work. Isideration of the penetration times, rates of diffusion and the degradation loes not only depend on the material, but also on further marks of quality and varies e found out by the manufacturer of the protective gloves and has to be observed. |
| | |
| 9 Physical and Chemical Prope | rties |
| Information on basic physical and c General Information Appearance: | hemical properties |
| Form: | Powder |
| Color: · Odor: | Black Odorless |
| · Odor: · Odor threshold: | Not determined. |
| · pH-value: | Not applicable. |
| Change in condition Melting point/Melting range: | Undetermined. |
| | (Contd. on page 5) |

US



Printing date 06/14/2018

Reviewed on 10/11/2017

Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015

| | (Contd. of page 4) |
|---|---|
| Boiling point/Boiling range: | Undetermined. |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not determined. |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product does not present an explosion hazard in its original state. |
| · Explosion limits: Lower: Upper: | 0.0 Vol % 0.0 Vol % |
| · Vapor pressure: | Not applicable. |
| · Density at 20 °C (68 °F): | 1.03 g/cm ³ (8.59535 lbs/gal) SG: 1.3-1.8 |
| Relative density Vapor density Evaporation rate | Not determined. Not applicable. Not applicable. |
| · Solubility in / Miscibility with Water: | Insoluble. |
| · Partition coefficient (n-octanol/wat | er): Not determined. |
| · Viscosity: Dynamic: Kinematic: | Not applicable. Not applicable. |
| · Solvent content: VOC content: | 0.00 % 0.0 g/l / 0.00 lb/gl |
| Solids content: • Other information | 100.0 % No further relevant information available. |

10 Stability and Reactivity

- Reactivity Non reactive.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Printing date 06/14/2018

Reviewed on 10/11/2017

Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015

(Contd. of page 5)

2B

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- · Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

13463-67-7 titanium dioxide (bound)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal Considerations

 \cdot Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

(Contd. on page 7)



Printing date 06/14/2018

Reviewed on 10/11/2017

Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

| 14 Transport Information | |
|---|---|
| · UN-Number | Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA. |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA. |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA. |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II o | f |
| MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- \cdot Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

- 1317-61-9 triiron tetraoxide
- 13463-67-7 titanium dioxide (bound)
- · Proposition 65

\cdot Chemicals known to cause cancer:

13463-67-7 titanium dioxide (bound)

(Contd. of page 6)



Page 8/9

Printing date 06/14/2018

Reviewed on 10/11/2017

Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015

(Contd. of page 7)

A4

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

13463-67-7 titanium dioxide (bound)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide (bound)

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms Void

· Signal word Warning

· Hazard statements

May form combustible dust concentrations in air.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact:

During Normal Operating Hours: 919-774-3808

Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

· Date of preparation / last revision 06/14/2018 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

(Contd. on page 9)



Printing date 06/14/2018

Reviewed on 10/11/2017

(Contd. of page 8)

US

Trade name: Non-OEM Compatible Replacement Toner Cartridge for Lexmark® 24B6015

 \cdot * Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.