

Page 1/8

**Safety Data Sheet** acc. to OSHA HCS

Printing date 01/09/2020

Reviewed on 10/10/2017

- **1** Identification
- · Product identifier
- · Trade name: \*Odyssey® Toner for use in Brother® HL-3170 Magenta
- · Article number: B3170-MAOS
- · Application of the substance / the mixture Printing inks
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152 Sanford, North Carolina, 27331 info@scc-inc.com

· Information department: Product Safety Department · Emergency telephone number: During Normal Operating Hours: 919-774-3808 Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

# 2 Hazard(s) identification

### · Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms None required
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Classification system:
- · NFPA ratings (scale 0 4)



### · HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 1	Fire = 1
REACTIVITY 0	Reactivity $= 0$

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Resin mixture

(Contd. on page 2)



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/09/2020

Reviewed on 10/10/2017

Trade name: \*Odyssey® Toner for use in Brother® HL-3170 - Magenta

(Contd. of page 1)

· Dangerous components: None		
· Non-hazardo	us components	
26655-10-7	Styrene-Acrylate Copolymer	>50-≤100%
	Styrene Acrylate Resin	>2.5-≤10%
	Magenta Pigment	>2.5-≤10%
9003-07-0	Polypropylene	>2.5-≤10%
844491-94-7	Fumed Silica	>2.5-≤10%

## 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture

Like most finely divided organic powders, toner dust may form an explosive mixture in air.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- $\cdot$  Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

- · Reference to other sections
- No dangerous substances are released.

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/09/2020

Reviewed on 10/10/2017

Trade name: \*Odyssey® Toner for use in Brother® HL-3170 - Magenta

(Contd. of page 2)

5.2 mg/m<sup>3</sup>

350 mg/m<sup>3</sup>

58 mg/m<sup>3</sup>

• PAC-3: 9003-07-0 Polypropylene

9003-07-0 Polypropylene

9003-07-0 Polypropylene

# 7 Handling and storage

### · Handling:

· PAC-1:

· PAC-2:

- · Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.

· Protective Action Criteria for Chemicals

- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional Occupational Exposure Limit Values for possible hazards during processing:

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

US



Safety Data Sheet

acc. to OSHA HCS
Printing date 01/09/2020
Revie

Reviewed on 10/10/2017

(Contd. on page 5)

Trade name: \*Odyssey® Toner for use in Brother® HL-3170 - Magenta

· Evaporation rate

(Contd. of page 3) UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. · Protection of hands: Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Safety glasses 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Powder Color: Magenta toned · Odor: Odorless · Odor threshold: Not determined. Not applicable. · pH-value: · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** Undetermined. Not applicable. · Flash point: · Flammability (solid, gaseous): Not determined. · Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. Product does not present an explosion hazard in its original state. · Danger of explosion: · Explosion limits: Lower: Not determined. **Upper:** Not determined. · Vapor pressure: Not applicable. · Density: SG: 1.3-1.8 · Relative density Not determined. · Vapor density Not applicable.

Not applicable.



Safety Data Sheet acc. to OSHA HCS

Printing date 01/09/2020

Reviewed on 10/10/2017

Trade name: \*Odyssey® Toner for use in Brother® HL-3170 - Magenta

		(Contd. of page
· Solubility in / Miscibility wit	h	
Water:	Insoluble.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC content:	0.00 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

- · Reactivity Non reactive.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

#### · Information on toxicological effects

- Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- · Other information (about experimental toxicology):

Mutagenicity : Ames test Negative (According to the test result of similar composition.)

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

9003-07-0 Polypropylene

### · NTP (National Toxicology Program)

#### None of the ingredients is listed.

(Contd. on page 6)

3



Safety Data Sheet acc. to OSHA HCS

Printing date 01/09/2020

Reviewed on 10/10/2017

Trade name: \*Odyssey® Toner for use in Brother® HL-3170 - Magenta

(Contd. of page 5)

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- $\cdot$  Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA.	
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA	
DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA.	
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA.	
DOT, ADR, IMDG, IATA	Void	



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/09/2020

Reviewed on 10/10/2017

Trade name: \*Odyssey® Toner for use in Brother® HL-3170 - Magenta

		(Contd. of page 6)
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

# **15 Regulatory information**

· Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
• Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
26655-10-7 Styrene-Acrylate Copolymer	ACTIV
9003-07-0 Polypropylene	ACTIV
· Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

(Contd. on page 8)

- US -



Page 8/8

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/09/2020

Reviewed on 10/10/2017

Trade name: \*Odyssey® Toner for use in Brother® HL-3170 - Magenta

· Signal word Warning

· Hazard statements

May form combustible dust concentrations in air.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 01/09/2020 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

\*\* Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.