



Printing date 08/15/2018 Reviewed on 05/21/2018

## 1 Identification of the Substance/Mixture and of the Company/Undertaking

· Product identifier

· Trade name: Non-OEM Compatible Replacement Toner Cartridge for: MLT-D104S/XAA

· Article number: 002-02-TD104S

· Application of the substance / the mixture Printing inks

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Static Control Components Inc.

P.O. Box 152

Sanford, North Carolina, 27331

info@scc-inc.com

· Information department: Product Safety Department

· Emergency telephone number:

During Normal Operating Hours: 919-774-3808

Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

#### 2 Hazards Identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms None required
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 1

1 Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

## 3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

· **Description:** Resin mixture

(Contd. on page 2)



Printing date 08/15/2018 Reviewed on 05/21/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for: MLT-D104S/XAA

		(Contd. of page 1)
· Dangerous	components:	
8002-74-2 I	Paraffin waxes and Hydrocarbon waxes	>2.5-≤10%
· Non-hazard	lous components	
25767-47-9	Styrene-Acrylic Copolymer	>25-≤50%
1317-61-9	triiron tetraoxide	>25-≤50%
31714-55-3	Metal Complex Dye	>2.5-≤10%
7631-86-9	silicon dioxide, chemically prepared	≤2.5%

### **4 First Aid Measures**

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5 Firefighting Measures**

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture

Like most finely divided organic powders, toner dust may form an explosive mixture in air.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### **6 Accidental Release Measures**

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Printing date 08/15/2018 Reviewed on 05/21/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for: MLT-D104S/XAA

(Contd. of page 2)

 $1,400 \text{ mg/m}^3$ 

 $4,500 \text{ mg/m}^3$ 

· Protective	e Action Criteria for Chemicals	
· PAC-1:		
1317-61-9	triiron tetraoxide	21 mg/m³
7631-86-9	silicon dioxide, chemically prepared	18 mg/m³
· PAC-2:		
1317-61-9	triiron tetraoxide	230 mg/m³
7631-86-9	silicon dioxide, chemically prepared	740 mg/m³
· PAC-3:		

## 7 Handling and Storage

· Handling:

1317-61-9

· Precautions for safe handling

No special measures required.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

triiron tetraoxide

7631-86-9 silicon dioxide, chemically prepared

No special precautions are necessary if used correctly.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

· Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from humidity and water.

· Specific end use(s) No further relevant information available.

### **8 Exposure Controls/Personal Protection**

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:	
8002-74-2 Paraffin waxes and Hydrocarbon waxes	
REL Long-term value: 2 mg/m³	
TLV Long-term value: 2 mg/m³	
	(Contd. on page 4)

(Contd. on page 4



Printing date 08/15/2018 Reviewed on 05/21/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for: MLT-D104S/XAA

(Contd. of page 3)

### · Additional Occupational Exposure Limit Values for possible hazards during processing:

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

· Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

### 9 Physical and Chemical Properties

<ul> <li>Information on basic physical and c</li> <li>General Information</li> <li>Appearance:</li> </ul>	chemical properties
Form:	Powder
Color:	Black
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard in its original state.

(Contd. on page 5)



Printing date 08/15/2018 Reviewed on 05/21/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for: MLT-D104S/XAA

		(Contd. of page 4
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
<ul><li>Density:</li><li>Relative density</li><li>Vapor density</li><li>Evaporation rate</li></ul>	SG: 1.3-1.8 Not determined. Not applicable. Not applicable.	
· Solubility in / Miscibility with Water:	Insoluble.	
· Partition coefficient (n-octanol/v	vater): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
· Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gl	
Solids content: Other information	100.0 % No further relevant information available.	

## 10 Stability and Reactivity

- · Reactivity Non reactive.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- · Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- · Other information (about experimental toxicology):
- Mutagenicity: Ames test Negative (According to the test result of similar composition.)
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 6)





Printing date 08/15/2018 Reviewed on 05/21/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for: MLT-D104S/XAA

(Contd. of page 5)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

## · IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

4 Transport Information	
· UN-Number	Not a regulated material under the United States DOT, IMDG, ADR RID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR RID, or ICAO/IATA
	(Contd. on page



Printing date 08/15/2018 Reviewed on 05/21/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for: MLT-D104S/XAA

	(Contd. of page 6
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR RID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	Not a regulated material under the United States DOT, IMDG, ADR RID, or ICAO/IATA.
· DOT, ADR, IMDG, IATA	Void
Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

## 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 8)





Printing date 08/15/2018 Reviewed on 05/21/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for: MLT-D104S/XAA

(Contd. of page 7)

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 08/15/2018 / -

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

## $\cdot$ \* Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.