

Page 1/9

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

1 Identification of the Substance/Mixture and of the Company/Undertaking

- · Product identifier
- · Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A
- · Article number: 002-01-SF248A
- · Application of the substance / the mixture Printing inks
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152 Sanford, North Carolina, 27331 info@scc-inc.com
- Information department: Product Safety Department
- · Emergency telephone number:
- During Normal Operating Hours: 919-774-3808
- Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazards Identification

- \cdot Classification of the substance or mixture
- Combustible Dust May form combustible dust concentrations in air.
- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms None required
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Precautionary statements

If medical advice is needed, have product container or label at hand. Keep out of reach of children.

Reep out of reach of children

- Read label before use.
- Classification system:
 NFPA ratings (scale 0 4)
- Health = 1



· HMIS-ratings (scale 0 - 4)

HEALTH	1	Health $= 1$
FIRE	1	Fire $= 1$
REACTIVITY	0	Reactivity $= 0$

- \cdot Other hazards
- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- \cdot **vPvB:** Not applicable.



Page 2/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A

(Contd. of page 1)

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

- **Description:** Resin mixture
- · Dangerous components:

Dungerous components.				
1333-86-4	Carbon black (bound)	>2.5-≤10%		
· Non-hazardous components				
1317-61-9	triiron tetraoxide	>25-≤50%		
25036-16-2	Styrene Acrylate copolymer	>25-≤50%		
7631-86-9	silicon dioxide, chemically prepared	>2.5-≤10%		
9003-07-0	Polypropylene	>2.5-≤10%		

4 First Aid Measures

- · Description of first aid measures
- \cdot General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental Release Measures

 \cdot Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

US



Page 3/9

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A (Contd. of page 2) · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 1317-61-9 triiron tetraoxide 21 mg/m³ 7631-86-9 silicon dioxide, chemically prepared 18 mg/m³ 9003-07-0 Polypropylene 5.2 mg/m³ 1333-86-4 Carbon black (bound) 9 mg/m^3 · PAC-2: 1317-61-9 triiron tetraoxide 230 mg/m³ 7631-86-9 silicon dioxide, chemically prepared 740 mg/m³ 9003-07-0 Polypropylene 58 mg/m³ 1333-86-4 Carbon black (bound) 99 mg/m³ · PAC-3: 1317-61-9 triiron tetraoxide 1,400 mg/m³ 7631-86-9 silicon dioxide, chemically prepared 4,500 mg/m³ 350 mg/m³ 9003-07-0 Polypropylene 590 mg/m³ 1333-86-4 Carbon black (bound)

7 Handling and Storage

· Handling:

- · Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Store only in the original receptacle.
- \cdot Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- \cdot Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.

(Contd. on page 4)



Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A

• Specific end use(s) No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

1333-86-4 Carbon black (bound)

- PEL Long-term value: 3.5 mg/m³
- REL Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C
- TLV Long-term value: 3* mg/m³ *inhalable fraction
- Additional Occupational Exposure Limit Values for possible hazards during processing: USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust)

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- Do not inhale dust / smoke / mist.
- · Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses

9 Physical and Chemical Properties

 Information on basic physic General Information 	cal and chemical properties
· Appearance:	
Form:	Powder
Color:	Black
· Odor:	Light
· Odor threshold:	Not determined.

(Contd. on page 5)

(Contd. of page 3)



Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A

		(Contd. of page 4)
· pH-value at 20 °C (68 °F):	7	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	110-180 °C (230-356 °F) 2,230 °C (4,046 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	>370 °C (>698 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard in its original state.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.5-0.7 g/cm ³ (4.1725-5.8415 lbs/gal) SG: 1.3-1.8 Not determined. Not applicable. Not applicable.	
· Solubility in / Miscibility with Water:	Insoluble.	
· Partition coefficient (n-octanol/water)	: Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
· Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content: • Other information	100.0 % No further relevant information available.	

10 Stability and Reactivity

- · Reactivity Non reactive.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

- US



Safety Data Sheet

acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A

• Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- · Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- Only unbound carbon black considered a Group 2 Carcinogen by IARC

7631-86-9 silicon dioxide, chemically prepared

9003-07-0 Polypropylene

1333-86-4 Carbon black (bound)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological Information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- \cdot Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- \cdot Other adverse effects No further relevant information available.

Page 6/9

(Contd. of page 5)

3

3

2B



Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A

(Contd. of page 6)

13 Disposal Considerations

 \cdot Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

4 Transport Information	
· UN-Number	Not a regulated material under the United States DOT, IMDG, ADR RID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	Void
\cdot UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR RID, or ICAO/IATA
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR RID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	Not a regulated material under the United States DOT, IMDG, ADR RID, or ICAO/IATA.
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
\cdot Special precautions for user	Not applicable.
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory Information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 8)



Safety Data Sheet

acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A

(Contd. of page 7)

A4

· Proposition 65

· Chemicals known to cause cancer:

1333-86-4 Carbon black (bound)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1333-86-4 Carbon black (bound)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black (bound)

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms None required

· Signal word Warning

· Hazard statements

May form combustible dust concentrations in air.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 \cdot Date of preparation / last revision 12/03/2018 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety



Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2018

Reviewed on 12/03/2018

Trade name: Non-OEM Compatible Replacement Toner Cartridge for HP® CF248A

(Contd. of page 8)

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

 \cdot * Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.