

Page 1/9

Safety Data Sheet acc. to OSHA HCS

Printing date 09/29/2020

Reviewed on 07/23/2020

- **1 Identification**
- · Product identifier
- · Trade name: <u>*Universal Replacement Toner for use in Kyocera® TK-140 Cartridges</u>
- · Article number: KYTK140UNIV10KG
- · Application of the substance / the mixture Printing inks
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152
- Sanford, North Carolina, 27331 info@scc-inc.com
- Information department: Product Safety Department
 Emergency telephone number: During Normal Operating Hours: 919-774-3808
 Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Sens. 1 H317 May cause an allergic skin reaction.

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: Rosin Fumarated • Hazard statements
- May cause an allergic skin reaction.
- May form combustible dust concentrations in air.
- · Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves.
- If on skin: Wash with plenty of water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Specific treatment (see on this label).
- Wash contaminated clothing before reuse.

 $(Contd. \ on \ page \ 2)$



Safety Data Sheet

acc. to OSHA HCS

Printing date 09/29/2020

Reviewed on 07/23/2020

Trade name: *Universal Replacement Toner for use in Kyocera® TK-140 Cartridges

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- NFPA ratings (scale 0 4)

Health = 1 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
	Fire = 1
	Reactivity

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

= 0

· Chemical characterization: Mixtures

· Description	n: Resin mixture	
· Dangerous	components:	
8002-74-2	Paraffin waxes and Hydrocarbon waxes	0-≤10%
65997-04-8	Rosin Fumarated	0-≤10%
13463-67-7	titanium dioxide (bound)	0-≤10%
· Non-hazar	dous components	
	Styrene-Acrylic Copolymer	>50-≤100%
1317-61-9	triiron tetraoxide	>25-≤50%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

US

(Contd. of page 1)



Printing date 09/29/2020

Reviewed on 07/23/2020

Trade name: *Universal Replacement Toner for use in Kyocera® TK-140 Cartridges

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
1317-61-9	triiron tetraoxide	21 mg/m ³
13463-67-7	titanium dioxide (bound)	30 mg/m ³
· PAC-2:		
1317-61-9	triiron tetraoxide	230 mg/m ³
13463-67-7	titanium dioxide (bound)	330 mg/m ³
· PAC-3:		
1317-61-9	triiron tetraoxide	1,400 mg/m ³
13463-67-7	titanium dioxide (bound)	2,000 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

No special precautions are necessary if used correctly.

Use only in well ventilated areas.

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

(Contd. on page 4)



Printing date 09/29/2020

Reviewed on 07/23/2020

Trade name: *Universal Replacement Toner for use in Kyocera® TK-140 Cartridges

(Contd. of page 3)

• Conditions for safe storage, including any incompatibilities • Storage:

• **Requirements to be met by storerooms and receptacles:** Store in a cool location. Store only in the original receptacle.

· Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.

- Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from humidity and water.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

8002-74-2 Paraffin waxes and Hydrocarbon waxes

REL Long-term value: 2 mg/m³

TLV Long-term value: 2 mg/m³

13463-67-7 titanium dioxide (bound)

PEL Long-term value: 15* mg/m³

*total dust

REL See Pocket Guide App. A

TLV Long-term value: 10 mg/m³

• Additional Occupational Exposure Limit Values for possible hazards during processing: USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust) • Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist.

(Contd. on page 5)

US



Printing date 09/29/2020

Reviewed on 07/23/2020

Trade name: *Universal Replacement Toner for use in Kyocera® TK-140 Cartridges

· Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses

9 Physical and chemical properties

· · · · · · · · · · · · · · · · · · ·	
 Information on basic physical and cl General Information Appearance: 	hemical properties
Form: Color: · Odor: · Odor threshold:	Powder Black Light Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard in its original state.
[·] Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
[•] Density: Relative density Vapor density Evaporation rate	Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with Water: 	Insoluble.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: VOC content:	0.00 %
Solids content:	100.0 %
	(Contd. on page 6)

(Contd. of page 4)



Safety Data Sheet

acc. to OSHA HCS

AHCS

Printing date 09/29/2020

Reviewed on 07/23/2020

Trade name: *Universal Replacement Toner for use in Kyocera® TK-140 Cartridges

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity Non reactive.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

13463-67-7 titanium dioxide (bound)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

2B

Page 6/9

(Contd. of page 5)



Printing date 09/29/2020

Reviewed on 07/23/2020

(Contd. of page 6)

Trade name: *Universal Replacement Toner for use in Kyocera® TK-140 Cartridges

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.	
· DOT, ADR, IMDG, IATA	Void	
· UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA	
[·] DOT, ADR, IMDG, IATA	Void	
· Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.	
· DOT, ADR, ADN, IMDG, IATA		
·Class	Void	
· Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.	
· DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 8)



Printing date 09/29/2020

Reviewed on 07/23/2020

Trade name: *Universal Replacement Toner for use in Kyocera® TK-140 Cartridges

· Section 313 (Specific toxic chemical listings):	(Contd. of page
None of the ingredients is listed.	
• TSCA (Toxic Substances Control Act):	
1317-61-9 triiron tetraoxide	ACTIV
8002-74-2 Paraffin waxes and Hydrocarbon waxes	ACTIV
65997-04-8 Rosin Fumarated	ACTIV
13463-67-7 titanium dioxide (bound)	ACTIV
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
13463-67-7 titanium dioxide (bound)	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
13463-67-7 titanium dioxide (bound)	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
13463-67-7 titanium dioxide (bound)	
GHS label elements The product is classified and labeled according to the Global Hazard pictograms GHS07	ly Harmonized System (GHS).
Signal word Warning	
 Hazard-determining components of labeling: Rosin Fumarated Hazard statements May cause an allergic skin reaction. May form combustible dust concentrations in air. Precautionary statements 	
Avoid breathing dust/fume/gas/mist/vapors/spray	

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

• US



Printing date 09/29/2020

Reviewed on 07/23/2020

(Contd. of page 8)

Trade name: *Universal Replacement Toner for use in Kyocera® TK-140 Cartridges

If on skin: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 09/29/2020 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Sens. 1: Skin sensitisation Category 1

* * Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.