

Page 1/8

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/08/2018

Reviewed on 03/24/2017

1 Identification of the Substance/Mixture and of the Company/Undertaking

- · Product identifier
- · Trade name: Universal Replacement Toner for Multiple Samsung® & Xerox® Cartridges
- Article number: TRSUNIV3
- · Application of the substance / the mixture Printing inks
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152 Sanford, North Carolina, 27331 info@scc-inc.com
- Information department: Product Safety Department
- · Emergency telephone number:

During Normal Operating Hours: 919-774-3808

Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazards Identification

- \cdot Classification of the substance or mixture
- Combustible Dust May form combustible dust concentrations in air.
- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms None required
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

- Read label before use.
- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH	1	Health $= 1$
FIRE	1	Fire $= 1$
REACTIVITY	0	Reactivity $= 0$

- \cdot Other hazards
- \cdot Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- \cdot **vPvB:** Not applicable.

(Contd. on page 2)



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 11/08/2018

Reviewed on 03/24/2017

Trade name: Universal Replacement Toner for Multiple Samsung® & Xerox® Cartridges

(Contd. of page 1)

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

- **Description:** Resin mixture
- · Dangerous components:

1333-86-4 Carbon black (bound)	>2.5-≤10%	
· Non-hazardous components		
Polyester Resin	>50-≤100%	
Magnetite	>2.5-≤10%	
Polypropylene Wax	>2.5-≤10%	
Silicon dioxide	≤2.5%	

4 First Aid Measures

- \cdot Description of first aid measures
- \cdot General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental Release Measures

 \cdot Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

US



Page 3/8

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/08/2018

Reviewed on 03/24/2017

Trade name: Universal Replacement Toner for Multiple Samsung® & Xerox® Cartridges

(Contd. of page 2)

 9 mg/m^3

99 mg/m³

590 mg/m³

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:

1333-86-4 Carbon black (bound)

· PAC-2:

1333-86-4 Carbon black (bound)

· **PAC-3:**

1333-86-4 Carbon black (bound)

7 Handling and Storage

· Handling:

- · Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.

No special precautions are necessary if used correctly.

Use only in well ventilated areas.

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.
- Specific end use(s) No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

 \cdot Components with limit values that require monitoring at the workplace:

1333-86-4 Carbon black (bound)

PEL Long-term value: 3.5 mg/m³

(Contd. on page 4)



Safety Data Sheet acc. to OSHA HCS

Page 4/8

Printing date 11/08/2018

Reviewed on 03/24/2017

Trade name: Universal Replacement Toner for Multiple Samsung® & Xerox® Cartridges

(Contd. of page 3) REL Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C TLV Long-term value: 3* mg/m³ *inhalable fraction · Additional Occupational Exposure Limit Values for possible hazards during processing: USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate) Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3 TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion) UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. · Protection of hands: Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Safety glasses

9 Physical and Chemical Properties			
· Information on basic physical and chemical properties			
· General Information	• •		
· Appearance:			
Form:	Powder		
Color:	Black		
· Odor:	Odorless		
· Odor threshold:	Not determined.		
· pH-value:	Not applicable.		
· Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not determined.		
		(Contd. on page 5)	



Safety Data Sheet acc. to OSHA HCS

Printing date 11/08/2018

Reviewed on 03/24/2017

Trade name: Universal Replacement Toner for Multiple Samsung® & Xerox® Cartridges

	(Contd. of pag	ge 4
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard in its original state.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	1.3 g/cm ³ (10.8485 lbs/gal)	
e x x	SG: 1.3-1.8	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and Reactivity

- · Reactivity Non reactive.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.

(Contd. on page 6)

US



Page 6/8

(Contd. of page 5)

2B

Safety Data Sheet acc. to OSHA HCS

Printing date 11/08/2018

Reviewed on 03/24/2017

Trade name: Universal Replacement Toner for Multiple Samsung® & Xerox® Cartridges

- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC. • Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Only unbound carbon black considered a Group 2 Carcinogen by IARC

1333-86-4 Carbon black (bound)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological Information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport Information	
· UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
	(Contd. on page 7)



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 11/08/2018

Reviewed on 03/24/2017

Trade name: Universal Replacement Toner for Multiple Samsung® & Xerox® Cartridges

	(Contd. of page 6)
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	
Class	Void
· Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex I	I of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory Information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

1333-86-4 Carbon black (bound)

· Proposition 65

· Chemicals known to cause cancer:

1333-86-4 Carbon black (bound)

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)

US-



Safety Data Sheet acc. to OSHA HCS

Printing date 11/08/2018

Reviewed on 03/24/2017

Trade name: Universal Replacement Toner for Multiple Samsung® & Xerox® Cartridges

(Contd. of page 7)

A4

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1333-86-4 Carbon black (bound)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

- 1333-86-4 Carbon black (bound)
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

- Read label before use.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 11/08/2018 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

• * Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.

Page 8/8