


Printer Model	OEM SKU	Yield	Static Control Product Code	Appearance May Vary
Samsung® ML-3312ND ML-3712ND SCX-4835FR SCX-5639FW SCX-5739FW (NA)	MLT-D205S/XAA	2K	SAM205CP-LY	
	MLT-D205L/XAA	5K	SAM205CP	
Samsung® ML-3310ND ML-3710D/ND SCX-4833FD/FR SCX-5637FR SCX-5737FW (EU)	MLT-D205S/ELS	2K	SAM205CP-LYEU	
	MLT-D205L/ELS	5K	SAM205CP-EU	
Samsung® ML-3310ND ML-3710ND SCX-4833FD/FR SCX-5637FR (ANZ/AP)	MLT-D205S/SEE	2K	SAM205CPLYSEE	
	MLT-D205L/SEE	5K	SAM205CP-SEE	
Samsung® ML-3310ND	MLT-D205S/TED	2K	SAM205CPLYTED	
ML-3710ND (TW)	MLT-D205L/TED	5K	SAM205CP-TED	
Samsung® ML-3310D ML-2710	MLT-D205S/XIL	2K	SAM205CP-LYCN	
ML-3710 SCX-4833 SCX-5637HR (CN)	MLT-D205L/XIL	5K	SAM205CP-CN	
Samsung® ML-3310D/ND	MLT-D205S	2K	SAM205CP-LYKR	
ML-3710D/ND SCX-4833FD/FR SCX-5637FD/FR SCX-5737FW (KR)	MLT-D205L	5K	SAM205CP-KR	
Samsung® ML-3310 (MX)	MLT-D205S/XAX	2K	SAM205CP-LY	
	MLT-D205L/XAX	5K	SAM205CP	
Samsung® ML-3712ND SCX-5639FW SCX-5739FW (NA)	MLT-D205E/XAA	10K	SAM205CP-HY	
Samsung® ML-3710D/ND SCX-5637FR SCX-5737FW (EU)	MLT-D205E/ELS	10K	SAM205CP-HYEU	
Samsung® ML-3710 SCX-5637HR (CN)	MLT-D205E/XIL	10K	SAM205CP-HYCN	
Samsung® ML-3710D/ND SCX-5637FD/FR SCX-5737FW (KR)	MLT-D205E	10K	SAM205CP-HYKR	
Samsung [®] ML-3710ND (TW)	MLT-D205E/TED	10K	SAM205CPHYTED	
Samsung® ML-3710ND SCX-5637FR (ANZ/AP)	MLT-D205E/SEE	10K	SAM205CPHYSEE	

NA = North America	SA = South America	EU = Europe	AP = Asia / Pacific
ANZ = Australia / New Zealand	TW = Taiwan	KR = Korea	CN = China
MAY Marries		•	-

Replacement Chip for Samsung® Cartridges

Installing a Replacement Chip


 Peel backing from adhesive as shown in Figure 1.



2. Locate the OEM chip on the ledge of the cartridge as shown in Figures 2a and 2b.



Place the Static Control chip onto the OEM chip as shown in Figures 3a and 3b.





Note: Make certain the edge of the Static Control chip is aligned with the edge of the OEM chip. This ensures proper placement and functionality.

Notes				
-				
	page 3 SSS™ 1161			
	page 5 555 1101			

DEDICATION TO TRAINING

In order to produce consistent high quality prints that are virtually indistinguishable from the OEM, it is essential to follow Static Control's remanufacturing instructions exactly as directed. Static Control is dedicated to informing customers of the latest innovations in training and knowledge. Access to these instructions, our technical support staff and View on Demand Webinars is available to all customers in good standing.

ELECTROPHOTOGRAPHICALLY MATCHED COMPONENTS

We provide these critical components that have been electrophotographically matched for use in remanufactured toner cartridges. It is vital that the critical components be replaced as a system to ensure consistent high quality performance. We provide additional components such as felts, foams and recovery blades, should you decide they are necessary. Using Static Control's system of components allows you to use less expensive non-virgin cartridges and create remanufactured cartridges that provide high quality prints virtually indistinguishable from the OFM

INDUSTRY LEADER

Static Control is the global leader in aftermarket imaging and remanufacturing technology. Offices are located worldwide and all research, development, manufacturing and engineering takes place at their Sanford, North Carolina, USA world headquarters. Currently, Static Control manufactures in-house over 8,000 imaging products and supplies over 15,000 imaging products to the aftermarket industry.

V.1.7 - 12.12

For direct technical support, please call:

US/Canada: 800 488 2426, Int'l +1 919 774 3808 • Europe: + 44 (0) 118 923 8800 China: 800 630 0700 • Hong Kong: +852 2427 6011 • South Africa: +27 (0) 11 973 1930

www.scc-inc.com • www.scceurope.co.uk • www.scc-inc.cn

©Static Control Components, Inc. All rights reserved worldwide. The stylized S, Static Control and Odyssey are registered trademarks of Static Control Components, Inc. All other brand and product names are trademarks or registered trademarks of their respective companies.