

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2019

Reviewed on 08/10/2017

- **1** Identification
- · Product identifier
- Trade name: Non-OEM Remanufactured Replacement Cartridge for HP CE340A/CE270A (Black)
- · Article number: RCHE340AU
- · Application of the substance / the mixture Printing Toner
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- Static Control Components Inc. P.O. Box 152 Sanford, North Carolina, 27331 info@scc-inc.com

· Information department: Product Safety Department · Emergency telephone number: During Normal Operating Hours: 919-774-3808 Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazard(s) identification

· Classification of the substance or mixture

- Combustible Dust May form combustible dust concentrations in air.
- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms None required
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 1	Fire = 1
REACTIVITY 0	Reactivity $= 0$

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Resin mixture

(Contd. on page 2)



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2019

Reviewed on 08/10/2017

Trade name: Non-OEM Remanufactured Replacement Cartridge for HP CE340A/CE270A (Black)

	(Contd. of page 1)
· Dangerous components:	
8002-74-2 Paraffin waxes and Hydrocarbon waxes	>2.5-≤10%
1333-86-4 Carbon black (bound)	>2.5-≤10%
· Non-hazardous components	
25085-34-1 Polymer	>50-≤100%
7631-86-9 silicon dioxide, chemically prepared	>2.5-≤10%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2019

Reviewed on 08/10/2017

Trade name: Non-OEM Remanufactured Replacement Cartridge for HP CE340A/CE270A (Black)

	(Contd. of page 2)
Protective Action Criteria for Chemicals PAC-1:	
1333-86-4 Carbon black (bound)	9 mg/m ³
7631-86-9 silicon dioxide, chemically prepared	18 mg/m ³
PAC-2:	
1333-86-4 Carbon black (bound)	99 mg/m ³
7631-86-9 silicon dioxide, chemically prepared	740 mg/m ³
PAC-3:	
1333-86-4 Carbon black (bound)	590 mg/m ³
7631-86-9 silicon dioxide, chemically prepared	4,500 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

8002-74-2 Paraffin waxes and Hydrocarbon waxes

- REL Long-term value: 2 mg/m³
- TLV Long-term value: 2 mg/m³

(Contd. on page 4)



Safety Data Sheet acc. to OSHA HCS Page 4/8

Printing date 10/29/2019

Reviewed on 08/10/2017

Trade name: Non-OEM Remanufactured Replacement Cartridge for HP CE340A/CE270A (Black)

1333-86-4 Carbon black (bound)	
PEL Long-term value: 3.5 mg/m ³	
REL Long-term value: 3.5* mg/m ³	
*0.1 in presence of PAHs;See I	Pocket Guide Apps.A+C
TLV Long-term value: 3* mg/m ³	
*inhalable fraction	
	Limit Values for possible hazards during processing: (Total Dust), 5 mg/m3 (Respirable Fraction)
ACGIH (TWA/TLV): 10 mg/m3 (Inh	nalable Particulate), 3 mg/m3 (Respirable Particulate)
Amorphous Silica: USA OSHA (TW	VA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3
TRGS 900 (Luftgrenzwert): 10 mg/m	3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)
UK WEL: 10 mg/m3 (Respirable Dus Additional information: The lists th	st) 5 mg/m3 (Inhalible Dust) at were valid during the creation were used as basis.
	easures: end of work. nsideration of the penetration times, rates of diffusion and the degradation
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material	end of work.
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to b	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and vari be found out by the manufacturer of the protective gloves and has to be observed.
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and vari- be found out by the manufacturer of the protective gloves and has to be observed. The second se
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and vari- be found out by the manufacturer of the protective gloves and has to be observed. The second se
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information Appearance:	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and var be found out by the manufacturer of the protective gloves and has to be observed.
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information Appearance: Form:	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and vari be found out by the manufacturer of the protective gloves and has to be observed.
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color:	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and var be found out by the manufacturer of the protective gloves and has to be observed. Tries Chemical properties Powder Black
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: Odor:	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and var be found out by the manufacturer of the protective gloves and has to be observed. Instruction Instruc
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold:	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and var be found out by the manufacturer of the protective gloves and has to be observed. Instruction Instruc
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: pH-value:	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and vari be found out by the manufacturer of the protective gloves and has to be observed. Instruction Instru
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition	end of work. nsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and vari be found out by the manufacturer of the protective gloves and has to be observed. rties chemical properties Powder Black Characteristic Not determined. Not applicable.
Wash hands before breaks and at the Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be Eye protection: Safety glasses Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: pH-value:	end of work. Insideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and var be found out by the manufacturer of the protective gloves and has to be observed. Instruction Instruc

(Contd. on page 5)

- US



Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2019

Reviewed on 08/10/2017

Trade name: Non-OEM Remanufactured Replacement Cartridge for HP CE340A/CE270A (Black)

	(Contd. of]	page 4)
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	>300 °C (>572 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard in its original state.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	1.3 g/cm ³ (10.8485 lbs/gal) SG: 1.3-1.8	
· Relative density	Not determined.	
Vapor density	Not applicable.	
• Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content: VOC content:	0.00 %	
Solids content: • Other information	100.0 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity Non reactive.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2019

Reviewed on 08/10/2017

Trade name: Non-OEM Remanufactured Replacement Cartridge for HP CE340A/CE270A (Black)

(Contd. of page 5)

2B

3

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- · Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Only unbound carbon black considered a Group 2 Carcinogen by IARC

1333-86-4 Carbon black (bound)

7631-86-9 silicon dioxide, chemically prepared

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation: Smaller quantities can be disposed of with household waste.



Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2019

Reviewed on 08/10/2017

(Contd. of page 6)

Trade name: Non-OEM Remanufactured Replacement Cartridge for HP CE340A/CE270A (Black)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	
·Class	Void
· Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA.
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• **TSCA (Toxic Substances Control Act):** All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

1333-86-4 Carbon black (bound)

(Contd. on page 8)



Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2019

Reviewed on 08/10/2017

Trade name: Non-OEM Remanufactured Replacement Cartridge for HP CE340A/CE270A (Black)

(Contd. of page 7)

A4

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1333-86-4 Carbon black (bound)

• NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black (bound)

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms Void

· Signal word Warning

· Hazard statements

May form combustible dust concentrations in air.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

\cdot Date of preparation / last revision 10/29/2019 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit * Data compared to the previous version altered. No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.

Page 8/8