

Page 1/9

Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

- **1 Identification**
- · Product identifier
- · Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan
- · Article number: RIC962XL-C
- · Application of the substance / the mixture Printing inks
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152 Sanford, North Carolina, 27331 info@scc-inc.com

 Information department: Product Safety Department
Emergency telephone number: During Normal Operating Hours: 919-774-3808
Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Resin mixture

(Contd. on page 2)

JS –



Page 2/9

Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan

0-≤10
0-≤10
0-≤10
>50-≤100
0-≤2.5%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture

Like most finely divided organic powders, toner dust may form an explosive mixture in air.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in

compliance with national, state, regional or provincial regulations.

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Page 3/9

Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan

(Contd. of page 2) · Protective Action Criteria for Chemicals · PAC-1: 56-81-5 glycerol 45 mg/m^3 111-46-6 2,2'-oxybisethanol 6.9 ppm 102-71-6 Triethanolamine 15 mg/m^3 · PAC-2: 56-81-5 glycerol 180 mg/m³ 111-46-6 2,2'-oxybisethanol 140 ppm 102-71-6 Triethanolamine 240 mg/m³ · PAC-3: 56-81-5 glycerol $1,100 \text{ mg/m}^3$ 111-46-6 2,2'-oxybisethanol 860 ppm 102-71-6 Triethanolamine 1,500 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.
- Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- Protect from humidity and water.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.



Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan

	t has no known exposure limits. (Contd. of page 3)
56-81-5 glycerol	
PEL Long-term value: 15* 5** mg	g/m ³
mist; *total dust **respirable	
TLV TLV withdrawn-insufficient of	data human occup. exp.
111-46-6 2,2'-oxybisethanol	
WEEL Long-term value: 10 mg/m ³	
	Limit Values for possible hazards during processing: (Total Dust), 5 mg/m3 (Respirable Fraction)
ACGIH (TWA/TLV): 10 mg/m3 (Inh	nalable Particulate), 3 mg/m3 (Respirable Particulate)
Amorphous Silica: USA OSHA (TW	/A/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3
TRGS 900 (Luftgrenzwert): 10 mg/m	3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)
UK WEL: 10 mg/m3 (Respirable Dus • Additional information: The lists th	st) 5 mg/m3 (Inhalible Dust) hat were valid during the creation were used as basis.
· Material of gloves	nsideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and varies
from manufacturer to manufacturer. • Penetration time of glove material	be found out by the manufacturer of the protective gloves and has to be observed.
from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to b	
from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to b • Eye protection: Safety glasses 9 Physical and chemical proper • Information on basic physical and o • General Information	rties
from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to b • Eye protection: Safety glasses 9 Physical and chemical proper • Information on basic physical and o • General Information • Appearance: Form:	rties
from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to b • Eye protection: Safety glasses 9 Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color:	rties chemical properties Liquid Cyan
from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to b • Eye protection: Safety glasses 9 Physical and chemical proper • Information on basic physical and o • General Information • Appearance: Form: Color: • Odor:	rties chemical properties Liquid Cyan Light
from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to b • Eye protection: Safety glasses 9 Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor: • Odor threshold:	rties chemical properties Liquid Cyan Light Not determined.
from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to b • Eye protection: Safety glasses 9 Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value:	rties chemical properties Liquid Cyan Light
from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to b • Eye protection: Safety glasses 9 Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form: Color: • Odor: • Odor threshold:	rties chemical properties Liquid Cyan Light Not determined.



Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan

	(Contd. of pag
Flash point:	144 °C (291.2 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard in its original state.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
Density:	SG: 1.3-1.8
Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.2-15.8 %
Water:	74.8 %
VOC content:	0.17-8.31 %
	328.9 g/l / 2.75 lb/gal
Solids content:	0.0 %
• Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity Non reactive.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Page 6/9

Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan

 $(Contd. \ of \ page \ 5)$

3

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

102-71-6 Triethanolamine

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.

(Contd. on page 7)



Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

(Contd. of page 6)

Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· DOT, ADR, IMDG, IATA	Void
· UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA
· DOT, ADR, IMDG, IATA	Void
· Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· Section 355 (extremely hazardous substances):					
None of the	e ingredients is listed.				
	· Section 313 (Specific toxic chemical listings):				
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol					
TSCA (Toxic Substances Control Act):					
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE			
56-81-5	glycerol	ACTIVE			
111-46-6	2,2'-oxybisethanol	ACTIVE			
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	ACTIVE			
102-71-6	Triethanolamine	ACTIVE			
(Contd. on page 8)					



Page 8/9

Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan

(Contd. of page 7)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

· Date of preparation / last revision 01/27/2022 / -

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IMDG: International Maritime Code for Dangerous Good DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value

[·] Abbreviations and acronyms:



Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2022

Reviewed on 01/27/2022

Trade name: Non-OEM Remanufactured Ink Cartridge for HP® 962XL Cyan

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

 \cdot * Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.

(Contd. of page 8)

US