

Printing date 07/26/2018 Reviewed on 03/31/2017

1 Identification of the Substance/Mixture and of the Company/Undertaking

· Product identifier

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

· Article number: KYTK360UNIV

· Application of the substance / the mixture Printing inks

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Static Control Components Inc.

P.O. Box 152

Sanford, North Carolina, 27331

info@scc-inc.com

· Information department: Product Safety Department

Emergency telephone number:

During Normal Operating Hours: 919-774-3808

Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazards Identification

· Classification of the substance or mixture



Skin Sens. 1 H317 May cause an allergic skin reaction.

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- Hazard-determining components of labeling:

Rosin Fumarated

· Hazard statements

May cause an allergic skin reaction.

May form combustible dust concentrations in air.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

(Contd. on page 2)



Printing date 07/26/2018 Reviewed on 03/31/2017

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 11 Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/Information on Ingredients

- Chemical characterization: Mixtures
- **Description:** Resin mixture

Dangerous components:	
13463-67-7 titanium dioxide (bound)	≤2.5%
65997-04-8 Rosin Fumarated	<1%
· Non-hazardous components	

· Non-hazai	rdous components	
	Styrene Acrylate Copolymer	>50-≤100%
1309-38-2	Magnetite	>25-≤50%
	Wax	>2.5-≤10%
8005-02-5	Solvent Black 7	>2.5-≤10%
7631-86-9	silicon dioxide, chemically prepared	≤2.5%

4 First Aid Measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 07/26/2018 Reviewed on 03/31/2017

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

(Contd. of page 2)

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting Measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No Information Available
- Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
7631-86-9	silicon dioxide, chemically prepared	18 mg/m ³
13463-67-7	titanium dioxide (bound)	30 mg/m ³
PAC-2:		
7631-86-9	silicon dioxide, chemically prepared	740 mg/m ³
13463-67-7	titanium dioxide (bound)	330 mg/m ³
PAC-3:		
7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m ³
13463-67-7	titanium dioxide (bound)	2,000 mg/m ³

7 Handling and Storage

- · Handling:
- Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

No special precautions are necessary if used correctly.

Use only in well ventilated areas.

(Contd. on page 4)



Printing date 07/26/2018 Reviewed on 03/31/2017

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

(Contd. of page 3)

- **Information about protection against explosions and fires:** Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

· Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from humidity and water.

· Specific end use(s) No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

13463-67-7 titanium dioxide (bound)

PEL | Long-term value: 15* mg/m³

*total dust

REL See Pocket Guide App. A TLV Long-term value: 10 mg/m³

· Additional Occupational Exposure Limit Values for possible hazards during processing:

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)





Printing date 07/26/2018 Reviewed on 03/31/2017

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

9 Physical and Chemical Properties	9 Physical	l and	Chemical	Pro	perties
------------------------------------	------------	-------	----------	-----	---------

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Powder
Color:	Dark
· Odor: · Odor threshold:	Odorless Not determined.
· Odor uresnoid:	Not determined.
pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard in its original state.
Explosion limits:	
Lower:	0.0 Vol %
Upper:	0.0 Vol %
· Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	1.8 g/cm³ (15.021 lbs/gal)
Relative density	Not determined.
· Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/water	er): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
	(Contd. on page 6)

(Contd. on page 6)



Printing date 07/26/2018 Reviewed on 03/31/2017

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

10 Stability and Reactivity

- · Reactivity Non reactive.
- Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- Information on toxicological effects
- · Acute toxicity:
- **Primary irritant effect:**
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- · Other information (about experimental toxicology):

Mutagenicity: Ames test Negative (According to the test result of similar composition.)

- · Additional toxicological information:
- · Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7631-86-9	silicon dioxide, chemically prepared	3
13463-67-7	titanium dioxide (bound)	2B
· NTP (Natio	nal Toxicology Program)	
None of the	ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological Information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 7)





Printing date 07/26/2018 Reviewed on 03/31/2017

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

(Contd. of page 6)

- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14TD 4 T 0 4	
14 Transport Information	
· UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA
DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
DOT, ADR, ADN, IMDG, IATA	
Class	Void
· Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex 1	II of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.



Printing date 07/26/2018 Reviewed on 03/31/2017

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

(Contd. of page 7)

· Sara · Section 355 (extremely hazardous substances):
Section 333 (extremely nazardous substances).
None of the ingredients is listed.
Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
1309-38-2 Magnetite
8005-02-5 Solvent Black 7
7631-86-9 silicon dioxide, chemically prepared
13463-67-7 titanium dioxide (bound)
65997-04-8 Rosin Fumarated
Proposition 65
· Chemicals known to cause cancer:
13463-67-7 titanium dioxide (bound)
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

13463-67-7 titanium dioxide (bound)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide (bound)

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Rosin Fumarated

· Hazard statements

May cause an allergic skin reaction.

May form combustible dust concentrations in air.





Printing date 07/26/2018 Reviewed on 03/31/2017

Trade name: *Universal Replacement Toner for use in Kyocera® TK-360

(Contd. of page 8)

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact:

During Normal Operating Hours: 919-774-3808

Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

· Date of preparation / last revision 07/26/2018 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Sens. 1: Skin sensitisation – Category 1

* Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.