

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 01/01/2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : PEAK Windshield Wash Concentrate (Winter)

SDS ID : 115112

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Windshield wash fluid ingredient

### 1.3. Details of the supplier of the safety data sheet

Old World Industries, LLC 3100 Sanders Road Northbrook, IL 60062 - USA T (847) 559-2000 www.oldworldind.com

#### 1.4. Emergency telephone number

Emergency number : 800 424 9300; 00 1 703 527 3887 (International)

Chemtrec

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Flammable liquids, H225 Highly flammable liquid and vapor

Category 2

Acute toxicity (oral), H301 Toxic if swallowed.

Category 3

Acute toxicity (dermal), H311 Toxic in contact with skin.

Category 3
Acute toxicity H331

Acute toxicity H331 Toxic if inhaled.

(inhalation:dust,mist)

Category 3

Specific target organ H370

toxicity — single exposure,

Category 1

Full text of H statements : see section 16

# 2.2. Label elements

### **GHS-US** labelling

Hazard pictograms (GHS-US)





Causes damage to organs (May cause blindness if swallowed)

GHS06

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H370 - Causes damage to organs (May cause blindness if swallowed)

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. heat, hot surfaces, sparks, open flames

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe mist, spray, vapors

P264 - Wash affected areas thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

01/01/2025 EN (English) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear personal protective equipment as required.

P301+P310 - If swallowed: Immediately call doctor/physician or poison center. Rinse Mouth P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 - Get medical advice/attention if you feel unwell.

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use Foam, Sand, Dry powder, Carbon dioxide to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to appropriate waste disposal facility, in accordance with local/regional/national/international regulations

### Other hazards

No additional information available

#### Unknown acute toxicity (GHS US)

No data available

### **SECTION 3: Composition/information on ingredients**

#### **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	% by wt	GHS-US classification
methanol	(CAS-No.) 67-56-1	>= 99.99	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
Dye, Blue	(CAS-No.) mixture of non- hazardous components	<= 0.001	Not classified

Full text of hazard classes and H-statements: see section 16

### **SECTION 4: First aid measures**

First-aid measures after ingestion

4.1. Description of first aid measures
--

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for First-aid measures after inhalation breathing. Seek immediate medical advice. Allow the victim to rest. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen.

First-aid measures after skin contact : Wash immediately with lots of water. Soap may be used. Do not apply (chemical) neutralizing agents. Remove clothing before washing. Consult a doctor/medical service.

Remove contact lenses, if present and easy to do, Continue rinsing, Rinse immediately with First-aid measures after eye contact plenty of water for 15 minutes, lifting lower and upper lids. Take victim to an ophthalmologist if

irritation persists.

: Obtain emergency medical attention. Rinse mouth. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : High concentrations may cause acute central nervous system depression characterized by headaches, dizziness, nausea and confusion. May cause irritation of the nose and throat.

Symptoms/effects after skin contact : Prolonged exposure to skin may cause skin irritation experienced as burning, dryness, cracking

and redness.

Symptoms/effects after eye contact : May cause severe irritation. Symptoms/effects after ingestion May cause nausea, abdominal pain, headache, shortness of breath, visual impairment and

blindness. Severe poisoning can lead to coma and death.

Chronic symptoms ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Red skin. Dry skin. Skin rash/inflammation. Headache. Feeling of weakness. Disturbed tactile sensibility. Visual disturbances. Sleeplessness. Gastrointestinal complaints. Cardiac and blood circulation effects.

01/01/2025 EN (English) 2/8

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4.3. Indication of any immediate medical attention and special treatment needed

This product consists of methanol which can cause intoxication and depression of the central nervous system. Methanol is metabolized to formic acid and formaldehyde. These metabolites can cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their onset may be delayed from 6 to 30 hours following ingestion.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : ABC powder. Foam. Dry powder. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor. Vapors are heavier than air and may travel along the ground or

may be moved by ventilation.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. Do not breather

vapor or mist. Wear appropriate respirator when ventilation is inadequate.

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Keep upwind. Mark the danger area.

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Dilute combustible/toxic gases/vapors with water spray. Contain released product, pump into

suitable containers. Dam up the liquid spill. Plug the leak, cut off the supply. Try to reduce evaporation. Take account of toxic/corrosive precipitation water.

evaporation. Take account of toxic/corrosive precipitation water.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : In use, may form flammable vapor-air mixture.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Hygiene measures : Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Use explosion-proof electrical, lighting, ventilating equipment. Ground/bond container and

receiving equipment. Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources, hot

surfaces, open flames, sparks. Keep container closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

Incompatible products : Keep away from strong acids, strong bases and oxidizing agents.

Incompatible materials : Sources of ignition.

01/01/2025 EN (English) 3/8

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

methanol (67-56-1)			
ACGIH	Local name	Methanol	
ACGIH	ACGIH TWA (ppm)	200 ppm (Skin)	
ACGIH	ACGIH STEL (ppm)	250 ppm (Skin)	
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea	
OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³ (Skin)	
OSHA	OSHA PEL (TWA) (ppm)	200 ppm (Skin)	

#### Dye, Blue (mixture of non-hazardous components)

Not applicable

### 8.2. Appropriate engineering controls

No additional information available

### 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Safety glasses.

### Hand protection:

Wear protective gloves.

## Eye protection:

Chemical goggles or safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Wear appropriate mask





### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Blue
Odor : alcohol odor
Odor threshold : No data available

Relative evaporation rate (butylacetate=1) : Greater than n-Butyl acetate

Freezing point : -98 °C (-143.9 °F)

Boiling point : 64.7 °C (148.4 °F) [760 mm Hg]

Flash point : 11.1 °C (52 °F) Method Used: Closed Cup

Auto-ignition temperature : No data available
Decomposition temperature : No data available

01/01/2025 EN (English) 4/8

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)

: No data available

Vapor pressure

: 99 mm Hg @ 20 °C

Relative vapor density at 20 °C

: Heavier than air

Specific Gravity : 0.792 - 0.8 @ 15 °C (59 °F)

Solubility : Water: Complete Log Pow : No data available : No data available Log Kow Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available Explosive properties Oxidizing properties : No data available : 6 - 36 vol % Explosive limits

9.2. Other information

VOC content : 100 %

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture. Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat and ignition sources. Sparks. flames. Sources of ignition.

### 10.5. Incompatible materials

Keep away from strong acids, strong bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

methanol (67-56-1)	
LD50 oral rat	1187 - 2769 mg/kg bodyweight (BASF test, Rat, Male/female, Weight of evidence)
LD50 dermal rabbit	17100 mg/kg (Rabbit, Inconclusive, insufficient data)
LC50 inhalation rat (mg/l)	128.2 mg/l/4h (BASF test, 4 h, Rat, Male/female, Weight of evidence)
ATE US (oral)	100 mg/kg bodyweight
ATE US (dermal)	300 mg/kg bodyweight
ATE US (gases)	700 ppmv/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust,mist)	0.5 mg/l/4h

 Skin corrosion/irritation
 : Not classified

 Serious eye damage/irritation
 : Not classified

 Respiratory or skin sensitisation
 : Not classified

 Germ cell mutagenicity
 : Not classified

 Carcinogenicity
 : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Causes damage to organs (May cause blindness if swallowed) .

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

01/01/2025 EN (English) 5/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after inhalation : High concentrations may cause acute central nervous system depression characterized by headaches, dizziness, nausea and confusion. May cause irritation of the nose and throat.

Symptoms/effects after skin contact : Prolonged exposure to skin may cause skin irritation experienced as burning, dryness, cracking

and redness.

Symptoms/effects after eye contact : May cause severe irritation.

Symptoms/effects after ingestion : May cause nausea, abdominal pain, headache, shortness of breath, visual impairment and

blindness. Severe poisoning can lead to coma and death.

Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Red skin. Dry skin. Skin

rash/inflammation. Headache. Feeling of weakness. Disturbed tactile sensibility. Visual disturbances. Sleeplessness. Gastrointestinal complaints. Cardiac and blood circulation effects.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

methanol (67-56-1)	
LC50 fish 1	15,400.00 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	18,260.00 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semi-static system, Fresh water, Experimental value)
ErC50 (algae)	22,000.00 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)

# 12.2. Persistence and degradability

methanol (67-56-1)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O₂/g substance
Chemical oxygen demand (COD)	1.42 g O <sub>2</sub> /g substance
ThOD	1.50 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

methanol (67-56-1)	
BCF fish 1	1 - 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value)
Log Pow	-0.77 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

### 12.4. Mobility in soil

methanol (67-56-1)	
Surface tension	0.02 N/m (20 °C)
Log Koc	-0.890.21 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to appropriate waste disposal facility, in accordance with

local/regional/national/international regulations.

Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

### **Department of Transportation (DOT)**

In accordance with DOT (For US domestic shipments)

Transport document description : UN1230 Methanol , 3, II

UN-No.(DOT) : UN1230
Proper Shipping Name (DOT) : Methanol

01/01/2025 EN (English) 6/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 Class (DOT)

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

**DOT Symbols** : + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group,I - Proper

shipping name appropriate for international and domestic transportation

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail : 1 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

**DOT Vessel Stowage Location** 

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

**DOT Vessel Stowage Other** : 40 - Stow "clear of living quarters"

: In inner packaging no more than 1.0L (0.3 gallons): Proper shipping name: Limited Quantity Other information

(Methanol Solution).

### **Transportation of Dangerous Goods**

#### Refer to current TDG Canada for further Canadian regulations

### Transport by sea

In accordance with IMDG / IMO

Transport document description (IMDG) : UN 1230 Methanol, 3 (6.1), II

UN-No. (IMDG) : 1230 Proper Shipping Name (IMDG) : Methanol

Class (IMDG) : 3 - Flammable liquids

: II - substances presenting medium danger Packing group (IMDG)

Subsidiary risk (IMDG) : 6.1 - Toxic substances

Limited quantities (IMDG) : Limited Quantity (Methanol Solution)

Limited quantities (IMDG) : 1 L

### Air transport

In accordance with IATA / ICAO

Transport document description (IATA) : UN 1230 Methanol, 3 (6.1), II

UN-No. (IATA) : 1230 Proper Shipping Name (IATA) : Methanol

Class (IATA) : 3 - Flammable Liquids Packing group (IATA) : II - Medium Danger

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

PEAK Windshield Wash Concentrate (Winter)	
EPA TSCA Regulatory Flag	Toxic Substances Control Act (TSCA): The intentional ingredients of this product are listed
SARA Section 311/312 Hazard Classes	Refer to Section 2 for the OSHA hazard classification

methanol (67-56-1)	
CERCLA RQ	5000 lb(s) (2270 kg)

01/01/2025 EN (English) 7/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

#### **CANADA**

PEAK Windshield Wash Concentrate (Winter)			
WHMIS Classification	This SDS has been prepared according to the criteria of the Hazardous Products Regulations (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR. Applicable GHS information is listed in section 2.2 of this SDS.		

### **EU-Regulations**

No additional information available

### **National regulations**

### **PEAK Windshield Wash Concentrate (Winter)**

ECL (South Korea): The intentional ingredients of this product are listed. ELNECS (Europe): The intentional ingredients of this product are listed ENCS (Japan): The intentional ingredients of this product are listed DSL (Canada): The intentional ingredients of this product are listed

### 15.3. US State regulations



This product can expose you to methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

methanol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

## methanol (67-56-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### **SECTION 16: Other information**

Revision date : 01/01/2025

### Full text of H-statements:

H225	Highly flammable liquid and vapor
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that

can be ignited under almost all ambient temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire

conditions.



## SDS GHS US (GHS HazCom 2012) OWI

Old World Industries, LLC makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Old World Industries LLC as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Old World Industries, LLC assume liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process

01/01/2025 EN (English) 8/8