# **30" PROFESSIONAL OVENS**

# PLANNING GUIDE

SERIES 7
SELF-CLEANING OVEN | OB30SPPTX3
COMPACT CONVECTION-SPEED | OM30NPTX3

## CONTENTS | 30" OVENS

### INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

### SUPPORT

For additional design planning and installation support please contact the Fisher & Paykel design support team.

### designsupport@fisherpaykel.com

### **NOTES**

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Refer to to our website fisherpaykel.com for the latest document version. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Specific installation guidance will be available with the product on delivery and on our website.

### **CONCEPT DESIGN**

### PAGE

### **DEVELOPED AND DETAILED DESIGN**

### PAGE

### SPECIFICATION GUIDE

Self-Cleaning Ove	٩n
-------------------	----

Compact Convection-Speed Oven

DEVELOPED AND DETAILED DESIGN

PAGE

**SPECIFICATION GUIDE** 

SERIES 7



### OVERVIEW

Designed to make a bold statement in the kitchen space with a striking handle and brushed stainless steel finish, this oven matches seamlessly with our Professional style family of appliances. Pyrolytic self-cleaning simplifies maintenance, while intuitive temperature and heat type recommendations accessed via the large touch screen and SmartHQ™ support optimal cooking results across a wide range of functions and food types.

# 19:30

### **PRODUCTS**

### OB30SPPTX3

30" Series 7 Professional Self-Cleaning Oven

### **SERIES & STYLE**

Series 7 Professional

### **FEATURES**

- Professional style is designed to make a bold statement in the kitchen space. Matches with Professional style family of appliances.
- Self-cleaning pyrolytic function breaks down food residue for an easy clean
- ③ Premium soft-close door with advanced thermal performance
- 4 Generous 4.6 cu ft useable capacity
- 5 5" touchscreen for easy use
- Achieve optimal results with temperature and heat type recommendations
- 7 Twin vertical fans, perfect for multi-shelf cooking
- ® Connected capability via the SmartHQ™ app gives control & visibility from anywhere at anytime


### **ACCESSORIES**

- Self-cleaning-proof Side Ladders
- 2 Flat Shelf (x2)

### **SPECIFICATIONS**

Model Number				
OB30SPPTX3	30" Series 7 Professional Self-Cleaning Oven			
Electrical				
Supply	208 or 240 V, 60 Hz			
Service	20 A			
Connection	Hard wired 78 3/4" (2000mm)			
Capacity				
Total Oven capacity	4.9cu ft (137L)			

### PRODUCT DIMENSIONS




### ISOMETRIC VIEW

Product Dimensions	inch	mm
Overall height	28 11/16	729
Overall width	29 7/8	758
© Chassis height	27 7/8	708
Chassis width	28 3/8	720
© Chassis depth	22 5/8	575
F Front panel thickness	15/16	24
Depth with door fully open*	23 1/4	590
***		

<sup>\*</sup>Measured from front of control panel.

### **CAVITY DIMENSIONS**



**Cavity Dimensions** inch mm A Minimum inside height of cavity 28 1/32 712 B Minimum inside width of cavity 28 1/2 724 © Minimum inside depth of cavity\* 23 1/2\*\* 597\*\* Recommened cabinet height 28 3/4 731 Recommened cabinet width 30 762

<sup>\*</sup>Measured from front of chassis.

<sup>\*\*</sup>Requires ventilation at the rear of the cavity.



### **OVERVIEW**

Designed to make a bold statement in the kitchen space with a striking handle and brushed stainless steel finish, this Convection-Speed oven matches seamlessly with our Professional style family of appliances. With versatile cooking options including microwave or convection for efficient heating across a variety of dishes. Intuitive temperature and heat type recommendations can be accessed via the touch screen and SmartHQ<sup>TM</sup>, to support optimal cooking results across a wide range of functions and food types.



### **PRODUCTS**

### OM30NPTX3

30" Series 7 Professional Compact Convection-Speed Oven

### **SERIES & STYLE**

Series 7 Professional

### **FEATURES**

- Professional style is designed to make a bold statement in the kitchen space. Matches with Professional style family of appliances
- ② Combines fast microwave cooking with even convection heat for versatile, efficient heating across a variety of dishes
- With soft open and close, the CoolTouch door is safe to touch from the outside - protecting hands and surrounding cabinetry
- 4 Generous 38L useable capacity with four shelf positions
- 5 5" touchscreen for easy use
- Achieve optimal results with temperature and heat type recommendations
- 31 functions, including four microwave-only, 14 traditional oven and four combination settings
- Includes a wired temperature sensor for real-time monitoring of cooking temperatures
- Connected capability via the SmartHQ™ app gives control & visibility from anywhere at anytime


### **ACCESSORIES**

- ① Chrome Side Ladders
- Wire Shelf
- 3 Step Down Wire Shelf
- (4) Broil Rack
- Glass Tray

### **SPECIFICATIONS**

Model Number	
OM30NPTX3	30" Series 7 Professional Compact Convection- Speed Oven
Electrical	
Supply	208 or 240 V, 60 Hz
Service	20 A
Connection	Hard wired 78 3/4" (2000mm)
Capacity	
Total Oven capacity	1.7cu ft (49L)

### PRODUCT DIMENSIONS




### ISOMETRIC VIEW

Product Dimensions	inch	mm
Overall height	18	458
Overall width	29 7/8	758
© Chassis height	17 1/8	435
Chassis width	28 3/8	720
© Chassis depth	21 7/16	545
Front panel thickness	15/16	24
Depth with door fully open*	12 5/8	320

<sup>\*</sup>Measured from front of control panel.

### **CAVITY DIMENSIONS**



ISOMETRIC VIEW

Cavity Dimensions		inch	mn
A	Minimum inside height of cavity	17 5/16	440
В	Minimum inside width of cavity	28 1/2	724
©	Minimum inside depth of cavity*	21 5/8**	550*
	Recommened cabinet height	18 1/8	460
	Recommened cabinet width	30	762

<sup>\*</sup>Measured from front of chassis.

<sup>\*\*</sup>Requires ventilation at the rear of the cavity.