

HCI905MFTB4, HCI604MFTB4

# Induction Cooktop, 90cm and 60cm

with Flexi Zone, Connected



## HCI905MFTB4


H 66mm W 900mm D 520mm

Weight packaged

16.5kg

Weight product

14kg



## HCI604MFTB4

H 60mm W 590mm D 520mm

Weight packaged

10kg

Weight product

8.5kg


## FEATURES

- Sleek black glass finish to suit a range of kitchen designs
- Four (HCI604MFTB4) or five (HCI905MFTB4) cook zones with precise heat control
- Linked hood to hob connection, pairing the rangehood extraction with the cookzone power levels via Bluetooth
- With dual Flexi Zones, each one made by pairing single zones to make a large cook surface
- Intuitive touch slider controls for each zone
- Energy-efficient induction technology
- Surface remains cool-to-touch until cookware is placed on it
- Instant-response heating for busy lives
- Wi-Fi enabled for easy control using the SmartHQ™ app
- Designed to pair with a Haier oven in matching black

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website [haier.com](http://haier.com)


# Product Overview

## PRODUCT DIMENSIONS



		mm
<b>A</b>	Overall height	60
<b>B</b>	Overall width	590
<b>C</b>	Overall depth	520

## CUTOUT DIMENSIONS



		mm
<b>A</b>	Overall width of cutout	562
<b>B</b>	Overall depth of cutout	492


## SERVICES

- Supply 220-240 V, 50 Hz
- Service 31 A
- Connection Hardwired

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website [haier.com](http://haier.com)


# Product Overview

## PRODUCT DIMENSIONS



		mm
<b>A</b>	Overall height	66
<b>B</b>	Overall width	900
<b>C</b>	Overall depth	520

## CUTOUT DIMENSIONS



		mm
<b>A</b>	Overall width of cutout	870
<b>B</b>	Overall depth of cutout	490

## SERVICES

- Supply 220-240 V, 50 Hz
- Service 46 A
- Connection Hardwired

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website [haier.com](http://haier.com)