

**60CM OVENS SERIES 7  
MINIMAL**

---

PLANNING GUIDE

---

**SERIES 7**

**OVEN** | OB60SM11PLB1, OB60SM16PLB1, OB60SM16PLG1

**COMBINATION STEAM OVEN** | OS60NMLB1, OS60NMLG1

**COMBINATION MICROWAVE OVEN** | OM60NMLB1, OM60NMLG1

**FISHER & PAYKEL**

This comprehensive Planning Guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

## CONTENTS

CONCEPT DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE
<b>Specification Guides</b>		<b>Data Sheets</b>	
Oven, 11 Function	<b>4</b>	Oven	<b>11</b>
Oven, 16 Function	<b>5</b>	Combination Steam Oven	<b>12</b>
Combination Steam Oven	<b>7</b>	Combination Microwave Oven	<b>13</b>
Combination Microwave Oven	<b>8</b>		

---

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website [fisherpaykel.com](https://fisherpaykel.com)

## SPECIFICATION GUIDE



### OVERVIEW

Designed to integrate seamlessly into any kitchen with Minimal styling, this oven is available in a choice of black or grey finishes. It features a generous 85L capacity with Aerotech™ technology, which circulates heat evenly throughout the cavity-ideal for multi-shelf cooking. The intuitive interface and dial provide guided cooking simplicity, while the Pyrolytic self-cleaning function breaks down grime and grease, keeping the oven pristine for its next use.

### PRODUCTS

**OB60SM11PLB1** - Black  
Oven, 60cm, 11 Function

Note: Product not available in all markets.



### SERIES & STYLE

Series 7  
Minimal

### FEATURES

- ① Minimal style, designed to fit flush with cabinetry
- ② Generous 85L total capacity with six shelf positions
- ③ Intuitive 2.4" screen with illuminated dial
- ④ 11 ovens functions
- ⑤ Pyrolytic self-cleaning function breaks down food residue for an easy clean
- ⑥ Guided cooking with additional functionality via the SmartHQ™ app (requires optional Wireless Temperature Sensor for certain modes)\*
- ⑦ ActiveVent™ ensures optimised moisture levels for perfect results
- ⑧ Wi-Fi/Connected capability\*

\*Not available in all markets.

### ACCESSORIES

- ① Baking Tray
- ② Roasting Dish
- ③ Grill Rack
- ④ Step Down Wire Shelf
- ⑤ Chrome Shelf Runners
- ⑥ Telescopic Runners
- ⑦ Flat Wire Shelf

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website [fisherpaykel.com](https://fisherpaykel.com)



OB60SM16PLB1



OB60SM16PLG1

**OVERVIEW**

Designed to integrate seamlessly into any kitchen with Minimal styling, these ovens are available in both black and grey finishes. They feature a generous 85L capacity with Aerotech™ technology, which circulates heat evenly throughout the cavity-ideal for multi-shelf cooking. The intuitive interface and dial provide guided cooking simplicity, while the Pyrolytic self-cleaning function breaks down grime and grease, keeping the oven pristine for its next use.

**PRODUCTS**

**OB60SM16PLB1** - Black  
Oven, 60cm, 16 Function

**OB60SM16PLG1** - Grey  
Oven, 60cm, 16 Function

**SERIES & STYLE**

Series 7  
Minimal

**FEATURES**

- ① Minimal style, designed to fit flush with cabinetry
- ② Generous 85L total capacity with six shelf positions
- ③ Intuitive 2.4" screen with illuminated dial
- ④ 16 ovens functions
- ⑤ Pyrolytic self-cleaning function breaks down food residue for an easy clean
- ⑥ Guided cooking with additional functionality via the SmartHQ™ app (requires optional Wireless Temperature Sensor for certain modes)\*
- ⑦ Includes a Wired Temperature Accessory for precise real-time cooking monitoring
- ⑧ Optimised moisture levels thanks to AeroTech™ technology
- ⑨ Wi-Fi/Connected capability\*

\*Not available in all markets.

**ACCESSORIES**

- ① Baking Tray\*
- ② Roasting Dish
- ③ Grill Rack
- ④ Step Down Wire Shelf\*
- ⑤ Full Extension Sliding Shelves
- ⑥ Self-Cleaning Side Runners
- ⑦ Smokeless Grill Tray\*
- ⑧ Wired Temperature Sensor


\*Not available in all markets.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website [fisherpaykel.com](http://fisherpaykel.com)

**SPECIFICATIONS**

<b>Model No.</b>	OB60SM11PLB1, OB60SM16PLB1, OB60SM16PLG1
<b>Dimensions</b>	<b>H</b> 598mm <b>W</b> 596mm <b>D</b> 565mm
<b>Total Oven Capacity</b>	85L
<b>Weight</b>	
Packaged	44kg
Unpackaged	32kg
<b>Electrical</b>	
Supply	220-240 V, 50 Hz
Service	16 A


**PRODUCT DIMENSIONS**



ISO VIEW

	mm
(A) Overall height	598
(B) Overall width	596
(C) Depth of chassis	545
(D) Thickness of oven control panel (excl. handle and dials)	20
Depth of oven door when fully open (measured from front of control panel)	460

**CAVITY DIMENSIONS: STANDARD INSTALLATION**



ISO VIEW

	mm
(A) Minimum inside height of cavity	580
(B) Minimum inside width of cavity	560
(C) Minimum inside depth of cavity	550

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website [fisherpaykel.com](http://fisherpaykel.com)



OS60NMLB1



OS60NMLG1

## OVERVIEW

With timeless Minimal styling, this compact Combination Steam Oven is designed to fit seamlessly into any kitchen. Available in black or grey finishes, it features 18 functions, including steam-only, convection-only, or a combination of both. Reducing the need for oils and fats, its five steam functions are ideal for creating flavourful and healthy meals at home. Designed for ease of use, the intuitive interface and dial provide simple guided cooking, helping to ensure perfect results every time.

## PRODUCTS

**OS60NMLB1** - Black  
Combination Steam Oven, 60cm, 18 Function

**OS60NMLG1** - Grey  
Combination Steam Oven, 60cm, 18 Function

## ACCESSORIES

- ① Larger Perforated Dish
- ② Large Unperforated Dish
- ③ Baking Tray
- ④ Roasting Dish
- ⑤ Step Down Wire Shelf
- ⑥ Wired Temperature Sensor
- ⑦ Descale Solution (2 sachets)
- ⑧ Telescopic Runners
- ⑨ Flat Wire Shelf
- ⑩ Grill rack

## FEATURES

- ① Minimal style, designed to fit flush with cabinetry
- ② 55L total capacity
- ③ Intuitive, 2.4" display with illuminated dial
- ④ 18 oven functions, including five steam-only functions
- ⑤ Includes a Wired Temperature Accessory for precise real-time cooking monitoring
- ⑥ Guided cooking, with the option to access additional functionality via the SmartHQ™ app\*
- ⑦ Moisture control and even heat distribution thanks to ActiveVent and AeroTech™ technology
- ⑧ Motorised control panel reveals large 1.5L water tank
- ⑨ Soft open and close door
- ⑩ Wi-Fi/Connected capability\*

\*Not available in all markets.

## SERIES & STYLE

Series 7  
Minimal

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website [fisherpaykel.com](https://fisherpaykel.com)



OM60NMLB1



OM60NMLG1

**OVERVIEW**

This 60cm combination microwave seamlessly blends the speed of microwave cooking with the versatility of convection technology in a compact companion model. Available in black or grey finishes, it features a spacious 49L interior, a sleek reflective glass design, and 19 versatile cooking functions. The intuitive 2.4" display ensures easy control, while Wi-Fi connectivity and SmartHQ™ app integration add modern convenience to any kitchen.

**PRODUCTS**

**OM60NMLB1** - Black  
Combination Microwave Oven, 60cm, 19 Function

**OM60NMLG1** - Grey  
Combination Microwave Oven, 60cm, 19 Function

**SERIES & STYLE**

Series 7  
Minimal

**FEATURES**

- ① Minimal style, with black glass finish or Minimal style, with subtle grey glass finish
- ② Compact 60cm width means this microwave oven can be placed almost anywhere
- ③ Intuitive, 2.4" display with illuminated dial
- ④ Generous 49L capacity, with four shelf positions
- ⑤ Choose from 19 cooking modes including Fan Forced and Grill
- ⑥ CoolTouch door is safe to touch from the outside
- ⑦ Wi-Fi enabled and works with the SmartHQ™ app for remote control and notifications\*
- ⑧ Purchase the Wired Temperature Sensor accessory to precisely monitor cooking in real-time

\*Not available in all markets.

**ACCESSORIES**


- ① Wire Shelf
- ② Step Down Wire Shelf
- ③ Glass Oven Tray
- ④ Grill Rack

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website [fisherpaykel.com](http://fisherpaykel.com)

**SPECIFICATIONS**

<b>Model No.</b>	OS60NMLB1, OS60NMLG1, OM60NMLB1, OM60NMLG1
<b>Dimensions</b>	<b>H</b> 458mm <b>W</b> 596mm <b>D</b> 565mm
<b>Total Oven Capacity</b>	55L (Steam) 49L (Microwave)
<b>Weight - Steam</b>	
Packaged	52kg
Unpackaged	40kg
<b>Weight - Microwave</b>	
Packaged	46kg
Unpackaged	38kg
<b>Electrical</b>	
Supply	220-240 V, 50 Hz
Service	16 A


**PRODUCT DIMENSIONS**



ISO VIEW

	mm
Ⓐ Overall height	458
Ⓑ Overall width	596
Ⓒ Depth of chassis	545
Ⓓ Thickness of oven control panel (excl. handle and dials)	20
Depth of oven door when fully open (measured from front of control panel)	320

**CAVITY DIMENSIONS: STANDARD INSTALLATION**




ISO VIEW

	mm
Ⓐ Minimum inside height of cavity	440
Ⓑ Minimum inside width of cavity	560
Ⓒ Minimum inside depth of cavity	550

Note: Combination Microwave Oven requires ventilation at the rear of the cavity.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available on our website [fisherpaykel.com](http://fisherpaykel.com)

## DATA SHEETS



**Model no:**

Oven, 60cm - OB60SM11PLB1, OB60SM16PLB1, OB60SM16PLG1

**Product Dimensions**

	mm
Ⓐ Overall height of product	598
Ⓑ Overall width of product	596
Ⓒ Depth of control panel (excludes dial and handle)	20
Ⓓ Depth of chassis and control panel (excludes dial and handle)	565
Ⓔ Depth of chassis	545
Ⓕ Height of chassis	575
Ⓖ Width of chassis	556
Ⓜ Height from bottom datum to top of oven door	487
Ⓣ Height from bottom datum to bottom of door	12
Ⓝ Height of control panel	100
Ⓚ Gap between door and control panel	11
Ⓛ Depth of door when open (measured from front of door)	460
Ⓝ Height from bottom datum to centerline of handle	464
Ⓝ Depth of handle (measured from front of door)	42
Ⓝ Thickness of handle	16
Ⓝ Width of handle	565

**Minimum Clearances - Flush Installation**


	mm
Minimum inside height of cavity	580
Minimum inside width of cavity	560
Minimum inside depth of cavity	550
Minimum clearances above oven control panel to upper cabinetry front panel or appliance	2
Minimum clearances between bottom of oven chassis to lower cabinetry front panel or appliance	2

Ensure a 5mm minimum clearance is maintained between the top of the oven chassis and the cabinetry. Ensure the oven is not bearing any weight from cabinetry or products installed above.

IMPORTANT NOTE: For full installation and clearance details please refer to our installation manual.

INDICATES PRODUCT DATUM -----  
 INDICATES CABINETRY CLEARANCES - - - - -

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16"). Please read the Installation Guide for detailed information on installing the product. For full installation instructions visit fisherpaykel.com



**Model no:**

Combination Steam Oven, 60cm - OS60NMLB1, OS60NMLG1

**Product Dimensions**

	<b>mm</b>
Ⓐ Overall height of product	458
Ⓑ Overall width of product	596
Ⓒ Depth of control panel (excludes dial and handle)	20
Ⓓ Depth of chassis and control panel (excludes dial and handle)	565
Ⓔ Depth of chassis	545
Ⓕ Height of chassis	435
Ⓖ Width of chassis	556
Ⓜ Height from bottom datum to top of oven door	347
Ⓨ Height from bottom datum to bottom of door	12
Ⓩ Height of control panel	100
Ⓧ Gap between door and control panel	11
Ⓛ Depth of door when open (measured from front of door)	320
Ⓜ Height from bottom datum to centerline of handle	324
Ⓝ Depth of handle (measured from front of door)	42
Ⓟ Thickness of handle	16
Ⓟ Width of handle	565
Ⓟ Control panel fully open (measured from front of door)	170
Ⓟ Control panel half open (measured from front of door)	84
Ⓟ Water tank carriage fully open (measured from front of door)	133

**Minimum Clearances - Flush Installation**



	<b>mm</b>
Minimum inside height of cavity	440
Minimum inside width of cavity	560
Minimum inside depth of cavity	550
Minimum clearances above oven control panel to upper cabinetry front panel or appliance	2
Minimum clearances between bottom of oven chassis to lower cabinetry front panel or appliance	2

Ensure a 5mm minimum clearance is maintained between the top of the oven chassis and the cabinetry. Ensure the oven is not bearing any weight from cabinetry or products installed above.

IMPORTANT NOTE: For full installation and clearance details please refer to our installation manual.

INDICATES PRODUCT DATUM -----  
 INDICATES CABINETRY CLEARANCES - - - - -

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16"). Please read the Installation Guide for detailed information on installing the product. For full installation instructions visit fisherpaykel.com



**Model no:**

Combination Microwave Oven, 60cm - OM60NMLB1, OM60NMLG1

**Product Dimensions**

	mm
Ⓐ Overall height of product	458
Ⓑ Overall width of product	596
Ⓒ Depth of control panel (excludes dial and handle)	20
Ⓓ Depth of chassis and control panel (excludes dial and handle)	565
Ⓔ Depth of chassis	545
Ⓕ Height of chassis	435
Ⓖ Width of chassis	556
Ⓜ Height from bottom datum to top of oven door	347
Ⓣ Height from bottom datum to bottom of door	12
Ⓝ Height of control panel	100
Ⓧ Gap between door and control panel	11
Ⓛ Depth of door when open (measured from front of door)	320
Ⓜ Height from bottom datum to centerline of handle	324
Ⓝ Depth of handle (measured from front of door)	42
Ⓞ Thickness of handle	16
Ⓟ Width of handle	565

**Minimum Clearances - Flush Installation**

	mm
Minimum inside height of cavity	440
Minimum inside width of cavity	560
Minimum inside depth of cavity	550
Rear ventilation air vent depth*	50
Rear ventilation air vent width*	560
Minimum clearances above oven control panel to upper cabinetry front panel or appliance	2
Minimum clearances between bottom of oven chassis to lower cabinetry front panel or appliance	2

\*A rear ventilation air vent totalling 280cm<sup>2</sup> is required. The air vent must be located at the rear of the cabinet, it can be positioned at the base, sides, back or top of the cavity.

Ensure a 5mm minimum clearance is maintained between the top of the oven chassis and the cabinetry. Ensure the oven is not bearing any weight from cabinetry or products installed above.

IMPORTANT NOTE: For full installation and clearance details please refer to our installation manual.

INDICATES PRODUCT DATUM -----  
INDICATES CABINETRY CLEARANCES - - - - -

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16"). Please read the Installation Guide for detailed information on installing the product. For full installation instructions visit [fisherpaykel.com](http://fisherpaykel.com)

